

■光ファイバ通信入門（改訂5版）参考文献■

◆文献の見方

- 改訂5版の巻末には本書の引用文献を掲載したが、本ファイルでは、それらに加えて第1版～改訂4版で収録していた文献も含めてまとめている。
- 文献表示の4桁の数字は出版年の4桁を、また、英3文字は筆頭著者名の最初の3文字を表している。
- 同一年発表で同一著者あるいは同一の表記となる著者の文献については、[1966SUEa] [1966SUEb] のように、a, bなどを補って区別した。
- 並び順は、発行年+著者名としている。
- [xxxx SPE] とあるのは、論文誌の特集号全体を指す。
- 文献の情報は、下記を基本としている。

[雑誌の場合]

著者名, “題目”, 雑誌名, Vol.XX, No.YY, pp.Z1-Z2, 月, 年。

[書籍の場合]

著者名, “書籍名”, 発行所, 発行地, 年。

- [1873MAX] J. C. Maxwell, “Treatise on Electricity and Magnetism”, 3rd ed., Dover Publications, Inc., 1981中の記述。
- [1906DEF] Lee De Forest, “Triode”, 1906.
- [1910HON] von D. Hondros and P. Debye, “Elektromagnetische Wellen an Dielektrischen Drahten”, Annalen der Physik, Vol. 32, No. 8, p. 465, 1910.
- [1917EIN] A. Einstein, “Zur Quantentheorie der Strahlung”, Physik Zeitschrift, XⅧ, pp. 121-128, 1917.
- [1926SCH] E. Schrödinger, “Quantisierung als Eigenwertproblem”, Ann. Phys., Vol. 79, p. 361, 1926.
- [1930LAM] H. Lamb, Z. Instrumenten, Vol. 50, p. 579, 1930.
- [1934WOO] R. W. Wood, “Physical Optics”, 3rd ed., McMillan Pub. Co., New York, 1934.
- [1941STR] J. A. Stratton, “Electromagnetic theory”, McGraw-Hill Book Company, Inc., New York, 1941.
- [1953HEE] A.C.S. van Heel, “Optische afbeelding zonder Lenzen von Afbeeldingsspiegels,” De Ingenieur (Netherlands), Vol. 65, p. 25, 1953.
- [1953NEUa] J. von Neumann, “講義録”（復刻版[87NEU]）
- [1953NEUb] J. von Neumann, “Notes on the photon-disequilibrium-amplification scheme (JvN), September 16, 1953”, IEEE J. Quantum Electron., Vol.QE-23, No. 6, pp. 659-673, Jun. 1987.
- [1954GOR] J. P. Gordon, H. J. Zeiger and C. H. Townes, “Molecular microwave oscillator and new hyperfine structure in the microwave spectrum on NH₃”, Phys. Rev., Vol. 95, pp. 282-284, 1954.
- [1954HOP] H. H. Hopkins and N. S. Kapany, “A flexible fiberscope, using static acanning”, Nature, Vol. 173, pp. 39-41, 1954.
- [1955BRA] R. Braunstein, “Radiative transitions in semiconductors”, Phys. Rev., Vol. 99, No. 9, p. 1892, Sept. 1955.
- [1955SCH] L. I. Schiff, “Quantum mechanics”, McGraw-Hill, New York, 1955. (3rd ed. 1968)
- [1957NAM] 難波進, 小川智哉, “ADPの工学への応用—電気光学的性質とその応用”, 応用物理, Vol. 26, No. 10, p. 498, Oct. 1957.

- [1958SCH] A. L. Schawlow and C. H. Townes, "Infrared and optical masers" , Phys. Rev., Vol. 112 , p. 1940, 1958.
- [1959BAS] N. G. Basov, B. M. Vul and Y. M. Popov, "Quantum mechanical semiconductor generators and amplifiers of electromagnetic oscillations" , Zh. Eksperim. Teor. Fiz., Vol. 37 , p. 587 , Aug. 1959.
- [1959KAP] N. S. Kapany et al., J. Opt. Soc. Am., Vol. 49 , p. 779 , 1959.
- [1960COL] R. E. Collin, "Field Theory of Guided Waves" , McGraw-Hill, New York, 1960.
- [1960MAI] T. H. Maiman, "Stimulated optical radiation in ruby" , Nature, Vol. 187 , pp. 493 - 494 , 1960.
- [1961BER] M. G. Bernard and G. Duraffourg, "Laser conditions in semiconductors" , Phys. Status Solidi, Vol. 1 , No. 6 , p. 699 , July 1961.
- [1961FOX] A. G. Fox and T. Li, "Resonant modes in a maser interferometer" , Bell Syst. Tech. J., Vol. 40 , No. 3 , pp. 453 - 488 , Mar. 1961.
- [1961GOU] G. Goubau and F. Schowering, "On the guided propagation of electromagnetic wave beams" , IRE Trans. on Antennas and Propag., Vol. AP-9 , No. 5 , p. 248 , May 1961.
- [1961JAV] A. Javan, W. R. Bennet, Jr. and D. R. Herriot, "Population inversion and continuous optical maser oscillation in a gas discharge containing a He-Ne mixture" , Phys. Rev. Lett., Vol. 6 , p. 106 , Feb. 1961.
- [1961KAM] I. P. Kaminow, "Microwave modulation of the electro-optic effect in KH_2PO_4 " , Phys. Rev. Lett., Vol. 6 , No. 10 , p. 528 , May 1961.
- [1961MAI] T. H. Maiman, R. H. Hoskins, I. J. D'Haenens, C. K. Asawa and V. Evtunov, "Stimulated optical emission in solids" , Phys. Rev., Vol. 123 , No. 4 , pp. 1151 - 1157 , Aug. 1961.
- [1961NAG] M. Nagasawa, "The adjoint processes of diffusion with reflecting barrier" , Kodai Math. Sem. Rep., Vol. 13 , pp. 235 - 248 , 1961.
- [1961SNIA] E. Snitzer and H. Osterberg, "Observed dielectric waveguide modes in the visible spectrum" , J. Opt. Soc. Am., Vol. 51 , No. 5 , p. 499 , May 1961.
- [1961SNIB] E. Snitzer, "Cylindrical dielectric waveguide modes" , J. Opt. Soc. Am., Vol. 51 , No. 5 , pp. 491 - 498 , May 1961.
- [1962BLU] R. M. Blumenthal, "Design of a microwave-frequency light modulator" , IRE, Vol. 50 , No. 4 , p. 452 , Apr. 1962.
- [1962KEY] R. J. Keyes and T. M. Quist, "Recombination radiation emitted by gallium arsenide" , Proc. IRE (Corresp.) , Vol. 50 , p. 1822 , Aug. 1962.
- [1962HAL] R. N. Hall, G. E. Fenner, J. D. Kingsley, T. J. Soltys and R. O. Carlson, "Coherent light emission from GaAs junctions" , Phys. Rev. Lett., Vol. 9 , No. 9 , p. 366 , Nov. 1962.
- [1962HAR] S. E. Harris et al., "Modulation and direct demodulation of coherent and incoherent light at a microwave frequency" , Appl. Phys. Lett., Vol. 1 , p. 37 , 1962.
- [1962HOL] N. Holonyak, Jr. and S. F. Bevacqua, "Coherent (Visible) light emission from $\text{Ga}(\text{As}_{1-x}\text{P}_x)$ junctions" , Appl. Phys. Lett., Vol. 1 , No. 4 , p. 82 , Feb. 1962.
- [1962NAT] M. I. Nathan, W. P. Dumke, G. Burns, F. H. Dill, Jr. and G. Lasher, "Stimulated emission of radiation from GaAs p-n junctions" , Appl. Phys. Lett., Vol. 1 , No. 3 , p. 62 , Nov. 1962.
- [1962QUI] T. M. Quist, R. H. Rediker, R. J. Keyes, W. E. Krag, B. Lax, A. L. McWhorter and J. Zeiger, "Semiconductor maser of GaAs" , Appl. Phys. Lett., Vol. 1 , No. 4 , p. 91 , Dec. 1962.
- [1963BAR] J. Bardeen, "Collected Works of John von Neumann" , Vol. 5 , p. 420 , Pergamon Press, New York, 1963 .

- [1963KRO] H. Kroemer, "A proposed class of hetero-junction injection lasers" , Proc. IEEE, Vol. 51 , No. 12 , p. 1782, Dec. 1963.
- [1963PET] C. J. Peters, "Gigacycle bandwidth coherent light traveling-wave phase modulator" , Proc. IEEE, Vol. 51, No. 1, p. 147, Jan. 1963.
- [1963PIL] M. Pilkuhn, H. Rupprecht and J. Woodall, "Continuous stimulated emission from GaAs diodes at 77 K" , Proc. IEEE, Vol. 51, p. 1243, 1963.
- [1963SAI] S. Saito and T. Kimura, "Microwave modulation of ruby laser light using KDP crystals" , Jpn. J. Appl. Phys., Vol. 2, No. 10, p. 658, Oct. 1963.
- [1963SUE] 末松安晴, “最初の光ファイバ通信の実験は東京工業大学の全学祭か～昭和38年（1963）5月26日～”, クローニクル（東工大発行）, pp.3-4, 1986年10月号。
- [1963YAR] A. Yariv and R. C. Leite, "Dielectric waveguide mode of light propagation in p-n junctions" , Appl. Phys. Lett., Vol. 2, p. 55, 1963.
- [1964BER] D. W. Berreman, "A lens or light guide using convectively distorted thermal gradients in gases" , Bell Syst. Tech. J., Vol. 43, No. 4, pp. 1469-1475, Jul. 1964.
- [1964HIR] J. Hirano and Y. Fukatsu, "Stability of a light beam in a beam waveguide" , Proc. IEEE, Vol. 52, No. 11, p. 1284, Nov. 1964.
- [1964LUN] R. K. Luneburg, "Mathematical theory of optics" , UC Berkeley Press, San Francisco, 1964.
- [1964MAR] E. A. J. Marcatili, "Modes in sequence of thick astigmatic lens-like focusers" , Bell Syst. Tech. J., Vol. 43, No. 11, p. 2887, Nov. 1964.
- [1964NEL] D. F. Nelson and F. K. Reinhart, "Light modulation by the electrooptic effect in reverse-biased GaP p-n junction" , Appl. Phys. Lett., Vol. 5, p. 148, 1964.
- [1964OST] H. Osterberg and L. W. Smith, "Transmission of optical energy along surfaces : Part I. Inhomogeneous media" , J. Opt. Soc. Am., Vol. 54, p. 1078, 1964.
- [1964SUE] Y. Suematsu and K. Iga, "Experiment on quasi-fundamental mode oscillation of ruby laser" , Proc. IEEE, Vol. 52, No. 1, pp. 87-88, Jan. 1964.
- [1965BIE] G. Biernson and D. J. Kinsley, "Generalized plots of mode patterns in a cylindrical dielectric waveguide applied to retinal cones" , IEEE Trans. Microwave Theory & Tech., Vol. MTT-13, No. 5, p. 345, May 1965.
- [1965KAW] S. Kawakami and J. Nishizawa, "Propagation loss in a distributed beam waveguide" , Proc. IEEE, Vol. 53, No. 12, p. 2148, Dec. 1965.
- [1965KOG] H. Kogelnik, "On the propagation of Gaussian beams of light through lenslike media including those with loss or gain variation" , Bell Syst. Tech. J., Vol. 44, No. 3, pp. 455-494, Mar. 1965.
- [1965MIL] S. E. Miller, "Light propagation in generalized lens-like media" , Bell Syst. Tech. J., Vol. 44, No. 9, p. 2017, Nov. 1965.
- [1965SUE] 末松安晴, 吹抜洋司, “理想化されたガス光導波系の解析”, 信学誌, Vol. 48, No. 10, p. 1684, Oct. 1965.
- [1965TIE] P. K. Tien, J. P. Gordon and J. R. Winnery, "Focusing of a light beam of Gaussian field distribution in continuous and periodic lens-like media" , Proc. IEEE, Vol. 53, No. 2, p. 129, Feb. 1965.
- [1965UNG] H. G. Unger, "Light beam propagation in curved schlieren guide" , Arch. Elekt. U "bertragung, Vol. 19, No. 4, p. 189, Apr. 1965.
- [1966ANDa] L. K. Anderson and B. J. McMurtry, "High-speed photodetectors" , Proc. IEEE, Vol. 54,

- No. 10, p. 1355, Oct. 1966.
- [1966 ANDb] D. B. Anderson and R. R. August, "Applications of microphotolithography to millimeter and infrared devices" , Proc. IEEE, Vol. 54, No. 4, p. 657, Apr. 1966.
- [1966 GOR] G. R. Gordon, "Optics of general guiding media" , Bell Syst. Tech. J., Vol. 45, No. 2, p. 321, Feb. 1966.
- [1966 KAO] K. C. Kao and G. A. Hockham, "Dielectric-fiber surface waveguide for optical frequency, Proc. IEE, Vol. 113, No. 7, p. 1151, 1966.
- [1966 MCC] D. E. McCumber, "Intensity fluctuations in the output of cw oscillators" , Phys. Rev., Vol. 141, No. 1, pp. 306-322, Jan. 1966.
- [1966 MCI] R. J. McIntyre, "Multiplication noise in uniform avalanche diodes" , IEEE Trans. Electron Devices, Vol. ED- 13, No. 1, p. 164, Jan. 1966.
- [1966 MEL] H. Melchior and W.T. Lynth, "Signal and Noise response of high speed Germanium avalanche photo-diode" , IEEE Trans. Electron Devices, Vol. ED- 13, No. 12, pp. 829-838, Dec. 1966.
- [1966 NEL] E. Nelson, Phys. Rev., Vol. 150, pp. 1079-1085, 1966.
- [1966 STE] F. Stern, "Semiconductors and Semimetals" Vol. 2, Academic Press, New York, 1966.
- [1966 SUEa] 末松安晴, 池上徹彦, “半導体レーザの電磁波論的考察”, 信学誌, Vol. 49, No. 6, pp. 1091-1098, Jun. 1966.
- [1966 SUEb] 末松安晴, 伊賀健一, “光ビーム導波系における姿態変換”, 信学誌, Vol. 49, No. 9, p. 1645, Sept. 1966.
- [1966 SUEc] Y. Suematsu, K. Iga and S. Ito, "A light beam waveguide using hyperbolic-type gas lenses" , IEEE Trans. Microwave Theory & Tech., Vol. MTT- 14, No. 12, p. 657, Dec. 1966.
- [1967 AOK] Y. Aoki and M. Suzuki, "Imaging property of a gas lens" , IEEE Trans. Microwave Theory & Tech., Vol. MTT- 15, No. 1, p. 2, Jan. 1967.
- [1967 DEN] R. T. Denton, F. S. Chen and A. A. Ballman, "Lithium Tantalate light modulators" , J. Appl. Phys., Vol. 38, No. 4, p. 1611, Mar. 1967.
- [1967 DYM] J. C. Dyment, "Hermite-Gaussian mode patterns in GaAs junction lasers" , Appl. Phys. Lett., Vol. 10, No. 3, p. 84, Feb. 1967.
- [1967 IKE] T. Ikegami and Y. Suematsu, "Resonance-like characteristics of the direct modulation of a junction laser" , Proc. IEEE, Vol. 55, No. 1, p. 122, Jan. 1967.
- [1967 KAW] S. Kawakami and J. Nishizawa, "Kinetics of an optical wave packet in a lens-like medium" , J. Appl. Phys., Vol. 38, No. 11, p. 4807, Nov. 1967.
- [1967 KAP] N. S. Kapany, "Fiber optics" , Academic Press, New York, 1967.
- [1967 KOR] E. T. Kornhauser and A. D. Yaghjian, "Model solution of a point source in a strongly focusing medium" , Radio Sci., Vol. 2, No. 3, p. 299, Mar. 1967.
- [1968 IKEa] T. Ikegami and Y. Suematsu, "The direct modulation of a semiconductor junction laser" , Trans. IECE Japan, Vol. 51-B, No. 2, pp. 57-63, Feb. 1968.
- [1968 IKEb] T. Ikegami and Y. Suematsu, "Carrier lifetime measurement of a junction laser using direct modulation" , IEEE J. Quantum Electron., Vol. QE- 4, No. 4, pp. 148-151, Apr. 1968.
- [1968 KAO] K. C. Kao and T. W. Davies, "Spectrophotometric studies of ultra low loss optical glasses 1 : Single beam method" , J. Sci. Instrum., Vol. 1, (ser. 2) , p. 1063, 1968.
- [1968 KAW] S. Kawakami and J. Nishizawa, "An optical waveguide with optimum distribution of the refractive with reference to waveform distortion" , IEEE Trans. Microwave Theory & Tech., Vol. MTT- 16, No. 10, p. 814, Oct. 1968.

- [1968SCH] E. R. Schineller, R. R. Flam and D. W. Wilmot, "Optical waveguides formed by proton irradiation of fused silica", J. Opt. Soc. Am., Vol. 58, pp. 1171-1176, Sept. 1968.
- [1968SHU] R. Shubert and J. H. Harris, "Optical surface wave on thin films and their application to integrated data processors", IEEE Trans. Microwave Theory & Tech., Vol. MTT-16, p. 1048, Dec. 1968.
- [1968SUS] W. Susaki, T. Sogo and T. Oku, "Lasing action in $(\text{Ga}_{1-x}\text{Al}_x)\text{As}$ diodes", IEEE J. Quantum Electron., Vol. QE-4, No. 6, p. 422, Jun. 1968.
- [1968TAK] J. Takamiya, F. Kitasawa and J.-I. Nishizawa, "Amplitude modulation of diode laser in millimeter wave region", Proc. IEEE (Lett.), Vol. 56, p. 135, Jan. 1968.
- [1968WAR] A. W. Warner and A. H. Meitzler, "Performance of bonded, single crystal LiNbO_3 and Li-GaO_3 as ultrasonic transducers operating above 100 MHz", Proc. IEEE (Lett.), Vol. 56, No. 8, p. 1376, Aug. 1968.
- [1969ALF] Zh. I. Alferov, V. M. Andreev, E. L. Portnoi and M. K. Trukan, "AlAs-GaAs heterojunction injection lasers with a low room-temperature threshold", Fiz. Tekh. Poluprov., Vol. 3, p. 1328, Sept. 1969. (Sov. Phys. Semicond., Vol. 3, p. 1107, Mar. 1970.)
- [1969CAS] H. C. Casey and M. B. Panish, "Composition dependence of the $\text{Ga}_{1-x}\text{Al}_x\text{As}$ direct and indirect energy bandgaps", J. Appl. Phys., Vol. 40, No. 12, p. 4190, Nov. 1969.
- [1969GOEa] J. E. Goell, "A circular-harmonic computer analysis of rectangular dielectric waveguides", Bell Syst. Tech. J., Vol. 48, No. 7, p. 2133, Sept. 1969.
- [1969GOEb] J. E. Goell and R. D. Standley, "Sputtered glass waveguide for integrated optics", Bell Syst. Tech. J., Vol. 48, p. 3445, Dec. 1969.
- [1969HAU] H. Haug, "Quantum-mechanical rate equations for semiconductor lasers", Phys. Rev., Vol. 184, pp. 338-348, Aug. 1969.
- [1969KUR] C. N. Kurtz and W. Streifer, "Guided waves in inhomogeneous focusing media part I, Formulation, solution for quadratic inhomogeneity", IEEE Trans. Microwave Theory & Tech., Vol. MTT-17, No. 1, p. 11, Jan. 1969.
- [1969MARa] E. A. J. Marcatili and S. E. Miller, "Improved relations describing directional control in electromagnetic wave guidance", Bell Syst. Tech. J., Vol. 48, No. 7, p. 2161, Sept. 1969.
- [1969MARb] E. A. J. Marcatili, "Bends in optical dielectric guides", Bell Syst. Tech. J., Vol. 48, No. 7, p. 2103, Sept. 1969.
- [1969MARc] E. A. J. Marcatili, "Dielectric rectangular waveguide and directional coupler for integrated optics", Bell Syst. Tech. J., Vol. 48, p. 2071, Dec. 1969.
- [1969MIL] S. E. Miller, "Integrated optics : An introduction", Bell Syst. Tech. J., Vol. 48, No. 7, p. 2059, Sept. 1969.
- [1969PEA] A. D. Pearson, W. G. French and E. G. Rawson, "Preparation of a light focusing glass rod by ion exchange techniques", Appl. Phys. Lett., Vol. 15, No. 2, p. 76, Jul. 1969.
- [1969SNYa] A. W. Snyder, "Asymptotic expressions for eigenfunctions and eigenvalues of a dielectric of optical waveguide", IEEE Trans. Microwave Theory & Tech., Vol. MTT-17, No. 12, p. 1310, Dec. 1969.
- [1969SNYb] A. W. Snyder, "Excitation and scattering of modes on a dielectric or optical fiber", IEEE Trans. Microwave Theory & Tech., Vol. MTT-17, No. 12, p. 1138, Dec. 1969.
- [1969SUE] T. Sueta, K. Goto and T. Makimoto, "A reflection-type traveling-wave light modulation", IEEE J. Quantum Electron., Vol. QE-5, No. 6, p. 330, Jun. 1969.
- [1969TIE] P. K. Tien, R. Ulrich and R. J. Martin, "Modes of light waves in thin deposited semiconduc-

- tor films” , Appl. Phys. Lett., Vol. 14, No. 9, p. 291, May 1969.
- [1969UCH] T. Uchida, M. Furukawa, I. Kitano, K. Koizumi and H. Matsumura, “A light-focusing fiber-guide” , Presented at the IEEE Conf. on Laser Eng. and Appl., Washington, D.C., May 1969; IEEE J. Quantum Electron., Vol.QE-5, No. 6, p. 331, Jun. 1969.
- [1970BUR] C. A. Burrus and R. W. Dawson, “Small-area, high-current-density GaAs electroluminescent diodes and a method of operation for improved degradation characteristics” , Appl. Phys. Lett., Vol. 17, No. 3, pp. 97-99, Aug. 1970.
- [1970DAK] M. L. Dakss, L. Kuhn, P. F. Heidrich and B. A. Scott, “Grating coupler for efficient excitation of optical guided waves in thin films” , Appl. Phys. Lett., Vol. 16, No. 12, p. 523, June 1970.
- [1970HAL] D. Hall, A. Yariv and E. Garmire, “Observation of propagation cutoff its control in thin optical waveguides” , Appl. Phys. Lett., Vol. 17, No. 3, p. 127, Aug. 1970.
- [1970HAR] J. H. Harris, R. Shubert and J. N. Polky, “Beam coupling to films” , J. Opt. Soc. Am., Vol. 60, p. 1007, 1970.
- [1970HAY] I. Hayashi, P. B. Panish, P. W. Foy and S. Sumski, “Junction lasers which operate continuously at room temperature” , Appl. Phys. Lett., Vol. 17, No. 3, p. 109, Aug. 1970.
- [1970IKEa] T. Ikegami, K. Kobayashi and Y. Suematsu, “Transient behavior of semiconductor injection lasers” , Trans. IECE Japan, Vol. 53-B, No. 5, pp. 253-263, May 1970.
- [1970IKEb] T. Ikegami and Y. Suematsu, “Large signal characteristics of directly modulated semiconductor injection lasers” , Trans. IECE Japan, Vol. 53-B, No. 9, pp. 513-519, Sept. 1970.
- [1970KAP] F. P. Kapron, D. B. Keck and R. D. Maurer, “Radiation losses in glass optical waveguides” , Appl. Phys. Lett., Vol. 17, No. 7, p. 423, Nov. 1970.
- [1970KUH] L. Kuhn, M. L. Dakss, P. F. Heidrich and B. A. Scott, “Deflection of an optical guided wave by a surface acoustic wave” , Appl. Phys. Lett., Vol. 17, No. 6, pp. 265-267, Sept. 1970.
- [1970MARa] D. Marcuse, “Radiation losses of the dominant mode in round dielectric waveguides” , Bell Syst. Tech. J., Vol. 49, No. 8, p. 1665, Oct. 1970.
- [1970MARb] E. A. J. Marcatili, “Dielectric guide with curved axis and truncated parabolic index” , Bell Syst. Tech. J., Vol. 49, No. 8, p. 1645, Oct. 1970.
- [1970MID] J. E. Midwinter, “Evanescent field coupling into a thin-film waveguide” , IEEE J. Quantum Electron., Vol.QE-6, No. 10, p. 583, Oct. 1970.
- [1970PAN] M. B. Panish, I. Hayashi and S. Sumski, “Double-heterostructure injection lasers with room-temperature thresholds as low as 2300A/cm^2 ”, Appl. Phys. Lett., Vol. 16, No. 8, p. 326, Apr. 1970.
- [1970SNY] A. W. Snyder, “Radiation losses due to variations of radius on dielectric or optical fibers” , IEEE Trans. Microwave Theory & Tech., Vol. MTT-18, No. 9, p. 608, Sept. 1970.
- [1970SUEa] Y. Suematsu, “Tunable parametric oscillator using a guided wave structure” , Jpn. J. Appl. Phys., Vol. 9, No. 7, p. 798, Jul. 1970.
- [1970SUEb] 末松安晴, 池上徹彦, “半導体接合レーザの大信号直接変調特性”, 信学論 (Y. Suematsu and K. Ikegami, “Large signal characteristics of directly modulated semiconductor injection lasers” , Trans. IECE of Jpn.), Vol. 53-B, No. 9, pp. 513-519, Sept. 1970.
- [1970SUEc] 末松安晴, 清水達明, 北野利彦, “複素誘電率レンズ状媒質に沿うビーム波”, 信学論, Vol. 53-B, No. 12, pp. 801-808, Dec. 1970.
- [1970TIE] P. K. Tien, R. Ulrich and R. J. Martin, “Optical second harmonic generation in form of coherent Cerenkov radiation from a thin-film waveguide” , Appl. Phys. Lett., Vol. 17, No. 10,

- p. 447, Nov. 1970.
- [1970UCH] T. Uchida, M. Furukawa, I. Kitano, K. Koizumi and H. Matsumura, "Optical characteristics of a light focusing fiber guide and its applications" , IEEE J. Quantum Electron., Vol. QE-6, No. 10, p. 606, Oct. 1970.
- [1971AND] D. B. Anderson and J. T. Boyd, "Wideband CO₂ laser second harmonic generation phase matched in GaAs thin-film waveguides" , Appl. Phys. Lett., Vol. 19, No. 8, p. 266, Oct. 15, 1971.
- [1971BIS] D. L. Bisbee, "Optical fiber joining technique" , Bell Syst. Tech. J., Vol. 50, No. 10, pp. 3153-3158, Dec. 1971.
- [1971GLOa] D. Gloge, "Weakly guiding fibers" , Appl. Opt., Vol. 10, No. 10, p. 2252, Oct. 1971.
- [1971GLOB] D. Gloge, "Dispersion in weakly guiding fibers" , Appl. Opt., Vol. 10, No. 11, p. 2442, Nov. 1971.
- [1971HAM] J. M. Hammer, "Digital electro-optic grating deflector and modulator" , Appl. Phys. Lett., Vol. 18, p. 147, 1971.
- [1971HAR] J. H. Harris and R. Shubert, "Variable tunneling excitation of optical surface wave" , IEEE Trans. Microwave Theory & Tech., Vol. MTT-19, p. 269, 1971.
- [1971HAY] I. Hayashi, M. B. Panish and F. K. Reinhart, "GaAs-Al_x Ga_{1-x} As double heterostructure injection lasers" , J. Appl. Phys., Vol. 42, No. 4, p. 1929, Apr. 1971.
- [1971KAP] F. P. Kapron and D. B. Keck, "Pulse transmission through a dielectric optical waveguide" , Appl. Opt., Vol. 10, No. 7, p. 1519, July 1971.
- [1971KOG] H. Kogelnik and C. V. Shank, "Stimulated emission in a periodic structure" , Appl. Phys. Lett., Vol. 18, No. 4, pp. 152-154, Feb. 1971.
- [1971MAR] D. Marcuse and E. A. Marcatili, "Excitation of waveguides for integrated optics with laser beams" , Bell Syst. Tech. J., Vol. 49, pp. 43-57, Jan. 1971.
- [1971NIS] Y. Nishimura, K. Kobayashi, T. Ikegami and Y. Suematsu, "Axial-mode interactions in a semiconductor laser" , Tech. Rept. Quantum Electron., IECE of Japan, Vol. QE-71, No. 22, pp. 1-14, Sept. 1971.
- [1971PAX] K. B. Paxton and W. Streifer "Analytic solution of ray equation in cylindrically inhomogeneous guiding media, part 2 : Skew rays" , Appl. Opt., Vol. 10, No. 5, p. 1164, May 1971.
- [1971PER] S. D. Personick, "Time dispersion in dielectric waveguide" , Bell Syst. Tech. J., Vol. 50, pp. 843-859, Mar. 1971.
- [1971REI] F. K. Reinhart, I. Hayashi and M. B. Panish, "Mode reflectivity and waveguide properties of double-heterostructure injection lasers" , J. Appl. Phys., Vol. 43, No. 11, pp. 4466-4479, 1971.
- [1971SAK] I. Sakuma, H. Yonezu, K. Nishida, K. Kobayashi, H. Saito and Y. Nannichi, "Continuous operation of junction lasers at room temperature" , Jpn. J. Appl. Phys., Vol. 10, No. 2, p. 282, 1971.
- [1971SHU] R. Shubert and J. H. Harris, "Optical guided wave focusing and diffraction" , J. Opt. Soc. Am., Vol. 61, No. 2, p. 154, Feb. 1971.
- [1971STR] W. Streifer and K. B. Paxton, "Analytic solution of ray equation in cylindrically inhomogeneous media, part 1 : Meridional rays" , Appl. Opt., Vol. 10, No. 4, p. 769, Apr. 1971.
- [1971SUM] 住友徹, 松下茂, 小泉健, 古川元章, "イオン交換法による誘電体微小光回路", 応用物理予稿集, IP-C-2, 1971.
- [1971TIE] P. K. Tien, "Light waves in thin films and integrated optics" , Appl. Opt., Vol. 10, p. 2395,

- Nov. 1971.
- [1972COH] L. G. Cohen, "Power coupling from GaAs injection lasers into optical fibers" , Bell Syst. Tech. J., Vol. 51, No. 3, pp. 573-594, Mar. 1972.
- [1972GAR] E. Garmire, H. Stoll, A. Yariv and R. G. Hunsperger, "Optical waveguiding in proton-implanted GaAs" , Appl. Phys. Lett., Vol. 21, No. 3, p. 87, Aug. 1972.
- [1972GLOa] D. Gloge, A. R. Tynes, M. A. Duguay and J. W. Hasen, "Picosecond pulse distortion in optical fibers" , IEEE J. Quantum Electron., Vol.QE-8, No. 2, p. 217, Feb. 1972.
- [1972GLOb] D. Gloge, E. L. Chinnock and D. H. Ring, "Direct measurement of the (baseband) frequency response of multimode fibers" , Appl. Opt., Vol. 11, No. 7, p. 1534, Jul. 1972.
- [1972GLOc] D. Gloge, "Optical power flow in multimode fibers" , Bell Syst. Tech. J., Vol. 51, No. 8, p. 1767, Oct. 1972.
- [1972IHA] A. Ihaya, H. Furuta and H. Noda, "Thin film optical directional coupler" , Proc. IEEE, Vol. 60, p. 470, 1972.
- [1972IKE] T. Ikegami, "Reflectivity of mode at facet and oscillation mode in double-heterostructure injection lasers" , IEEE J. Quantum Electron., Vol.QE-8, No. 6, p. 470, Jun. 1972.
- [1972IZA] T. Izawa and H. Nakagome, "Optical waveguide formed by electrically induced migration of ions in glass plates" , Appl. Phys. Lett., Vol. 21, No. 12, p. 584, Dec. 1972.
- [1972KAP] N. S. Kapany and J. J. Burke, "Optical waveguides" , Academic Press, New York, 1972.
- [1972KEC] D. B. Keck, P. C. Schultz and F. Zimar, "Attenuation of multimode glass optical waveguides" , Appl. Phys. Lett., Vol. 21, No. 5, p. 215, Sept. 1, 1972.
- [1972KOG] H. Kogelnik and C. V. Shank, "Coupled wave theory of distributed feedback lasers" , J. Appl. Phys., Vol. 43, No. 5, pp. 2327-2335, May 1972.
- [1972KOL] E. D. Kolb, D. A. Pinnow, T. C. Rich, R. A. Laudise and A. R. Tynes, "Low optical loss synthetic quartz" , Nat. Res. Bull., Vol. 7, p. 397, 1972.
- [1972KUR] 倉蘭貞夫, 岩崎敬一郎, 熊谷信昭, "分布結合線路を用いた新しい光変調方式" , 信学論, Vol. 55-C, No. 1, p. 62, Jan. 1972.
- [1972MARa] D. Marcuse, "Power distribution and radiation losses in multimode dielectric slab waveguides" , Bell Syst. Tech. J., Vol. 51, No. 2, p. 429, Feb. 1972.
- [1972MARb] D. Marcuse, "Pulse propagation in multimode dielectric waveguides" , Bell Syst. Tech. J., Vol. 51, No. 6, p. 1199, July/Aug. 1972.
- [1972MARc] D. Marcuse, "Light Transmission Optics" , Van Nostrand, New York, 1972.
- [1972MARd] W. E. Martin and D. B. Hall, "Optical waveguides by diffusion in III - V compounds" , Appl. Phys. Lett., Vol. 21, No. 7, p. 325, Oct. 1972.
- [1972NIS] J. Nishizawa and A. Otsuka, "Solid state self-focusing surface waveguide (microguide)" , Appl. Phys. Lett., Vol. 21, No. 2, p. 48, Jul. 1972.
- [1972SCH] D. P. Schinke, R. G. Smith, E. G. Spencer and M. F. Galvin, "Thin-film distributed-feedback laser fabricated by ion milling" , Appl. Phys. Lett., Vol. 21, No. 10, p. 494, Nov. 1972.
- [1972SMI] R. G. Smith, "Optical power handling capacity of low-loss optical fibers as determined by stimulated Raman and Brillouin scattering" , Appl. Opt., Vol. 11, No. 11, p. 2489, Nov. 1972.
- [1972STO] J. Stone, "Optical transmission in liquid-core quartz fibers" , Appl. Phys. Lett., Vol. 20, p. 239, Apr. 1972.
- [1972SUEa] 末松安晴, 佐々木豊, 野田秀樹, 白田光有, 浅井映一, "伝送姿態差によるガラス薄膜の屈折率と膜厚の測定" , 信学論, Vol. 55-C, No. 2, pp. 98-105, Feb. 1972.

- [1972SUEb] 末松安晴，秋山和郎，横井博，佐々木豊，“薄膜の光パラメトリック相互作用と水晶基板・ガラス薄膜導波による第二高調波発生”，信学論，Vol. 55-C, No. 2, pp. 106-113, Feb. 1972.
- [1972SUEc] 末松安晴，山田実，“半導体レーザにおける横高次姿態発振”，昭47信学全大，923, p.995, April 3 - 6, 1972. {Y. Suematsu and M. Yamada, “Transverse higher mode oscillation of semiconductor laser”, National Convention of the Institute of Electronics and Communication Engineer, 923, p. 995, Apr. 1972}.
- [1972SUEd] Y. Suematsu and M. Yamada, “Transverse mode control in semiconductor laser”, IEEE Semiconductor Laser Conf., May 1972.
- [1972SUEe] Y. Suematsu, K. Furuya, M. Hakuta and K. Chiba, “Properties of irregular boundary of R-F sputtered glass film for light guide”, Proc. IEEE (Lett.), Vol. 60, No. 6, pp. 744-745, June 1972.
- [1972SUEf] Y. Suematsu and K. Furuya, “Propagation mode and scattering loss of a two-dimensional dielectric waveguides with gradual distribution of refractive index”, IEEE Trans. Microwave Theory & Tech., Vol. MTT-20, No. 10, p. 524, Aug. 1972.
- [1972SUEg] 末松安晴，山田実，“半導体レーザの姿態制御 I”，信学光量子エレクトロニクス研資，QE72-39, Sept. 1972.
- [1972SUEh] Y. Suematsu, M. Hakuta, K. Furuya, K. Chiba and R. Hasumi, “Fundamental transverse electric field (TE_0) mode selection for thin-film asymmetric light guides”, Appl. Phys. Lett., Vol. 21, No. 6, p. 291, Sept. 1972.
- [1972TAK] T. Takano and J. Hamasaki, “Propagating modes of a metal-clad dielectric-slab waveguide for integrated optics”, IEEE J. Quantum Electron., Vol. QE-8, No. 2, p. 206, Feb. 1972.
- [1972TIE] P. K. Tien, R. J. Martin, S. L. Blank, S. H. Wemple and L. J. Varnerin, “Optical waveguides of single-crystal garnet films”, Appl. Phys. Lett., Vol. 21, No. 5, p. 207, Sept. 1972.
- [1972YAJ] H. Yajima, S. Kawase, Y. Kawase and Y. Sekimoto, “Amplification of 1.06 μm using a Nd : glass thin-film waveguide”, Appl. Phys. Lett., Vol. 21, No. 9, p. 407, Nov. 1, 1972.
- [1973CHI] E. L. Chinnock, L. G. Cohen, W. S. Holden, R. D. Standley and D. B. Keck, “The length dependence of pulse spreading in CGW-Bell-10 optical fiber”, Proc. IEEE (Lett.), Vol. 61, No. 10, p. 1499, Oct. 1973.
- [1973CHU] N. Chubachi, J. Kushibiki and Y. Kikuchi, “Monolithically integrated Bragg reflector for an optical guided wave made of Zinc-oxide film”, Electron. Lett., Vol. 9, No. 10, pp. 193-194, May 1973.
- [1973DAB] F. W. Dabby, M. A. Saifi and A. Kestenbaum, “High-frequency cutoff periodic dielectric waveguides”, Appl. Phys. Lett., Vol. 22, No. 4, p. 190, Feb. 1973.
- [1973DEL] B. C. DeLoach, Jr., B. W. Hakki, R. L. Hartman and L. A. D'Asaro, “Degradation of CW GaAs double heterojunction lasers at 300 K”, Proc. IEEE (Lett.), Vol. 61, p. 1042, Jul. 1973.
- [1973FRE] W. G. French, A. Pearson, G. W. Tasker and J. B. MacChesney, “A low-loss fused silica optical waveguide with borosilicate cladding”, Appl. Phys. Lett., Vol. 23, No. 6, pp. 338-339, Sept. 1973.
- [1973GLO] D. Gloge and E. A. J. Marcatili, “Multimode theory of graded-core fibers”, Bell Syst. Tech. J., Vol. 52, No. 9, pp. 1563-1578, Nov. 1973.
- [1973GOE] J. E. Goell, “A 27 Mb/s optical repeater experiment employing a GaAs laser”, Proc. IEEE, Vol. 61, No. 10, p. 1504, Oct. 1973.
- [1973IID] S. Iida, K. Takata and Y. Unno, “Spectral behavior and line width of (GaAl) As-GaAs

- double-heterostructure lasers at room temperature with stripe geometry configuration” , IEEE J. Quantum Electron., Vol.QE-9, No.2, p.361, Feb. 1973.
- [1973IKE] T. Ikegami, “Reflectivity of mode at facet and oscillation mode in double-heterostructure injection lasers” , IEEE J. Quantum Electron., Vol.QE-8, No.6, pp.470-476, 1973.
- [1973IZU] 井筒雅之, 末田正, “誘電体導波路における光パラメトリック相互作用”, 信学論, Vol. 56-C, No. 12, p. 623, Dec. 1973.
- [1973KAI] P. Kaiser, E. A. J. Marcatili and S. E. Miller, “A new optical fiber” , Bell Syst. Tech. J., Vol. 52, No. 2, p. 265, Feb. 1973.
- [1973KATa] D. Kato, “Fused-silica-core glass fiber as a low-loss optical waveguide” , Appl. Phys. Lett., Vol. 22, No. 1, pp.3-4 Jan. 1, 1973.
- [1973KATb] D. Kato, “Light coupling from a stripe-geometry GaAs diode laser into an optical fiber with spherical end” , J. Appl. Phys., Vol. 44, pp.2756-2758, Jun. 1973.
- [1973KEC] D. B. Keck, R. D. Maurer and P. C. Schultz, “On the ultimate lower limit of attenuation in glass optical waveguides” , Appl. Phys. Lett., Vol. 22, No. 7, pp.307-309, Apr. 1973.
- [1973KOI] K. Koizumi, Y. Ikeda, M. Furukawa and T. Sumimoto, “New light-focusing glass fibers made by a continuous process” , presented at the 1973 Conf. Laser Engineering and Applications, Washington, D.C. ; IEEE J. Quantum Electron., Vol.QE-9, No. 6, p. 639, June 1973.
- [1973LEE] T. P. Lee, C. A. Burrus, Jr. and B. I. Miller, “A stripe-geometry double-heterostructure amplified-spontaneous-emission (super-luminescent) diode” , IEEE J. Quantum Electron., Vol.QE-9, No.8, p.820, Aug. 1973.
- [1973MARb] D. Marcuse, “The impulse response of an optical fiber with parabolic index profile” , Bell Syst. Tech. J., Vol. 52, No. 7, p.1169, Sept. 1973.
- [1973MARa] D. Marcuse, “Losses and impulse response of a parabolic index fiber with random bends” , Bell Syst. Tech. J., Vol. 52, No. 8, pp.1423-1437, Oct. 1973.
- [1973MIL] S. E. Miller, E. A. J. Marcatili and T. Li, “Research toward optical-fiber transmission system” , Proc. IEEE, Vol. 61, No. 12, p. 1703, Dec. 1973.
- [1973MIY] S. Miyazawa, “Growth of LiNbO_3 single-crystal for optical waveguides” , Appl. Phys. Lett., Vol. 23, No. 4, p. 198, Aug. 1973.
- [1973NAK] M. Nakamura, A. Yariv, H. W. Yen, S. Somekh and H. L. Garvin, “Optically pumped GaAs surface laser with corrugation feedback” , Appl. Phys. Lett., Vol. 22, No. 10, p. 515, May 1973.
- [1973OHM] Y. Ohmachi, “Acousto-optical light diffraction in thin films” , J. Appl. Phys., Vol. 44, p.3928, Sept. 1973.
- [1973PAN] M. B. Panish, H. C. Casey, Jr., S. Sumski and P. W. Foy, “Reduction of threshold current density in $\text{GaAs-Al}_x\text{Ga}_{1-x}\text{As}$ heterostructure lasers by separate optical confinement and carrier confinement” , Appl. Phys. Lett., Vol. 22, No. 11, p.590, June 1973.
- [1973PER] S. D. Personick, “Receiver design for digital fiber optic communication systems-Part I and Part II” , Bell Syst. Tech. J., Vol. 52, No. 6, pp.843-886, Jul.-Aug. 1973.
- [1973PIN] D. A. Pinnow, T. C. Rich, F. W. Ostermeyer and M. DiDomenico, “Fundamental optical attenuation limits in the liquid and glassy state with application to fiber optical waveguide materials” , Appl. Phys. Lett., Vol. 22, No. 10, pp.527-549, May 1973.
- [1973REI] F. K. Reinhart, “Electroabsorption in $\text{Al}_y\text{Ga}_{1-y}\text{As-Al}_x\text{Ga}_{1-x}\text{As}$ double heterostructures” , Appl. Phys. Lett., Vol. 22, No. 4, p.372, Apr. 1973.

- [1973 SHA] C. V. Shank and R. V. Schmidt, "Optical technique for producing 0.1 μm periodic surface structures" , Appl. Phys. Lett., Vol. 23, No. 3, p. 154, Aug. 1973.
- [1973 SOM] S. Somekh, E. Garmire and A. Yariv, "Channel optical waveguide directional couplers" , Appl. Phys. Lett., Vol. 22, No. 46, Oct. 2003.
- [1973 SUEa] Y. Suematsu, K. Furuya and T. Kambayashi, "Focusing properties of thin-film lenslike light guide for integrated optics" , Appl. Phys. Lett., Vol. 23, No. 2, p. 78, Jul. 1973.
- [1973 SUEb] Y. Suematsu, Y. Sasaki and K. Shibata, "Second-harmonic generation due to a guided wave structure consisting of quartz coated with a glass film" , Appl. Phys. Lett., Vol. 23, No. 3, pp. 137-138, Aug. 1, 1973.
- [1973 TRA] J. C. Tracy, W. Wiegman, R. A. Logan and F. K. Reinhart, "Three-dimensional light guides in single-crystal GaAs-Al_x Ga_{1-x} As" , Appl. Phys. Lett., Vol. 22, No. 10, p. 511, May 1973.
- [1973 UCH] N. Uchida, S. Fukunishi and S. Saito, "High-frequency acoustooptic device using ultrasonically bonded and sputter-machined LiNbO₃, transducer" , IEEE J. Quantum Electron., Vol. QE-9, No. 6, p. 660, Jun. 1973.
- [1973 YAJ] H. Yajima, "Dielectric thin-film optical branching waveguide" , Appl. Phys. Lett., Vol. 22, No. 12, p. 647, June 15, 1973.
- [1973 YAM] 山本錠彦, 牧本利夫, "非等方薄膜光導波路の回路論的取扱いと非可逆素子設計への応用, 信学論, Vol. 56-C, No. 3, p. 187, Mar. 1973.
- [1974 CAS] H. C. Casey, Jr., D. D. Sell and M. B. Panish, "Refractive index of Al_x Ga_{1-x} As between 1.2 and 1.8 eV" , Appl. Phys. Lett., Vol. 23, No. 2, p. 63, Jan. 1974.
- [1974 CER] V. Cerf and R. Kahn, "A protocol for packet network intercommunication" , IEEE Trans. Communications, Vol. 22, issue 5, pp. 637-648, May 1974.
- [1974 FUR] H. Furuta, H. Noda and A. Ihaya, "Novel optical waveguide for integrated optics" , Appl. Opt., Vol. 13, No. 2, p. 322, Feb. 1974.
- [1974 IKEa] M. Ikeda, "Propagation characteristics of multimode fibers with graded core index" , IEEE J. Quantum Electron., Vol. QE-10, No. 3, p. 362, Mar. 1974.
- [1974 IKEb] 池上徹彦, "直接変調半導体レーザのスペクトル特性", 昭49信学全大, S14-2, Jul. 1974.
- [1974 ITO] H. Ito, N. Uesugi and H. Inaba, "Phase-matched guided optical second harmonic wave generation in oriented polycrystalline thin film waveguides" , Appl. Phys. Lett., Vol. 25, No. 7, p. 385, Oct. 1, 1974.
- [1974 KOB] S. Kobayashi, H. Nakagome, N. Shimizu, H. Tsuchiya and T. Izawa, "Low-loss optical glass fiber with Al₂O₃ · SiO₂ core" , Electron. Lett., Vol. 10, No. 20, pp. 410-411, Oct. 1974.
- [1974 MACa] J. B. MacChesney, P. B. O' Connor, F. V. DiMarcello, J. R. Simpson and P. D. Lazay, "Preparation of low loss optical fibers using simultaneous vapor phase deposition and fusion" , 10th International Congress on Glass, Kyoto (Japan) , July 1974.
- [1974 MACb] J. B. MacChesney, P. B. O' Connor and J. R. Simpson, "A new technique for the preparation of low-loss and graded-index optical fibers" , Proc. IEEE, Vol. 62, No. 9, pp. 1280 - 1281 , Sept. 1974.
- [1974 MAR] D. Marcuse, "Theory of Dielectric Optical Waveguides" , Academic Press, New York, 1974.
- [1974 MAU] R. D. Maurer, "Fibers of high silica composition for optical communications" , 10th International Congress on Glass, 2A-10, Kyoto (Japan) , July 1974.
- [1974 MCC] J. B. MacChesney and P. B. O' Connor, U. S. Patent 4217027, 1974.
- [1974 MIY] T. Miyashita, T. Edahiro, S. Takahashi, M. Horiguchi and K. Masuno, "Eccentric-core glass optical waveguide" , J. Appl. Phys., Vol. 45, No. 2, p. 808, 1974.

- [1974MOO] R. L. Moon, G. A. Antypas and L. W. James, "Bandgap and lattice constant of GaInAsP as a function of alloy composition" , J. Electron. Mater., Vol. 3, No. 3, pp. 635-644, Aug. 1974.
- [1974OHT] Y. Ohtsuka, T. Senga and H. Yasuda, "Light-focusing plastic rod with low chromatic aberration" , Appl. Phys. Lett., Vol. 25, No. 11, p. 659, Dec. 1974.
- [1974OKO] T. Okoshi and K. Okamoto, "Analysis of wave propagation in inhomogeneous optical fibers using a variational method" , IEEE Trans. Microwave Theory & Tech., Vol. MTT-22, No. 11, p. 938, Nov. 1974.
- [1974PAY] D. N. Payne and W. A. Gambling, "New silica-based low-loss optical fiber" , Electron. Lett., Vol. 10, No. 15, pp. 289-290, July 1974.
- [1974PET] P. Petroff and R. L. Hartman, "Rapid degradation phenomenon in hetero junction GaAlAs-GaAs lasers" , J. Appl. Phys., Vol. 45, No. 9, p. 3899, Sept. 1974.
- [1974SHA] C. V. Shank, R. V. Schmidt and B. I. Miller, "Double-heterostructure GaAs distributed-feedback laser" , Appl. Phys. Lett., Vol. 25, No. 4, pp. 200-201, Aug. 1974.
- [1974SUEa] 末松安晴, 林健二, "分布反射器とこれを用いたレーザ共振回路の一般解析", 昭49信学全大, 1200, p. 1203, Jul. 1974, (Y. Suematsu and K. Hayashi, "General analysis of distributed Bragg reflector and laser resonator using it" , National Convention of the Institute of Electronics and Communication Engineer, 1200, p. 1203, July 25-27, 1974.)
- [1974SUEb] 末松安晴, 古屋一仁, "多姿態誘電体光導波路の屈折率分布と群遅延特性", 信学論, Vol. 57-C, No. 9, p. 289, Sept. 1974.
- [1974SUEc] 末松安晴, 山田実, "ストライプ状半導体レーザの発振姿態と制御" , 信学論, Vol. 57-C, No. 11, pp. 434-440, Nov. 1974.
- [1974SUZ] Y. Suzuki and H. Kashiwagi, "Polymer-clad fused-silica optical fiber" , Appl. Opt., Vol. 13, No. 1, p. 1, Jan. 1974.
- [1974TAD] K. Tada and K. Hirose, "A new light modulator using perturbation of synchronism between coupled guides" , Appl. Phys. Lett., Vol. 25, No. 10, p. 561, Nov. 15, 1974.
- [1974TIE] K. Tien and S. Riva-Sanseverino, "Light beam scanning and deflection in epitaxial LiNbO₃ electro-optic waveguides" , Appl. Phys. Lett., Vol. 25, No. 10, p. 563, Nov. 1974.
- [1974TSU] T. Tsukada, "GaAs-Ga_{1-x}Al_xAs buried heterostructure injection lasers" , J. Appl. Phys., Vol. 45, No. 11, p. 4899, Nov. 1974.
- [1974UEH] S. Uehara, Y. Yamauchi and T. Isawa, "Optical intensity modulator with waveguide structure" , Appl. Phys. Lett., Vol. 24, p. 19, Jan. 1974.
- [1974YON] H. Yonezu, I. Sakuma, T. Kamejima, M. Ueno, K. Nishida, Y. Nannichi and I. Hayashi, "Degradation mechanism of (AlGa)As double hetero structure laser diodes" , Appl. Phys. Lett., Vol. 24, No. 1, p. 18, Jan. 1974.
- [1974YOS] K. Yoshimura, T. Nakahara, A. Tsukamoto and A. Isomura, "Low-loss plastic-cladding fiber" , Electron. Lett., Vol. 10, No. 25/26, pp. 534-535, Dec. 1974.
- [1975BAG] A. P. Bagatov, et al., "Radiative characteristics of InP-GaInPAs laser structures" , Fiz. & Tech. Poluprovodn., Vol. 9, No. 10, p. 1959, Oct. 1975.
- [1975BLA] R. W. Blackmore, et al., "8.448 Mbits optical fibre system" , 1st European Conf. on Opt. Fibre Commun., p. 182, Sept. 1975.
- [1975BOE] P. M. Boers, M.T. Vlaardingerbroek and M. Danielsen, "Dynamic behavior of semiconductor lasers" , Electron. Lett., Vol. 11, No. 10, pp. 206-207, May 1975.
- [1975BOG] A. P. Bogatov, L. M. Dolginov, P. G. Eliseev, M. G. Milvidskii, B. N. Sverdlov and E. G. Shevchenko, "Radiative characteristics of InP-GaInPAs laser heterostructures" , Sov.

- Phys. Semicond., Vol. 9, No. 10, pp. 1282-1285, Oct. 1975.
- [1975BOR] M. Born and E. Wolf, "Principles of optics", (5th Ed.), Pergamon Press, New York, 1975.
- [1975CAM] J. C. Campbell, F. A. Blum, D. W. Shaw and K. L. Lawley, "GaAs electro-optic directional-coupler switch", Appl. Phys. Lett., Vol. 27, No. 4, p. 202, Aug. 1975.
- [1975DAW] R. W. Dawson, "Pseudo random 250 Mb/s modulation of GaAs LEDs", Electron. Lett., Vol. 11, No. 7, p. 144, Apr. 1975.
- [1975FURa] K. Furuya, Y. Suematsu, J. Nayyer and S. Ishikawa, "External higher index mode filters for band widening of multimode optical fibers", Appl. Phys. Lett., Vol. 27, No. 8, pp. 456-463, Oct. 1975.
- [1975FURb] 古屋一仁, 末松安晴, "外部に高屈折率層の付いたレンズ状媒質の姿態フィルタ特性", 信学論, Vol. 58-C, No. 11, p. 662, Nov. 1975.
- [1975GLO] D. Gloge, "Optical-fiber packaging and its influence on fiber straightness and loss", Bell Syst. Tech. J., Vol. 54, No. 2, pp. 245-262, Feb. 1975.
- [1975HAK] B. Hakki and T. Paoli, "Gain spectra in GaAs double-heterostructure injection lasers", J. Appl. Phys., Vol. 46, No. 3, pp. 1299-1306, Mar. 1975.
- [1975HUR] C. E. Hurwitz, J. A. Rossi, J. J. Hsieh and C. M. Wolfe, "Integrated GaAs-AlGaAs double-heterostructure lasers", Appl. Phys. Lett., Vol. 27, No. 4, pp. 241-243, Aug. 1975.
- [1975IGAa] K. Iga and K. Kawabata, "Active Bragg reflector and its application to semiconductor laser", Jpn. J. Appl. Phys., Vol. 14, No. 3, p. 427, Mar. 1975.
- [1975IGAb] 伊賀健一, 横森清, "拡散レンズによるレンズ状媒質の誘電率分布係数", 信学論, Vol. 58-C, No. 5, pp. 283-285, May 1975.
- [1975IGAc] K. Iga, K. Yokomori and T. Sakayori, "Optimum diffusion in the fabrication of a plastic lens-like medium", Appl. Phys. Lett., Vol. 26, No. 10, pp. 578-579, May 15, 1975.
- [1975IGAd] K. Iga and K. Yokomori, "Lens-like medium using a diffused composite-elliptic core", Proc. IEEE (Lett.), Vol. 63, No. 6, pp. 988-989, June 1975.
- [1975IKEa] M. Ikeda, M. Tateda and H. Yoshikiyo, "Refractive index profile of a graded index fiber: Measurement by a reflection method", Appl. Opt., Vol. 14, No. 4, p. 814, Apr. 1975.
- [1975IKEb] T. Ikegami, "Spectral broadening and tailing effect in directly modulated injection lasers", 1st Euro. Conf. Optical Fiber Communication, p. 111, Sept. 1975.
- [1975ITO] T. Ito, et al., "A 400 Mb/s optical transmission experiment using a graded index fiber", Post Off. Electr. Eng., J., Vol. 68, 11, 16, p. 375, Aug. 1975.
- [1975KAM] I. P. Kaminow, L. W. Stultz and E. H. Turner, "Efficient strip-waveguide modulator", Appl. Phys. Lett., Vol. 27, No. 10, p. 555, Nov. 1975.
- [1975KAW] S. Kawakami and S. Nishida, "Perturbation theory of a doubly clad optical fiber with a low-index inner cladding", IEEE J. Quantum Electron., Vol. QE-11, No. 4, pp. 130-138, Apr. 1975.
- [1975KOG] H. Kogelnik, "Theory of dielectric waveguides", T. Tamir ed., Integrated Optics, Topics in Applied Physics, Vol. 7, Springer-Verlag, Berlin, 1975.
- [1975KUR] K. Kurokawa, et al., "A 400 Mb/s experimental transmission system using a graded index fiber", Electron. Lett., Vol. 11, No. 24, p. 159, Nov. 27, 1975.
- [1975LAN] R. Lang and K. Kobayashi, "Suppression of relaxation oscillation in semiconductor laser", 1975 CLEA, 16 · 2, 1975.
- [1975MER] J. L. Merz, R. A. Logan, W. Wiegmann and A. C. Gossard, "Taper couplers for GaAs-Al_x Ga_{1-x} As waveguide layers produced by liquid phase and molecular beam epitaxy", Appl.

- Phys. Lett., Vol. 26, No. 6, pp. 337-340, Mar. 1975.
- [1975MIL] C. M. Miller, "A fiber-optic-cable connector", Bell Syst. Tech. J., Vol. 54, No. 9, pp. 1547-1555, Nov. 1975.
- [1975MUR] H. Murata, S. Inao and Y. Matsuda, "Step index type optical fiber cable", 1st Europ. Conf. on Opt. Fiber Commun., London, p. 70, 1975.
- [1975NAH] R. E. Nahory and M. A. Pollack, "Low-threshold room-temperature double-heterostructure $\text{GaAs}_{1-x}\text{Sb}_x/\text{Al}_x\text{Ga}_{1-x}\text{As}_{1-x}\text{Sb}_x$ injection lasers at $1\mu\text{m}$ wavelength", Appl. Phys. Lett., Vol. 27, No. 10, p. 562, Nov. 1975.
- [1975NAK] M. Nakamura, K. Aiki, J. Umeda and A. Yariv, "CW operation of distributed-feedback GaAs-GaAlAs diode lasers at temperature up to 300K", Appl. Phys. Lett., Vol. 27, No. 7, pp. 403-405, Oct. 1975.
- [1975NAN] Y. Nannichi, J. Matsui and K. Ishida, "Rapid degradation in double heterostructure lasers", Jpn. J. Appl. Phys., Vol. 14, No. 10, p. 1561, Oct. 1975.
- [1975NAW] K. Nawata, K. Takano, T. Ikegami and S. Ohara, "100 Mb/s optical-repeater experiment employing graded index fibers", Electron. Lett., Vol. 11, No. 24, p. 583, Nov. 27, 1975.
- [1975NOD] J. Noda, N. Uchida, M. Minakawa, T. Saku, S. Saito and Y. Ohmachi, "Electrooptic intensity modulation in LiTaO_3 ridge waveguide", Appl. Phys. Lett., Vol. 26, No. 6, p. 298, Mar. 1975.
- [1975OLS] R. Olshansky, "Mode coupling effects in graded-index optical fibers", Appl. Opt., Vol. 14, No. 4, p. 935, Apr. 1975.
- [1975OZE] T. Ozeki, T. Ito and T. Tamura, "Tapered section of multimode cladded fibers as mode filters and mode analyzers", Appl. Phys. Lett., Vol. 26, No. 7, p. 386, Apr. 1975.
- [1975PAY] D.N. Payne and W.A. Gambling, "Zero material dispersion in optical fibers", Electron. Lett., Vol. 11, No. 8, pp. 176-178, Apr. 1975.
- [1975PEA] T. P. Pearsall, R. E. Nahory and M. A. Pollack, "Impact ionization coefficients for electrons and holes in $\text{In}_{0.14}\text{Ga}_{0.86}\text{As}$ ", Appl. Phys. Lett., Vol. 27, No. 6, p. 330, Sept. 15, 1975.
- [1975REI] F. K. Reinhart, R. A. Logan and C. V. Shank, "GaAs-Al_xGa_{1-x}As injection lasers with distributed Bragg reflectors", Appl. Phys. Lett., Vol. 27, No. 1, pp. 45-48, Jul. 1975.
- [1975SCH] D. Schicketanz and G. Zeidler, "GaAs-double heterostructure lasers as optical amplifiers", IEEE J. Quantum Electron., Vol.QE-11, No. 2, p. 65, Feb. 1975.
- [1975SCI] D. R. Scifres, R. D. Burnham and W. Streifer, "Output coupling and distributed feedback utilizing substrate corrugations in double-heterostructure GaAs lasers", Appl. Phys. Lett., Vol. 27, No. 5, pp. 295-297, Sept. 1975.
- [1975SUE] Y. Suematsu, M. Yamada and K. Hayashi, "A multi-hetero-AlGaAs laser with integrated twinguide", Proc. IEEE (Lett.), Vol. 63, No. 1, p. 208, Jan. 1975.
- [1975SUEb] Y. Suematsu, M. Yamada and K. Hayashi, "Integrated twin-guide AlGaAs laser with multihetero- structure", IEEE J. Quantum Electron., Vol.QE- 11 , No. 7 , pp. 457 - 463 , July 1975.
- [1975SUEc] 末松安晴, 上林利生, 古屋一仁, “薄膜レンズ状導波路の集束特性”, 信学論, Vol.58-C, No.10, pp.575-581, Oct. 1975.
- [1975SUED] 末松安晴, 岸野克己, 林健二, “集積二重導波路形レーザの動作理論”, 信学論, Vol.58-C, No.11, pp.654-660, Nov. 1975.
- [1975TAK] 高宮三郎, 近藤明博, 白幡潔, “低雑音シリコンアバランシェフォトダイオード”, 信学論, Vol.58-C, No. 4, p. 217, Apr. 1975.

- [1975TAM] T. Tamir, ed., "Integrated Optics" , Springer-Verlag, Berlin, 1975.
- [1975TAN] S. Tanaka, K. Inada, T. Akimoto and M. Kozima, "Silicon-clad fused-silica-core fiber" , Electron. Lett., Vol. 11, No. 7, pp. 153-154, Apr. 1975.
- [1975TSA] C. S. Tsai and P. Saunier, "Ultrafast guided-light beam deflection/switching and modulation using simulated electro-optic prism structures in LiNbO₃ waveguides" , Appl. Phys. Lett., Vol. 27, No. 4, pp. 248, Aug. 1975.
- [1975TUC] 土屋治彦, 中込弘, 清水延男, “二重偏心光コネクタの損失特性”, 信学技報, Vol.OQE 75-52, July 1975.
- [1975UEN] Y. Ueno, et al., "A 40 Mb/s and 400 Mb/s repeater for fiber optic communication" , 1st European Conf. on Opt. Fiber Commun., p. 147, Sept. 1975.
- [1975YAMA] Y. Yamamoto, T. Kamiya and H. Yanai, "Propagation characteristics of a partially metal-clad optical guide" , Appl. Opt., Vol. 14, No. 2, p. 322, Feb. 1975.
- [1975YAMb] 山田実, 林健二, 末松安晴, 岸野克己, “電流注入で動作する集積二重導波路形 AlGaAs レーザ”, 信学論, Vol. 58-C, No. 3, p. 162, Mar. 1975.
- [1975YAMc] J. Yamagata, et al., "A 32 Mb/s regenerative repeater for cable transmission" , 1st European Conf. on Opt. Fiber Commun., p. 144, Sept. 1975.
- [1975ZIE] J. P. van der Ziel, R. Dingle, R. C. Miller, W. Wiegman and W. A. Nordland, Jr., "Laser oscillation from quantum states, in very thin GaAs-Al_{0.2}Ga_{0.8}As multilayer structures" , Appl. Phys. Lett., Vol. 26, No. 8, pp. 463-465, 1975.
- [1976AIK] K. Aiki, M. Nakamura and J. Umeda, "Frequency multiplexing light source with monolithically integrated distributed feedback diode lasers" , Appl. Phys. Lett., Vol. 29, No. 8, pp. 506-508, Oct. 1976.
- [1976AOK] 青木文雄, 安藤洪也, 深津啓典, “電力用光ファイバ通信方式”, 電学誌, Vol. 96, No. 12, p. 1079, Dec. 1976.
- [1976CAS] H. C. Casey, Jr., S. Somekh and M. Illegems, "Room temperature operation of low threshold separate confinement heterostructure injection laser with distributed feedback" , IEEE Trans. Electron Devices, Vol. ED-22, No. 11, p. 1060, Nov. 1975.
- [1976CHO] A. Y. Cho, R. W. Dixon, H. C. Casay, Jr. and R. L. Hartman, "Continuous room temperature operaion of GaAs-Al_xGa_{1-x}As double heterostructure lasers prepared by molecular-beam epitaxy" , Appl. Phys. Lett., Vol. 28, No. 9, p. 501, May 1, 1976.
- [1976GEI] P. Geittner, D. Küppers and H. Lydtin, "Low-loss optical fibers prepared by plasma-activated chemical vapor deposition (CVD)" , Appl. Phys. Lett., Vol. 28, No. 11, pp. 645-646, June 1, 1976.
- [1976HIR] 平島利洋, 繁沢宏, 滝山敬, “光ファイバにおける姿態分析”, 信学論, Vol. 59-C, No. 4, p. 258, Apr. 1976.
- [1976HOR] M. Horiguchi and H. Osanai, "Spectral losses of low-OH-content optical fibers" , Electron. Lett., Vol. 12, No. 12, p. 310-311, Jun. 1976.
- [1976HSIa] J.J. Hsieh, "Room-temperature operation of GaInAsP/InP double-heterostructure diode lasers emitting at 1.1 μm" , Appl. Phys. Lett., Vol. 28, No. 5, pp. 283-285, Mar. 1976.
- [1976HSIb] J. J. Hsieh, J. A. Rossi and J. P. Donnelly, "Room-temperature cw operation of GaInAsP/InP double-hetero structure diode lasers emitting at 1.1 μm" , Appl. Phys. Lett., Vol. 28, No. 12, pp. 709-711, June 1976.
- [1976IGAA] K. Iga and Y. Takahashi, "Analysis on single wavelength oscillation of semiconductor laser at high speed pulse modulation" , IEEE International Semiconductor Laser Conf., Nemuro

- nosato, LIV-6, 1976.
- [1976IGAb] K. Iga, N. Yamamoto and Y. Matsuura, "Plastic focusing fiber for imaging applications" , Conf. Lasers and Electro-Optical Systems, WD 9, 1976.
- [1976ITO] T. Ito, et al., "Optical-transmission experiment at 400 Mb/s using a single-mode fiber" , Trans. IECE Japan, Vol. 59-E, No. 1, p. 19, Jan. 1976.
- [1976JOY] W. B. Joyce, R. W. Dixon and R. L. Hartman, "Statistical characterization double-hetero-structure lasers" , Appl. Phys. Lett., Vol. 28, No. 11, p. 684, Jun. 1976.
- [1976KOB] 小林郁太郎, 小山正樹, "マルチモードファイバの伝送特性" , 信学技報, Vol.MW 75-110, p. 13, Jan. 1976.
- [1976LAN] R. Lang and K. Kobayashi, "Suppression of the relaxation oscillation in the modulated output of semiconductor lasers" , IEEE J. Quantum Electron., Vol.QE-12, No. 3, pp. 194-199, Mar. 1976.
- [1976MAC] S. Machida, T. Ito, K. Nawata and T. Ikegami, "Spectrum fluctuation of multi-mode semiconductor lasers and direct modulation" , IECE of Japan, Tech. Rep., No.OQE 76 - 24, 1976.
- [1976MAR] D. Marcuse, "Curvature loss formula for optical fibers" , J. Opt. Soc. Am., Vol. 66, No. 3, pp. 216-220, Mar. 1976.
- [1976OE] K. Oe and K. Sugiyama, "GaInAsP/InP double-hetero structure lasers prepared by a new LPE apparatus" , Jpn. J. Appl. Phys., Vol. 15, No. 12, pp. 740-741, Dec. 1976.
- [1976OKAa] K. Okamoto and T. Okoshi, "Analysis of wave propagation in optical fibers having core with α -power refractive-index distribution and uniform cladding" , IEEE Trans. Microwave Theory & Tech., Vol.MTT-24, No. 7, pp. 416-421, Jul. 1976.
- [1976OKAb] 岡村浩司, 有馬忠夫, 後藤純二郎, 赤松武志, 井上浩蔵, "CVD法で試作したファイバの屈折率低下(Dip)の補償" , 信学技報, Vol.OQE 76-35, p. 55, July 1976.
- [1976OKO] T. Okoshi and K. Hotate, "Refractive-index profile of an optical fiber : its measurement by the scattering-pattern method" , Appl. Opt., Vol. 15, No. 11, pp. 2756-2764, Nov. 1976.
- [1976OLS] R. Olshansky and D. B. Keck, "Pulse broadening in graded-index optical fibers" , Appl. Opt., Vol. 15, No. 2, p. 483, Feb. 1976.
- [1976PET] K. Petermann, "Theory of microbending loss in monomode fibers with arbitrary refractive index profile" , Acta Elektron. Übertragung, Vol. 30, pp. 337-342, Sept. 1976.
- [1976SLA] F. M. E. Sladen, D. N. Payne and M. J. Adams, "Determination of optical fiber refractive index profiles by a near-field scanning technique" , Appl. Phys. Lett., Vol. 28, No. 5, pp. 255-258, Mar. 1976.
- [1976STEa] J. F. Stephany and I. P. Gates, "Bimorph optical beam deflector" , Appl. Opt., Vol. 15, No. 2, p. 307, Feb. 1976.
- [1976STEb] R. A. Steinberg and T. G. Giallorenzi, "Performance limitations imposed on optical waveguide switches and modulators by polarization" , Appl. Opt., Vol. 15, No. 10, pp. 2440-2453, Oct. 1976.
- [1976STI] G. E. Stillman, C. W. Wolfe, C. O. Bozler and J.A. Rossi, "Electro absorption in GaAs and its application to waveguide detectors and modulators" , Appl. Phys. Lett., Vol. 28, No. 9, p. 544, May 1976.
- [1976SUEa] Y. Suematsu and S. Akiba, "High speed pulse modulation of injection lasers at non-bias condition" , Trans. IECE Japan, Vol.E 59, No. 1, pp. 1-7, Jan. 1976.
- [1976SUEb] Y. Suematsu, K. Iga and K. Furuya, "Transmission characteristics of optical fiber" , J.

- [1976SUEc] IECE Japan, Vol.59, No. 7, pp. 705-713, July 1976.
末松安晴, 伊賀健一, “光ファイバ通信入門”, 第1版, オーム社, 東京, 1976. (改訂2版 1982, 改訂3版 1989, 改訂4版 2006, 改訂5版 2017)
- [1976TANa] T. Tanaka and Y. Suematsu, “An exact analysis of cylindrical fiber with index distribution by matrix method and its application to focusing fiber”, Trans. IECE Japan, Vol. 59 -E, No. 11, pp. 1-8, Nov. 1976.
- [1976TANb] 田中捷樹, 斧田誠一, 角正雄, “多モードW型ファイバにおける屈折率差と伝送帯域の関係”, 信学技報, Vol.OQE 75-100, p. 25, Jan. 1976.
- [1976TSA] W. Tsang and S. Wang, “GaAs-Ga_{1-x}Al_xAs double-heterostructure injection lasers with distributed Bragg reflectors”, 9th IQEC, p. 38, Jun. 1976. ; Appl. Phys. Lett., Vol. 28, No. 10, pp. 596-598, May 1976.
- [1976WON] B. C. Wonsiewicz, W. G. French, P. D. Lazay and J. R. Simpson, “Automatic analysis of interferograms : Optical waveguide refractive index profiles”, Appl. Opt., Vol. 15, No. 4, pp. 1048-1052, Apr. 1976.
- [1976YAM] M. Yamada, H. Nishizawa and Y. Suematsu, “Mode selectivity in integrated twin-guide lasers”, Trans. IECE Japan, Vol. E59, No. 7, pp. 9-10, Jul. 1976.
- [1977ABE] M. Abe, I. Umebu, O. Hasegawa, S. Yamakoshi, T. Yamaoka, T. Kotani, H. Okada and H. Takanashi, “High efficiency long-lived GaAlAs LEDs for fiber-optical communications”, IEEE Trans. Electron Devices, Vol. ED-24, No. 7, pp. 990-994, July 1977.
- [1977ALF] Zh. I. Alferov, A. T. Gorelenok, P. Kopiev, V. N. Mdivani and V. K. Tibilov, “Low-threshold lasers based on InGaAsP system heterostructures”, Pisma Zh. Tekh. Fiz., Vol. 3, No. 22, pp. 1169-1171, 1977.
- [1977BUU] J. Buus and M. Danielsen, “Carrier diffusion and higher order transversal modes in spectral dynamics of the semiconductor laser”, IEEE J. Quantum Electron., Vol. QE-13, No. 8, pp. 669-677, Aug. 1977.
- [1977COH] L. G. Cohen and C. Lin, “Pulse delay measurements in the zero material dispersion wavelength region for optical fibers”, Appl. Opt., Vol. 12, pp. 3136-3139, Dec. 1977.
- [1977DUP] R. D. Dupuis and P. D. Dapkus, “Ga_{1-x}Al_xAs/Ga_{1-y}Al_yAs double-heterostructure room temperature lasers grown by metalorganic chemical vapor deposition”, Appl. Phys. Lett., Vol. 31, No. 12, p. 839, Dec. 15, 1977.
- [1977HOR] S. Horiuchi, K. Ikeda, T. Tanaka and W. Susaki, “A new LED structure with a self-aligned sphere lens for efficient coupling to optical fibers”, IEEE Trans. Electron Devices, Vol. ED-24, No. 7, pp. 986-990, July 1977.
- [1977HSI] J. J. Hsieh and C. C. Shen, “Room-temperature CW operation of buried-stripe double-heterostructure GaInAsP/InP diode lasers”, Appl. Phys. Lett., Vol. 30, No. 8, pp. 429-431, Apr. 1977.
- [1977IGAa] K. Iga, Laboratory Notebook, Mar. 1977.
- [1977IGAb] K. Iga and N. Yamamoto, “Plastic focussing fiber for image applications”, Appl. Opt., Vol. 16, No. 5, pp. 1305-1310, May 1977.
- [1977ISH] H. Ishio and T. Miki, “A preliminary experiment of wavelength division multiplexing transmission using LED”, IOOC '77, C7-3, Jul. 1977.
- [1977ITA] Y. Itaya, Y. Suematsu and K. Iga, “Carrier lifetime measurement of GaInAsP/InP double-heterostructure lasers”, Jpn. J. Appl. Phys., Vol. 16, No. 6, pp. 1057-1058, Jun. 1977.
- [1977ITO] T. Ito, S. Machida, K. Nawata and T. Ikegami, “Intensity fluctuation in each longitudi-

- nal mode of a multimode AlGaAs laser” , IEEE J. Quantum Electron., Vol.QE-13, No.8, pp.574-579, Aug. 1977.
- [1977 IZAA] T. Izawa, S. Kobayashi, S. Sudo and F. Hanawa, “Continuous fabrication of high silica fiber preform” , Int. Conf. Integrated Optics and Optical Fiber Comm. (IOOC '77), C 1-1, Jul. 1977.
- [1977 IZAb] T. Izawa, N. Shibata and A. Takeda, “Optical attenuation in pure and doped fused silica in the IR wavelength region” , Appl. Phys. Lett., Vol.31, No. 1, pp.33-35, July 1, 1977.
- [1977 KAP] F. Kapron, “Maximum information capacity of fiber-optic waveguide” , Electron. Lett., Vol. 13, No. 4, pp. 96-97, Feb. 1977.
- [1977 KAWa] H. Kawanishi, Y. Suematsu and K. Kishino, “GaAs-Al_x Ga_{1-x} As integrated twin-guide lasers with distributed Bragg reflectors” , IEEE J. Quantum Electron., Vol.QE-12, No.2, pp.64-65, Feb. 1977.
- [1977 KAWb] B. S. Kawasaki, K. O. Hill, D. C. Johnson and A. U. Tenne-Sens, “Full duplex transmission link over single-strand optical fiber” , Opt. Lett., Vol. 1, No. 3, pp. 107-108, Sept. 1977.
- [1977 KAWc] M. Kawachi, A. Kawana and T. Miyashita, “Low-loss single-mode fiber at the material-dispersion-free wavelength of 1.27 μm” , Electron. Lett., Vol. 13, No. 15, pp. 442-443, Jul. 1977.
- [1977 KOBa] 小林郁太郎, 小山正樹, 青山耕一, “光ファイバの伝送特性と周波数掃引法による測定”, 信学論, Vol. 60-C, No. 4, pp. 243-250, Apr. 1977.
- [1977 KOBb] S. Kobayashi, S. Shibata, N. Shibata and T. Izawa, “Refractive Index dispersion of doped silica” , IOOC' 77, Tokyo, paper B8-3, July 1977.
- [1977 KOK] Y. Kokubun and K. Iga, “Precise measurement of the refractive index profile of optical fibers by a non destructive interference method” , Trans. IECE Japan, Vol. 60-E, p. 702, Dec. 1977.
- [1977 KOY] 小山正樹, 小林郁太郎, “摂動法によるマルチモードファイバの伝送理論”, 信学論, Vol.J60-B, p.395, Jun. 1977.
- [1977 MAR] E. A. J. Marcatili, “Modal dispersion in optical fibers with arbitrary numerical aperture and profile dispersion” , Bell Syst. Tech. J., Vol.56, No. 1, pp. 49-63, Jan. 1977.
- [1977 MER] J. L. Merz and R. A. Logan, “Integrated GaAs-Al_x Ga_{1-x} As injection lasers and detectors with etched reflectors” , Appl. Phys. Lett., Vol. 30, No. 10, pp. 530-533, May 1977.
- [1977 MIY] T. Miyashita, A. Kawana, M. Nakahara, M. Kawachi and T. Hosaka, “Fabrication of GeO₂-doped silica single mode fibers” , IOOC' 77, B6-4, July 1977.
- [1977 NAH] R. E. Nahory, M. A. Pollack and J. K. Abrokawah, “Threshold characteristics and extended wavelength operation of GaAs_{1-x} Sb_x/Al_x Ga_{1-x} As_{1-y} Sb_y double-heterostructure lasers” , J. Appl. Phys., Vol. 48, No. 9, pp. 3988-3990, Sept. 1977.
- [1977 NUE] C. J. Nuese, R. E. Enstrom and J. R. Appert, “1.7 μm hetero-junction lasers and photodiodes of In_{0.53} Ga_{0.47} As/InP” , IEEE Trans. Electron Devices, Vol. ED-24, Sept. 1977.
- [1977 OE] K. Oe, S. Ando and K. Sugiyama, “1.3 μm cw operation of GaInAsP/InP DH diode lasers at room temperature” , Jpn. J. Appl. Phys., Vol. 16, No. 7, pp. 1273-1274, Jul. 1977.
- [1977 OKO] 大越孝敬, 岡本勝就, 保立和夫, “光ファイバの基礎”, オーム社, 東京, 1977.
- [1977 SHI] A. Shibukawa, A. Katsui, H. Iwamura and S. Hayashi, “Compact optical isolater for near-infrared radiation” , Electron. Lett., Vol. 13, No. 11, pp. 721-723, Nov. 24, 1977.
- [1977 SUEa] Y. Suematsu, “Monolithic integration of optical circuits and related twin-guide lasers” , Int. Conf. Integrated Opt. and Opt. Commun., B 1-1, July 1977.

- [1977SUEb] Y. Suematsu and K. Furuya, "Theoretical Spontaneous Emission Factor of Injection Lasers", Trans. IECE Japan, Vol. 60-E, No. 9, pp. 467-472, Sept. 1977.
- [1977SUG] S. Sugimoto, K. Minemura, K. Kobayashi, M. Seki, M. Shikada, A. Ueki, T. Yanase and T. Miki, "High speed digital signal transmission experiments by optical wavelength division multiplexing", IOOC '77, C7-4, Jul. 1977.
- [1977UNG] H. G. Unger, "Optical pulse distortion in glass fibers at the wavelength of minimum dispersion", Arch. Elektron. & Uebertragungstechn., Vol. 31, No. 12, p. 518, 1977.
- [1977WAK] K. Wakao, K. Moriki, T. Kambayashi and K. Iga, "GaInAsP/InP DH laser grown by newly designed vertical LPE furnace", Jpn. J. Appl. Phys., Vol. 16, No. 11, pp. 2073-2076, Nov. 1977.
- [1977YAM] T. Yamamoto, K. Sakai, S. Akiba and Y. Suematsu, "Fast pulse behavior of InGaAsP/InP double-heterostructure lasers emitting at $1.27\text{ }\mu\text{m}$ ", Electron. Lett., Vol. 13, No. 3, pp. 142-143, Mar. 1977.
- [1977YAR] A. Yariv and M. Nakamura, "Periodic structures for integrated optics", IEEE J. Quantum Electron., Vol. QE-13, No. 4, pp. 233-253, Apr. 1977.
- [1978AKIa] S. Akiba, Y. Itaya, K. Sakai, T. Yamamoto and Y. Suematsu, "Measurement of carrier lifetime in InGaAsP/InP double heterostructure lasers", Trans. IECE Japan, Vol. 61-E, No. 3, pp. 124-128, Mar. 1978.
- [1978AKIb] S. Akiba, K. Sakai and T. Yamamoto, " $\text{In}_{0.53}\text{Ga}_{0.47}\text{As}/\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}$ double heterostructure lasers with emission wavelength of $1.67\text{ }\mu\text{m}$ at room temperature", Jpn. J. Appl. Phys., Vol. 17, No. 10, pp. 1899-1900, Oct. 1978.
- [1978AKIc] S. Akiba, K. Sakai and T. Yamamoto, "Direct modulation of InGaAsP/InP double heterostructure lasers", Electron. Lett., Vol. 14, No. 6, pp. 197-198, Mar. 16, 1978.
- [1978CHI] N. Chinone, K. Aiki, M. Nakamura and R. Ito, "Effect of lateral mode and carrier density profile on dynamic behaviours of semiconductor lasers", IEEE J. Quantum Electron., Vol. QE-14, No. 8, pp. 625-631, Aug. 1978.
- [1978COP] J. A. Copeland, A. G. Dentai and T. P. Lee, "p-n-p-n optical detectors and light-emitting diodes", IEEE J. Quantum Electron., Vol. QE-41, No. 11, pp. 810-813, Nov. 1978.
- [1978DAI] U. Daido, "The estimated coupling efficiency of a light emitting diode with large-core high N.A. fibers", Fujitsu Sci. Tech. J., Vol. 14, No. 3, pp. 25-36, Sept. 1978.
- [1978DUP] R. D. Dupuis and P. D. Dapkus, "Room-temperature operation of distributed-Bragg-confinement $\text{Ga}_{1-x}\text{Al}_x\text{As-GaAs}$ lasers grown by metalorganic chemical vapor deposition", Appl. Phys. Lett., Vol. 33, No. 1, pp. 68-69, Jul. 1978.
- [1978EVE] M. Eve, "Multipath time dispersion of an optical network", Opt. & Quantum Electron., Vol. 10, No. 1, pp. 41-51, Jan. 1978.
- [1978FEI] M. D. Feit and J. A. Fleck Jr., "Light propagation in graded-index optical fibers", Appl. Opt., Vol. 17, No. 24, pp. 3990-3998, Dec. 1978.
- [1978FURa] K. Furuya, Y. Suematsu and T. Hong, "Reduction of resonance-like peak in direct-modulation due to carrier diffusion in injection laser", Appl. Opt., Vol. 17, No. 12, pp. 1949-1952, Jun. 1978.
- [1978FURb] K. Furuya, T. C. Chong and Y. Suematsu, "Low-loss splicing of single-mode fibers by tapered-butt-joint method", Trans. IECE Japan, Vol. 61-E, No. 12, pp. 957-961, Dec. 1978.
- [1978GAM] W. A. Gambling and H. Matsumura, "Propagation in radially-homogeneous single-mode fibers", Opt. & Quantum Electron., Vol. 10, No. 1, pp. 31-40, Jan. 1978.

- [1978HAT] I. Hatakeyama and H. Tsuchiya, "Fusion splices for single-mode optical fibers" , IEEE J. Quantum Electron., Vol.QE-14, No.8, pp.614-619, Aug. 1978.
- [1978HIL] K. O. Hill, Y. Fujii, D. C. Johnson and B. S. Kawasaki, "Photosensitivity in optical fiber waveguide : Applications to reflective filter fabrication" , Appl. Phys. Lett., Vol.32, pp.647-649, May 1978.
- [1978HOR] S. Horiuchi et al., "A Monolithic linear array of high-radiance AlGaAs double heterostructure LED's with selfaligned spherical lenses" , Proc. IEEE, Vol. 66, No. 2, pp. 261 - 263, Feb. 1978.
- [1978IGAa] 伊賀健一, 上林利生, 北原知之, “面発光形 GaInAsP/InP レーザー (I)”, 第 25 回応物関連講演会 (於: 武藏工大), 27-p-11, p.63, 1978 年 3 月 27 日
- [1978IGAb] K. Iga and Y. Takahashi, "Analysis on single wavelength oscillation of semiconductor laser at high speed pulse modulation" , Trans. IECE Japan, Vol. 61-E, No. 9, pp. 685-689, Sept. 1978.
- [1978IGAc] K. Iga, T. Kambayashi, C. Kitahara, K. Wakao and K. Moriki, "GaInAsP/InP double heterostructure planar LED" , IEEE Specialist Conf. Technology of Electroluminescent Diodes, Nov. 1978. ([1978IGAa] の国際会議発表)
- [1978ISH] S. Ishikawa, K. Furuya and Y. Suematsu, "Vector wave analysis of broadband multimode optical fibers with optimum refractive index distribution" , J. Opt. Soc. Am., Vol. 68, No. 5, pp. 577-583, May 1978.
- [1978ITO] T. Ito, K. Nakagawa, K. Aida, K. Takemoto and K. Sato, "Non repeated 50 km transmission experiment using low-loss optical fibers" , Electron. Lett., Vol.14, No.16, pp.120-121, Aug. 3, 1978.
- [1978KAT] Y. Katsuyama, Y. Mitsunaga, S. Mochizuki, A. Kawana, K. Ishihara and H. Tsuchiya, Papers on Technical Group Meeting of IECE Japan, Vol.OQE-378-43, 1978.
- [1978KAWa] A. Kawana, M. Kawachi, T. Miyashita, M. Saruwatari, K. Asatani, J. Yamada and K. Oe, "Pulse broadening in long-span single mode fibers around a material-dispersion-free wavelength" , Opt. Lett., Vol. 2, No. 4, pp. 106-108, Apr. 1978.
- [1978KAWb] H. Kawanishi, Y. Suematsu, Y. Itaya and S. Arai, "Ga_x In_{1-x} As_y P_{1-y} /InP injection laser partially loaded with distributed Bragg reflectors" , Jpn. J. Appl. Phys., Vol. 17, No. 8, pp. 1439-1440, Aug. 1978.
- [1978KOB] T. Kobayashi, K. Wakita, T. Kawakami, G. Iwane, Y. Horikoshi, Y. Seki and Y. Furukawa, "Accelerated life test of AlGaAs-GaAs DH lasers" , Trans. IECE Japan, Vol. 61-E, No. 3, p. 132, Mar. 1978.
- [1978KUR] T. Kuroda, S. Yamashita, M. Nakamura and J. Umeda, "Channeled-substrate-planar structure distributed-feedback semiconductor lasers" , Appl. Phys. Lett., Vol. 33, No. 2, pp. 173-174, Jul. 1978.
- [1978MIK] T. Miki and H. Ishio, "Viabilities of the wavelength-division-multiplexing transmission system over an optical fiber cable" , IEEE Trans. Commun., Vol.COM-26, pp. 1082-1087, July 1978.
- [1978MIL] B. I. Miller, J. H. McFee, R. J. Martin and P. K. Tien, "Room-temperature operation of lattice-matched InP/Ga_{0.47} In_{0.53} As/InP double-heterostructure lasers grown by MBE" , Appl. Phys. Lett., Vol. 33, No. 1, pp. 44-47, Jul. 1978.
- [1978MIN] K. Minemura, K. Kobayashi, T. Yanase, R. Ishikawa, M. Shikada, A. Ueki and S. Sugimoto, "Two-way transmission experiments over a single optical fibre at the same wavelength

- using micro-optic 3 dB couplers” , Electron. Lett., Vol. 14, No. 11, pp. 340 - 342, May 25, 1978.
- [1978NAH] R. E. Nahory and M. A. Pollack, “Threshold dependence on active layer thickness in In-GaAsP/InP DH lasers” , Electron. Lett., Vol. 14, No. 11, pp. 727 - 729, Nov. 1978.
- [1978NAW] K. Nawata, S. Machida and T. Ito, “An 800 Mb/s optical transmission experiment using a single-mode-fiber” , IEEE J. Quantum Electron., Vol. QE-14, No. 2, pp. 98 - 103, Feb. 1978.
- [1978PAP] M. Papuchon and C. Puech, “Integrated optics : a possible solution for the fiber gyroscope” , Proc. Soc. Photo-Opt. Instrum. Eng., Vol. 157, pp. 218 - 219, 1978.
- [1978POL] M. A. Pollack, R. E. Nahory, J. C. DeWinter and A. A. Ballman, “Liquid phase epitaxial $\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}$ lattice matched to (100) InP over the complete wavelength range $0.92 < \lambda < 1.65 \mu\text{m}$ ” , Appl. Phys. Lett., Vol. 33, No. 4, pp. 314 - 316, Aug. 1978.
- [1978SAR] M. Saruwatari, K. Asatani, J. Yamada, I. Hatakeyama, K. Sugiyama and T. Kimura, “Low loss fiber transmission of high speed pulse at $1.29 \mu\text{m}$ wavelength” , Electron. Lett., Vol. 14, No. 6, pp. 187 - 189, Mar. 16, 1978.
- [1978SAU] P. Saunier, C. S. Tsai, I. W. Yao and Le. T. Nguyen, “Electrooptic phased-array light beam deflector with application to analog-to-digital conversion” , presented at the Topical Meeting on Integrated and Guided Wave Optics, Washington, D. C., TuC₂, 1978.
- [1978SCI] D. F. Scifres, W. Streifer and R. D. Burnham, “Beam scanning with twin-stripe injection lasers” , Appl. Phys. Lett., Vol. 33, No. 8, p. 702, Oct. 1978.
- [1978STOa] H. M. Stoll, “Distributed Bragg deflector : a multifunctional integrated optical device” , Appl. Opt., Vol. 17, No. 16, p. 2562, Aug. 1978.
- [1978STOb] R. H. Stolen, V. Ramaswamy, P. Kaiser and W. Pleibel, “Linear polarization in birefringent single-mode fibers” , Appl. Phys. Lett., Vol. 33, No. 8, pp. 699 - 701, Oct. 1978.
- [1978SUE] Y. Suematsu and H. Tokiwa, “Transmission characteristics of mode-coupled graded index multimode optical fibers” , Trans. IECE Japan, Vol. 61-E, No. 5, pp. 355 - 362, May 1978.
- [1978TOMa] L. R. Tomasetta et al., “Room-temperature C. W. operation of InP/InGaAsP/InP double heterostructure diode lasers emitting at $1.55 \mu\text{m}$ ” , IEEE International Semiconductor Laser Conf., D2, San Francisco, 1978.
- [1978TOMb] W. J. Tomlinson and C. Lin, “Optical wavelength-division multiplexer for the $1 - 1.4 \mu\text{m}$ spectral region” , Electron. Lett., Vol. 14, No. 11, pp. 345 - 347, May 1978.
- [1978YAMA] T. Yamamoto, K. Sakai, S. Akiba and Y. Suematsu, “ $\text{In}_{1-x}\text{Ga}_x\text{As}_y\text{P}_{1-y}/\text{InP}$ DH lasers fabricated on InP (100) substrates” , IEEE J. Quantum Electron., Vol. QE-14, No. 2, pp. 95 - 98, Feb. 1978.
- [1978YAMb] J. Yamada, M. Saruwatari, K. Asatani, H. Tsuchiya, A. Kawana, K. Sugiyama and T. Kimura, “High-speed optical pulse transmission at $1.59 \mu\text{m}$ wavelength using low loss single-mode fibers” , IEEE J. Quantum Electron., Vol. QE-14, No. 11, pp. 791 - 800, Nov. 1978.
- [1979AKI] S. Akiba, K. Sakai, Y. Matsushima and T. Yamamoto, “Room-temperature C.W. operation of InGaAsP/InP heterostructure lasers emitting at $1.56 \mu\text{m}$ ” , Electron. Lett., Vol. 15, No. 9, pp. 606 - 607, Sept. 1979.
- [1979ALF] R. C. Alferness, “Polarization-independent optical directional coupler switch using weighted coupling” , Appl. Phys. Lett., Vol. 35, No. 10, pp. 748 - 750, Nov. 1979.
- [1979ARAa] S. Arai, Y. Suematsu and Y. Itaya, “ $1.6 \mu\text{m} \text{ Ga}_{0.47}\text{In}_{0.53}\text{As}/\text{InP}$ DH lasers double cladded with InP by LPE technique” , Jpn. J. Appl. Phys., Vol. 18, No. 3, pp. 709 - 710, Mar. 1979.
- [1979ARAb] S. Arai, Y. Itaya, Y. Suematsu and K. Kishino, “ $1.5 - 1.6 \mu\text{m}$ wavelength (100) GaInAsP/

- InP DH lasers” , 11th Conf. on Solid State Devices (SSDM), Tokyo, B-3-4, Aug. 1979.
- [1979ARAc] S. Arai, M. Asada, Y. Suematsu and Y. Itaya, “Room temperature CW operation GaInAsP/InP DH laser emitting at $1.51\text{ }\mu\text{m}$ ” , Jpn. J. Appl. Phys., Vol. 18, No. 12, pp. 2333-2334, Dec. 1979.
- [1979BUL] C. H. Bulmer, W. K. Burns and T. G. Giallorenzi, “Performance criteria and limitations of electrooptic waveguide array deflectors” , Appl. Opt., Vol. 18, No. 19, p. 3282, Oct. 1979.
- [1979CHAa] C. T. Chang, “Minimum dispersion in a single-mode step-index optical fiber” , Appl. Opt., Vol. 18, No. 7, pp. 2516-2522, July 1979.
- [1979CHAb] C. T. Chang, “Minimum dispersion at $1.55\text{ }\mu\text{m}$ for single-mode step-index fibers” , Electron. Lett., Vol. 15, No. 23, pp. 765-767, Nov. 1979.
- [1979CHI] K. Chida, F. Hanawa, M. Nakahara and N. Inagaki, “Simultaneous dehydration with consolidation for VAD method” , Electron. Lett., Vol. 15, No. 25, pp. 835-836, Dec. 1979.
- [1979COH] L. G. Cohen, C. Lin and W. G. French, “Tailoring zero chromatic dispersion into the $1.5\text{ - }1.6\text{ }\mu\text{m}$ low loss spectral region of single mode fibers” , Electron. Lett., Vol. 15, No. 12, pp. 334-335, Jun. 1979.
- [1979DAI] B. Daino, G. de Marchis and S. Piazzola, “Analysis and measurement of modal noise in an optical fiber” , Electron. Lett., Vol. 15, No. 23, pp. 755-756, Nov. 1979.
- [1979DOIa] A. Doi, N. Chinone, K. Aiki and R. Ito, “ $\text{Ga}_x\text{In}_{1-x}\text{As}_y\text{P}_{1-y}$ /InP rib waveguide injection lasers made by one-step LPE” , Appl. Phys. Lett., Vol. 34, No. 6, pp. 393-395, Mar. 1979.
- [1979DOIb] A. Doi, T. Fukuzawa, M. Nakamura, R. Ito and K. Aiki, “InGaAsP/InP distributed feedback injection lasers fabricated by one-step liquid phase epitaxy” , Appl. Phys. Lett., Vol. 35, pp. 441-443, Sept. 1979.
- [1979ELL] R. A. Elliott and J. B. Shaw, “Electrooptic streak camera : theoretical analysis” , Appl. Opt., Vol. 18, No. 7, p. 1025, Apr. 1979.
- [1979FUJ] Y. Fuji, J. Minowa, T. Aoyama and K. Doi, “Low-loss 4×4 optical matrix switch for fibre-optic communication” , Electron. Lett., Vol. 15, No. 14, pp. 427-428, July 1979.
- [1979FURa] K. Furuya, M. Miyamoto and Y. Suematsu, “Bandwidth of single mode optical fibers” , Trans. IECE Japan, Vol. 62-E, No. 5, pp. 305-310, May 1979.
- [1979FURb] K. Furuya, Y. Suematsu and S. Sugou, “Integrated optical branching filter consisting of three-dimensional waveguides and its non-radiative condition” , IEEE Trans. Circuits & Syst., Vol. CAS-26, No. 12, pp. 1049-1054, Dec. 1979.
- [1979GAM] W. A. Gambling, H. Matsumura and C. M. Ragdale, “Zero total dispersion in graded-index single-mode fibers” , Electron. Lett., Vol. 15, No. 15, pp. 474-476, Jul. 1979.
- [1979GOO] R. C. Goodfellow, A. C. Carter, I. Griffith and R. R. Bradley, “GaInAsP/InP fast, high-radiance, $1.05\text{ - }1.3\text{ }\mu\text{m}$ wavelength LEDs with efficient lens coupling to small numerical aperture silica optical fibres” , IEEE Trans. Electron Devices, Vol. ED-26, No. 8, pp. 1215-1220, Aug. 1979.
- [1979HAG] H. E. Hagemeyer and S. R. Robinson, “Field properties of multiple coherently combined lasers” , Appl. Opt., Vol. 18, No. 3, p. 270, Feb. 1979.
- [1979HON] T. Hong and Y. Suematsu, “Harmonic distortion in direct modulation of injection lasers” , Trans. IECE Japan, Vol. 62-E, No. 3, pp. 142-147, Mar. 1979.
- [1979HORa] Y. Horikoshi and Y. Furukawa, “Temperature sensitive threshold current of InGaAsP-InP double heterostructure lasers” , Jpn. J. Appl. Phys., Vol. 18, No. 4, pp. 809-815, Apr. 1979.
- [1979HORb] Y. Horikoshi, T. Kobayashi and Y. Furukawa, “Lifetime of InGaAsP-InP and AlGaAs-GaAs

- DH lasers estimated by the point defect generation model” , Jpn. J. Appl. Phys., Vol. 18, No. 12, pp. 2237-2244, Dec. 1979.
- [1979 HUG] J. L. Hughsar and A. K. Ghatak, “Phased-array optical scanning” , Appl. Opt., Vol. 18, No. 13, p. 2098, July 1979.
- [1979 ITA] Y. Itaya, Y. Suematsu, S. Katayama, K. Kishino and S. Arai, “Low-threshold current density (100) GaInAsP/InP double-heterostructure lasers for wavelength 1.3 μm” , Jpn. J. Appl. Phys., Vol. 18, No. 9, pp. 1795-1870, Sept. 1979.
- [1979 IZA] T. Izawa, S. Sudo and F. Hanawa, “Continuous fabrication process for high-silica fiber preforms” , Trans. IECE Japan, Vol. 62-E, No. 11, pp. 779-785, Nov. 1979.
- [1979 KAM] I. P. Kaminow, R. E. Nahory, M. A. Pollack, L. W. Stulz and J. C. DeWinter, “Single-mode C.W. ridge-waveguide laser emitting at 1.55 μm” , Electron. Lett., Vol. 15, No. 23, pp. 763-765, Nov. 1979.
- [1979 KAW] H. Kawaguchi, E. Takahei, Y. Toyoshima, H. Nagai and G. Iwane, “Room-temperature C.W. Operation of InP/InGaAsP/InP double heterostructure diode lasers emitting at 1.55 μm” , Electron. Lett., Vol. 15, No. 21, pp. 669-700, Oct. 1979.
- [1979 LEE] J. K. Lee, “Piezoelectric bimorph optical beam scanners : analysis and construction” , Appl. Opt., Vol. 18, No. 4, p. 455, Feb. 1979.
- [1979 MIL] S. E. Miller and A. G. Chynoweth ed., “Optical fiber telecommunications” , Academic Press, New York, 1979.
- [1979 MIY] T. Miya, Y. Terunuma, T. Hosaka and T. Miyashita, “An ultimately low-loss single-mode fiber at 1.55 μm” , Electron. Lett., Vol. 15, No. 4, pp. 106-108, Feb. 1979.
- [1979 NAH] R. E. Nahory, M. A. Pollack and J. C. DeWinter, “Temperature dependence of InGaAsP double-heterostructure laser characteristics” , Electron. Lett., Vol. 15, No. 21, pp. 695-696, Oct. 1979.
- [1979 NIS] H. Nishi, M. Yano, Y. Nishitani, Y. Akita and M. Takusagawa, “Self-aligned structure In-GaAsP/InP DH lasers” , Appl. Phys. Lett., Vol. 35, No. 3, pp. 232-234, Aug. 1979.
- [1979 OHT] K. Ohtaka, “Energy band of photons and low-energy photon diffraction” , Phys. Rev. B, Vol. 19, pp. 5057-5065, 1979.
- [1979 OKA] K. Okamoto, T. Edahiro, A. Kawana and T. Miya, “Dispersion minimizatin in single-mode fibers over a wide spectral range” , Electron. Lett., Vol. 15, No. 22, pp. 729-731, Oct. 1979.
- [1979 OLS] R. Olshansky and G. Scherer, “High GeO₂ optical waveguides” , Conference Proceedings European Conference on Optical Communication, Amsterdam, pp. 12.5-1 ~ 12.5-3, Sept. 1979.
- [1979 PRE] H. M. Presby and D. Marcuse, “Preform index profiling” , Appl. Opt., Vol. 18, No. 5, pp. 671-677, Mar. 1979.
- [1979 SAKa] J. Sakai and T. Kimura, “Practical microbending loss formula for single-mode optical fibers” , IEEE J. Quantum Electron., Vol.QE-15, No. 6, pp. 497-500, June 1979.
- [1979 SAKb] Y. Sakakibara, K. Furuya, Y. Suematsu and Y. Itaya, “Direct modulation characteristics of GaInAsP/InP D. H. lasers with various stripe widths measured by sharp-pluse method” , Electron. Lett., Vol. 15, No. 9, pp. 594-596, Sept. 1979.
- [1979 SEA] C. Seakeng and P. L. Chu, “Nondestructive determination of refractive index profile of an optical fiber : backward light scattering method” , Appl. Opt., Vol. 18, No. 7, pp. 1110-1115, Apr. 1979.
- [1979 SHI] S. Shimada, T. Matsumoto, T. Ito, S. Matsushita, K. Washio and K. Minemura, “100 km op-

- tical-fiber transmission system at 1.32 μm using high-power C. W. Nd-YAG laser” , Electron. Lett., Vol. 15, No. 16, pp. 484-486, Aug. 2, 1979.
- [1979SNY] A. W. Snyder and R. A. Sammut, “Fundamental (HE₁₁) modes of graded optical fibers” , J. Opt. Soc. Am., Vol. 69, No. 1, pp. 1663-1671, Dec. 1979.
- [1979SOD] H. Soda, K. Iga, C. Kitahara and Y. Suematsu, “GaInAsP/InP surface emitting injection lasers” , Jpn. J. Appl. Phys., Vol. 18, pp. 2329-2330, 1979.
- [1979TAK] T. Tako, T. Takakura and K. Iga, “Interferometric measurements of linewidth and frequency stability of a single longitudinal-mode Al_x Ga_{1-x} As laser” , J. Opt. Soc. Am., Vol. 69, No. 10, p. 1482, Oct. 1979.
- [1979TSUa] H. Tsuchiya and N. Imoto, “Dispersion-free single-mode fiber in 1.5 μm wavelength region” , Electron. Lett., Vol. 15, No. 15, pp. 476-478, Jul. 1979.
- [1979TSUb] H. Tsuchiya and N. Imoto, “Single mode fiber delay equalization and baseband response” , IECE Japan, Eng. Res. Rep., Vol. OQE 79-22, May 1979.
- [1979UEM] Y. Uematsu, T. Ozeki and Y. Unno, “Efficient power coupling between an MH LED and a taper-ended multimode fiber” , IEEE J. Quantum Electron., Vol. QE-15, No. 2, pp. 86-92, Feb. 1979.
- [1979ULR] R. Ulrich, “Polarization stabilization on single-mode fiber” , Appl. Phys. Lett., Vol. 35, No. 11, pp. 840-842, Dec. 1979.
- [1979URY] I. Ury, S. Margalit, M. Yust and A. Yariv, “Monolithic integration of an injection laser and a metal semiconductor field effect transistor” , Appl. Phys. Lett., Vol. 34, No. 7, pp. 430-431, Apr. 1979.
- [1979WHI] K. I. White and B. P. Nelson, “Zero total dispersion in step-index monomode fibers at 1.30 and 1.55 μm ” , Electron. Lett., Vol. 15, No. 13, pp. 396-397, June 1979.
- [1979YAMa] J. Yamada, S. Machida, T. Kimura and H. Takata, “Dispersion-free single-mode transmission experiments up to 1.6 Gbit/s” , Electron. Lett., Vol. 15, No. 10, pp. 278-279, May 10, 1979.
- [1979YAMb] M. Yamada and Y. Suematsu, “Theory of Single Mode Injecton Lasers Taking Account of Electronic Intra-band Relaxation” , Jpn. J. Appl. Phys., Vol. 18, No. 1, pp. 347-354, Jan. 1979.
- [1979YAMc] M. Yamada and Y. Suematsu, “A condition of single longitudinal mode operation in injection lasers with index guiding structures” , IEEE J. Quantum Electron., Vol. QE-15, No. 8, pp. 743-749, Aug. 1979.
- [1979YAMD] T. Yamamoto, K. Sakai and S. Akiba, “10000h continuous CW operation of In_{1-x} Ga_x As_y P_{1-y} /InP DH lasers at room temperature” , IEEE J. Quantum Electron., Vol. QE-15, No. 8, pp. 684-687, Aug. 1979.
- [1979YAO] S. K. Yao, D. Weid and R. M. Montgomery, “Guided acoustic traveling wave lens for high-speed optical scanners” , Appl. Opt., Vol. 18, No. 4, p. 446, Feb. 1979.
- [1980ADA] A. R. Adams, M. Asada, Y. Suematsu and S. Arai, “The temperature dependence of the efficiency and threshold current of In_{1-x} Ga_x As_y P_{1-y} lasers related to intervalence band absorption” , Jpn. J. Appl. Phys., Vol. 19, No. 10, pp. L621-L624, Oct. 1980.
- [1980ARA] S. Arai, Y. Suematsu and Y. Itaya, “1.11-1.67 μm (100) GaInAsP/InP injection lasers prepared by liquid phase epitaxy” , IEEE J. Quantum Electron., Vol. QE-16, No. 2, pp. 197-205, Feb. 1980.
- [1980BAR] M. K. Barnoski, “Fiber systems for the military environment” , Proc. IEEE, Vol. 68,

- No. 10, pp. 1315-1320, Oct. 1980.
- [1980BEA] K. J. Beales, C. R. Day, A. G. Dunn and S. Partington, "Multicomponent glass fibers for optical communications", Proc. IEEE, Vol. 68, No. 10, pp. 1191-1194, Oct. 1980.
- [1980CAP] F. Capasso, R. A. Logan, A. Hutchinson and D. D. Manchon, "InGaAsP/InGaAs heterojunction p-i-n detectors with low dark current and small capacitance for 1.3-1.6 μm fiber optic systems", Electron. Lett., Vol. 16, No. 23, pp. 893-895, Nov. 1980.
- [1980COH] L. G. Cohen, P. Kaiser and C. Lin, "Experimental techniques for evaluation of fiber transmission loss and dispersion", Proc. IEEE, Vol. 68, No. 10, pp. 1203-1209, Oct. 1980.
- [1980FUK] T. Fukuzawa, H. Matsuda, T. Kuroda and M. Nakamura, "Integration of GaAs FET and a laser diode (I)", National Convention Record of Appl. Phys., 19-Q-7, 1980.
- [1980FUR] K. Furuya and Y. Suematsu, "Random-bend loss in single-mode and parabolic-index multimode optical fiber cables", Appl. Opt., Vol. 19, No. 9, pp. 1493-1500, May 1980.
- [1980HAN] F. Hanawa, S. Sudo, M. Kawachi and M. Nakahara, "Fabrication of completely OH-free v. a. d. fibre", Electron. Lett., Vol. 16, No. 18, pp. 699-700, Aug. 1980.
- [1980HIR] J. P. Hirtz, J. P. Duchemin, P. Hirtz, B. de Cremoux, T. Pearsall and M. Bonnet, "Ga_xIn_{1-x}As_yP_{1-y}/InP D.H. laser emitting at 1.15 μm grown by low-pressure metalorganic C.V.D.", Electron. Lett., Vol. 16, No. 8, pp. 275-277, Apr. 1980.
- [1980HSI] J. J. Hsieh, "High-temperature CW operation of GaInAsP/InP lasers emitting at 1.5 μm", Appl. Phys. Lett., Vol. 37, No. 1, pp. 25-27, Jul. 1980.
- [1980IGA] K. Iga and B.I. Miller, "C.W. operation of GaInAsP/InP laser with chemically etched mirror", Electron. Lett., Vol. 16, No. 22, pp. 830-831, Oct. 1980.
- [1980ITA] Y. Itaya, T. Tanbun-ek, K. Kishino, S. Arai and Y. Suematsu, "1.6 μm wavelength buried heterostructure GaInAsP/InP lasers", Jpn. J. Appl. Phys., Vol. 19, No. 3, pp. L141-L144, Mar. 1980.
- [1980IZA] T. Izawa and N. Inagaki, "Materials and processes for fiber preform fabrication-vapor-phase axial deposition", Proc. IEEE, Vol. 68, No. 10, pp. 1184-1187, Oct. 1980.
- [1980KOBa] S. Kobayashi and T. Kimura, "Gain and saturation power of resonant AlGaAs laser amplifier", Electron. Lett., Vol. 16, No. 6, pp. 230-232, Mar. 1980.
- [1980KOBb] K. Kobayashi and M. Seki, "Microoptic grating multiplexers and optical isolators for fiber-optic communications", IEEE J. Quantum Electron., Vol.QE-16, No. 1, pp. 11-22, Jan. 1980.
- [1980KOBc] K. Kobayashi, S. Matsushita, M. Seki, Y. Odagiri, I. Mito and M. Sugimoto, "Stabilized 1.3 μm laser diode-isolator module for a hybrid optical integrated circuit", Top. Meet. Integrated and Guided-Wave Opt., MD 5, Lake Tahoe, Jan. 1980.
- [1980KOKa] Y. Kokubun and K. Iga, "Refractive index profile measurement of preform rods by a transverse differential interferogram", Appl. Opt., Vol. 19, No. 6, p. 846, Mar. 1980.
- [1980KOKb] Y. Kokubun and K. Iga, "Formulas for TE₀₁ cutoff in optical fibers with arbitrary index profile", J. Opt. Soc. Am., Vol. 70, No. 1, pp. 36-40, Jan. 1980.
- [1980KUBa] K. Kubota, J. Noda and O. Mikami, "Traveling wave optical modulator using a directional coupler LiNbO₃ waveguide", IEEE J. Quantum Electron., Vol.QE-16, No. 7, pp. 754-760, July 1980.
- [1980KUBb] M. Kubota, K. Furuya and Y. Suematsu, "Random-bend loss-evaluation in single-mode optical fiber with various index profiles", Trans. IECE Japan, Vol. 63-E, No. 10, pp. 723-730, Oct. 1980.

- [1980 LEH] R. F. Leheny, R. E. Nahory, M. A. Pollack and E. D. Beebe, "In_{0.53} Ga_{0.47} As PIN-FET photo-receiver for 1.0 - 1.7 μm wavelength fiber optic systems", Tech. Dig. Integrated and Guided Wave Optics Meet. (Incline Village, NV), Paper WC4, Jan. 1980.
- [1980 LIN] C. Lin and H. Kogelnik, "Optical-pulse equalization of low-dispersion transmission in single-mode fibers in the 1.3-1.7 μm spectral region", Opt. Lett., Vol. 5, No. 11, pp. 476-478, Nov. 1980.
- [1980 LI] T. Li, "Structures, parameters, and transmission properties of optical fibers", Proc. IEEE, Vol. 68, No. 10, pp. 1175-1180, Oct. 1980.
- [1980 MAC] J. B. MacChesney, "Materials and processes for preform fabrication-modified chemical vapor deposition and plasma chemical vapor deposition", Proc. IEEE, Vol. 68, No. 10, pp. 1181-1184, Oct. 1980.
- [1980 MAT] H. Matsumura, T. Katsuyama and T. Suganuma, "Fundamental study of single polarization fibers", in Proc. 6 th European Conf. Opt. Comm., York, England, pp. 49 - 52, Sept. 1980.
- [1980 MEL] H. Melchior, "Noise in semiconductor laser", Top. Meet. Integrated and Guided-Wave Opt., MA 2, Lake Tahoe, Calif., Jan. 1980.
- [1980 MIK] T. Miki and J. Yamagata, "Public telecommunication - Trunk transmission systems and subscriber loops", J. IECE Japan, Vol. 63, No. 11, pp. 1114-1123, Nov. 1980.
- [1980 MIY] T. Miya, A. Kawana, Y. Terunuma and T. Hosaka, "Fabrication of single-mode fiber for 1.5 μm wavelength region", Trans. IECE Japan, Vol. 63-E, No. 7, pp. 514-519, July 1980.
- [1980 MIZ] K. Mizuishi, M. Hirao, S. Tsuji, H. Sato and M. Nakamura, "Accelerated aging characteristics of InGaAsP/InP buried hetero-structure lasers emitting at 1.3 μm", Jpn. J. Appl. Phys., Vol. 19, No. 7, pp. L429-L437, Jul. 1980.
- [1980 MOR] T. Moriyama, O. Fukuda, K. Sanada, K. Inada, T. Edahiro and K. Chida, "Ultimately low OH content VAD optical fibers", Electron. Lett., Vol. 16, No. 8, pp. 698-699, Aug. 1980.
- [1980 MUR] T. Murotani, E. Oomura, H. Higuchi, H. Namizaki and W. Susaki, "InGaAsP/InP buried crescent laser emitting at 1.3 μm with very low threshold current", Electron. Lett., Vol. 16, No. 14, pp. 566-568, Jul. 1980.
- [1980 NAG] H. Nagai, Y. Noguchi, K. Takahei, Y. Toyoshima and G. Iwane, "InP/GaInAsP buried heterostructure lasers of 1.5 μm region", Jpn. J. Appl. Phys., Vol. 19, No. 4, pp. L218-L220, Apr. 1980.
- [1980 NAKa] M. Nakahara, S. Sudo, N. Inagaki, K. Yoshida, S. Shibuya, K. Kokura and T. Kuroha, "Ultra wide bandwidth VAD Fiber", Electron. Lett., Vol. 16, No. 10, pp. 391-392, May 1980.
- [1980 NAKb] T. Nakahara and N. Uchida, "Optical cable design and characterization in Japan", Proc. IEEE, Vol. 68, No. 10, pp. 1220-1226, Oct. 1980.
- [1980 NEL] R. J. Nelson, P. D. Wright, P. A. Barnes, R. L. Brown, T. Cella and R. G. Sobers, "High-output power InGaAsP ($\lambda = 1.3 \mu\text{m}$) strip-buried heterostructure lasers", Appl. Phys. Lett., Vol. 36, No. 5, pp. 358-360, Mar. 1980.
- [1980 NOM] Y. Nomura and T. Nakai, "Public telecommunication-Undersea transmissin systems", J. IECE Japan, Vol. 63, No. 11, pp. 1123-1129, Nov. 1980.
- [1980 OKO] T. Okoshi and K. Kikuchi, "Frequency stabilization of semiconductor lasers for heterodyne-type optical communication schemes," Electron. Lett., Vol. 16, pp. 179 - 181, Feb. 1980.
- [1980 PRE] H. M. Presby and D. Marcuse, "The index-profile characterization of fiber preforms and

- drawn fibers” , Proc. IEEE, Vol. 68, No. 10, pp. 1198-1203, Oct. 1980.
- [1980RAW] E. G. Rawson, J. W. Goodman and R. E. Nortan, “Experimental and analytical study of modal noise in optical fibers” , 6 th European Conference on Optical Communications, pp. 72-75, Sept. 16-19, 1980.
- [1980REI] F. K. Reinhart and R. A. Logan, “Electrooptic frequency and polarization modulated injection lasers” , Appl. Phys. Lett., Vol. 36, pp. 954-957, June 1980.
- [1980SAK] Y. Sakakibara, K. Furuya, K. Utaka and Y. Suematsu, “Single-mode oscillation under high speed direct modulation in GaInAsP/InP integrated twin-guide lasers with distributed-Bragg reflectors” , Electron. Lett., Vol. 16, No. 12, pp. 456-458, Jun. 1980.
- [1980SAS] I. Sasaki, D.N. Payne and M.J. Adams, “Measurement of refractive-index profiles in optical-fiber preforms by spatial-filtering technique” , Electron. Lett., Vol. 16, No. 6, pp. 219-221, Mar. 1980.
- [1980SCH] M. I. Schwartz, P. F. Gagen and M. R. Santana, “Fiber cable design and characterization” , Proc. IEEE, Vol. 68, No. 10, pp. 1214-1219, Oct. 1980.
- [1980SIG] G. H. Sigel, Jr., “Fiber transmission losses in high-radiation fields” , Proc. IEEE, Vol. 68, No. 10, pp. 1236-1240, Oct. 1980.
- [1980SPEa] “Special Issue of Optical Communications” , J. Inst. Electron. & Commun. Eng., Japan, Vol. 63, Nov. 11, 1980.
- [1980SPEb] “Special Issue of Optical Fiber Communications” , Proc. IEEE, Vol. 68, Oct. 10, 1980.
- [1980STU] K. E. Stubkjaer and M. Danielsen, “Nonlinearity of GaAlAs laser-harmonic distortion” , IEEE J. Quantum Electron., Vol. QE-16, No. 5, pp. 531-537, May 1980.
- [1980SUEa] 末松安晴, 宇高勝之, 昭和 56-116683, 「同調及び周波数変調機構を具える分布反射型半導体レーザ」, 出願者: 東京工業大学, 公開: 昭 56/9/12 (1981), 出願: 昭 55-19049, 出願: 昭和 55/2/20 (1980).
- [1980SUEb] Y. Suematsu, IEEE International Semiconductor Laser Conference, Brighton, 1980.
- [1980TSU] Tsuken Geppo (Monthly Record of ECL NTT) , Vol. 33, No. 12, pp. 1-6, Dec. 1980.
- [1980UTAA] K. Utaka, K. Kobayashi, K. Kishino and Y. Suematsu, “1.5 - 1.6 μm GaInAsP/InP integrated twin-guide lasers with first-order distributed Bragg reflectors” , Electron. Lett., Vol. 16, No. 12, pp. 455-456, Jun. 1980.
- [1980UTAb] K. Utaka, Y. Suematsu, K. Kobayashi and H. Kawanishi, “GaInAsP/InP integrated twin-guide lasers with first-order distributed Bragg reflectors at 1.3 μm wavelength” , Jpn. J. Appl. Phys., Vol. 19, No. 2, pp. L137-L140, Feb. 1980.
- [1980YAMA] H. Yamamoto, M. Yokoyama, H. Ogawara and M. Yoshida, “Large-scale and low-loss optical switch matrix for optical switching systems” , Opt. Commun., Vol. 1, No. 2, pp. 74-79, Nov. 1980.
- [1980YAMB] N. Yamamoto and K. Iga, “Evaluation of gradient-index rod lenses by imaging” , Appl. Opt., Vol. 19, No. 7, pp. 1101-1104, Apr. 1980.
- [1980YAN] N. Yano, H. Nishi and M. Tagusagawa, “Temperature characteristics of threshold current in InGaAsP/InP heterostructure lasers” , J. Appl. Phys., Vol. 51, No. 8, pp. 4022-4028, Aug. 1980.
- [1981ABE] Y. Abe, K. Kishino, Y. Suematsu and S. Arai, “GaInAsP/InP integrated laser with butt-jointed built-in distributed-Bragg-reflection waveguide” , Electron. Lett., Vol. 17, No. 25, pp. 945-947, Dec. 1981.
- [1981ALF] R. C. Alferness, “Guided-wave devices for optical communication” , IEEE J. Quantum

- Electron., Vol.QE-17, No.6, pp.946-958, June 1981.
- [1981AOYa] K. Aoyama, K. Nakagawa and T. Itoh, "Optical time domain reflectometry in a single-mode fiber" , IEEE J. Quantum Electron., Vol.QE-17, No.6, pp.862-868, Jun. 1981.
- [1981AOYb] T. Aoyama, K. Doi, H. Uchida, T. Hibiya, K. Matsumi and Y. Ohta, "A low cost compact optical isolator using a thick Gd:YIG film growing liquid phase epitaxy" , 7th ECOC, Section 8-2, Copenhagen, Sept. 1981.
- [1981ARA] S. Arai, M. Asada, T. Tanbun-ek, Y. Suematsu, Y. Itaya and K. Kishino, "1.6 μ m wavelength GaInAsP/InP BH lasers" , IEEE J. Quantum Electron., Vol.QE-17, No. 5, pp. 640 - 645, May 1981.
- [1981ASA] M. Asada, A. R. Adams, K. Stubkjaer, Y. Suematsu and S. Arai, "The temperature dependence of the threshold current of GaInAsP/InP DH lasers" , IEEE J. Quantum Electron., Vol.QE-17, No.6, pp.611-619, May 1981.
- [1981HAR] E. H. Hara, S. Machida, M. Ikeda, H. Kanbe and T. Kimura, "Optoelectronic broadband matrix switch" , IOOC '81, WK7, 1981.
- [1981HIG] Y. Higo and M. Shimodaira, "Fiber optic line terminating equipment and transmission line repeaters" , J. Inst. Electron. & Commun. Eng. Japan, Vol. 63, No. 11, pp.1192-1200, Nov. 1981.
- [1981HIR] O. Hirota, Y. Suematsu and K. S. Kwok, "Properties of intensity noise of laser diodes due to reflected waves from single-mode optical fiber and its reduction" , IEEE J. Quantum Electron., Vol.QE-17, No.7, pp.1014-1020, Jun. 1981.
- [1981HOSa] T. Hosaka, K. Okamoto, T. Miya, Y. Sasaki and T. Edahiro, "Low-loss single polarization fibers with asymmetrical strain birefringence" , Electron. Lett., Vol. 17, No. 15, pp. 530-531, Jul. 1981.
- [1981HOSb] T. Hosaka, K. Okamoto, Y. Sasaki and T. Edahiro, "Singlemode fibers with asymmetrical refractive index pits on both sides of core" , Electron. Lett., Vol. 17, No. 5, pp. 191 - 193, Mar. 1981.
- [1981HSI] J. J. Hsieh, "Phase diagram for LPE growth of GaInAsP layers lattice matched to InP substrates" , IEEE J. Quantum Electron., Vol.QE-17, No.2, pp.118-122, Feb. 1981.
- [1981IMA] H. Imai, M. Morimoto, H. Ishikawa, K. Hori and M. Takusagawa, "Accelerated aging test of InGaAsP/InP double-heterostructure laser diodes with single transverse mode" , Appl. Phys. Lett., Vol.38, No.1, pp. 16-17, Jan. 1981.
- [1981IRV] J. Irven, G. J. Cannell, K. C. Byron, A. P. Harrison R. Worthington and J. G. Lamb, "Single-mode fibers for submarine cable systems" , IEEE J. Quantum Electron., Vol.QE- 17, No.6, pp.907-910, June 1981.
- [1981ITA] Y. Itaya, S. Arai, K. Kishino, M. Asada and Y. Suematsu, "1.6 μ m wavelength GaInAsP/InP lasers prepared by two-phase solution technique" , IEEE J. Quantum Electron., Vol.QE-17, No.5, pp.635-640, May 1981.
- [1981IWAA] E. Iwahashi, "First field trial of long-haul transmission systems using single-mode fiber cable at a 1.3 μ m wavelength" , IOOC ' 81, San Francisco, MC-4, Apr. 1981.
- [1981IWAb] E. Iwahashi, "Trends in long-wavelength single-mode transmission systems and demonstration in Japan" , IEEE J. Quantum Electron., Vol.QE- 17, No. 6, pp. 890 - 896 , June 1981.
- [1981KAM] I. P. Kaminow, D. Marcuse and M. H. Presby, "Multimode fiber bandwidth : Theory and practice" , Proc. IEEE, Vol. 68, No. 10, pp.1209-1213, Oct. 1981.

- [1981 KAWa] M. Kawachi, S. Tomaru, M. Yasu, M. Horiguchi, S. Sakaguchi and T. Kimura, "100 km single mode VAD fibers", Electron. Lett., Vol. 17, No. 2, pp. 57-58, Jan. 1981.
- [1981 KAWb] H. Kawaguchi and K. Takahei, "Characteristics of 1.5 μm wavelength buried heterostructure lasers (II)", National Conv. IECE, Japan, 850, Apr. 1981.
- [1981 KHO] G. D. Khoe, H. G. Kock, J. A. Luijendijk, C. H. J. van den Brekel and D. Kuppens, "Plasma CVD prepared SiO₂/Si₃N₄ gradient index lenses integrated in windows of laser diode packages", 7th ECOC, Section 7-6, Copenhagen, Sept. 1981.
- [1981 KID] Y. Kidoh, Y. Suematsu and K. Furuya, "Polarization control on output of single-mode optical fibers", IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 991-994, June 1981.
- [1981 KIT] K. Kitayama, S. Seikai and N. Uchida, "Polarization-maintaining single-mode fiber with azimuthally inhomogeneous index profile", Electron. Lett., Vol. 17, No. 12, pp. 419-420, Jun. 1981.
- [1981 KOB] K. Kobayashi, K. Utaka, Y. Abe, and Y. Suematsu, "CW Operation of 1.5 - 1.6 μm Wavelength GaInAsP/InP BH Integrated Twin Guide Lasers with Distributed Bragg Reflector," Electron. Lett., Vol. 17, No. 11, pp. 366-368, May 1981.
- [1981 KOYa] Y. Koyamada, S. Hatano, H. Shinohara and F. Nihei, "A study on high density optical cables with a great many fibers", I. W. C. S., Nov. 1981.
- [1981 KOYb] F. Koyama, S. Arai, Y. Suematsu and K. Kishino, "Dynamic spectral width of rapidly modulated 1.58 μm GaInAsP/InP buried-heterostructure distributed-Bragg-reflector integrated-twin-guide lasers", Electron. Lett., Vol. 17, No. 25/26, pp. 938-940, Dec. 1981.
- [1981 MAR] D. Marcuse and C. L. Lin, "Low dispersion single-mode fiber transmission-the question of practical versus theoretical maximum transmission bandwidth", IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 869-878, June 1981.
- [1981 MIK] O. Mikami, "1.55 μm GaInAsP/InP distributed feedback lasers", Jpn. J. Appl. Phys., Vol. 20, No. 7, pp. 488-490, July 1981.
- [1981 MIYa] T. Miya, A. Kawana, Y. Terunuma, T. Hosaka and Y. Ohmori, "Low loss zero-dispersion single-mode fibers in the 1.5 μm wavelength region", Trans. IECE Japan, Vol. 64-E, No. 1, pp. 32-33, Jan. 1981.
- [1981 MIYb] T. Miya, K. Okamoto, Y. Ohmori and Y. Sasaki, "Fabrication of low dispersion single-mode fibers over a wide spectral range", IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 858-861, June 1981.
- [1981 MUR] H. Murata and N. Inagaki, "Low-loss single-mode fiber development and splicing research in Japan", IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 835-849, June 1981.
- [1981 NAK] M. Nakamura and S. Tsuji, "Single-mode semiconductor injection lasers for optical fiber communications", IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 994-1005, June 1981.
- [1981 NIP] Nippon Denshin Denwa Kousya, Denki Tsushin Shisetsu, Vol. 33, No. 4, Apr. 1981.
- [1981 NOD] Y. Noda, K. Sakai and Y. Matsushima, "High temperature CW operation of 1.5 μm In-GaAsP/InP buffer layer loaded planoconvex waveguide lasers", Electron. Lett., Vol. 17, No. 6, pp. 226-227, Mar. 1981.
- [1981 OIKa] M. Oikawa, K. Iga and T. Sanada, "A distributed-index planar micro-lens made of plastics", Jpn. J. Appl. Phys., Vol. 20, No. 1, pp. L51-L54, Jan. 1981.
- [1981 OIKb] M. Oikawa, K. Iga, T. Sanada, N. Yamamoto and K. Nishizawa, "Array of distributed-index planar micro-lenses prepared from ion exchange technique", Jpn. J. Appl. Phys., Vol. 20,

- No. 4, pp. L296-L298, Apr. 1981.
- [1981 OIKc] M. Oikawa, K. Iga and T. Sanada, "Distributed-index planar microlens array prepared from deep electromigration" , Electron. Lett., Vol. 17, No. 13, pp. 452-453, Jun. 1981.
- [1981 OKA] K. Okamoto, T. Edahiro and M. Nakahara, "Transmission characteristics of VAD multi-mode optical fibers" , Appl. Opt., Vol. 20, No. 13, pp. 2314-2318, July 1, 1981.
- [1981 OKO] T. Okoshi, "Single-polarization single-mode optical fibers" , IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 879-885, June 1981.
- [1981 OOM] E. Oomura, T. Murotani, H. Higuchi, H. Namizaki and W. Susaki, "Low threshold In-GaAsP/InP buried crescent laser with double current confinement structure" , IEEE J. Quantum Electron., Vol.QE-17, No. 5, pp. 646-650, May 1981.
- [1981 PEA] T. P. Pearsall, "Photodetectors for optical communication" , J. Opt. Commun., Vol. 2, No. 6, pp. 42-48, Jun. 1981.
- [1981 SAI] S. Saito, Y. Yamamoto and T. Kimura, "Optical FSK heterodyne detection experiments using semiconductor laser transmitter and local oscillator" , IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 935-941, Jun. 1981.
- [1981 SAR] M. Saruwatari and T. Sugie, "Efficient laser diode to single-mode fiber coupling using a combination of two lenses in confocal condition" , IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 1021-1027, Jun. 1981.
- [1981 SCH] P. C. Schultz, "Fabrication of optical waveguides by the outside vapor deposition process" , Proc. IEEE, Vol. 68, No. 10, pp. 1187-1190, Oct. 1981.
- [1981 SEK] K. Seki, T. Kamiya and H. Yanai, "Effect of waveguiding properties on the axial mode competition in stripe-geometry semiconductor lasers" , IEEE J. Quantum Electron., Vol.QE-17, No. 5, pp. 706-714, May 1981.
- [1981 SHI] M. Shirasaki, H. Kuwahara and T. Obokata, "Compact polarization-independent optical circulator" , Appl. Opt., Vol. 20, pp. 2683-2687, 1981.
- [1981 STO] R. H. Stolen, "Nonlinearity in fiber transmission" , Proc. IEEE, Vol. 68, No. 10, pp. 1232-1236, Oct. 1981.
- [1981 SUEa] T. Sueta and M. Izutsu, "High-speed guided-wave optical components" , IOOC '81, TuM2, San Francisco, Apr. 1981.
- [1981 SUEb] Y. Suematsu and K. Iga, "Integrated GaInAsP/InP laser" , 1st European Conference on Integrated Optics, pp. 70-75, Sept. 1981.
- [1981 SUG] A. Sugimura, "Band-to-band Auger recombination effect on InGaAsP laser threshold" , IEEE J. Quantum Electron., Vol.QE-17, No. 5, pp. 627-635, May 1981.
- [1981 TANa] T. Tanbun-ek, S. Arai, F. Koyama, K. Kishino, S. Yoshizawa, T. Watanabe and Y. Suematsu, "Low threshold current CW operation of GaInAsP/InP buried heterostructure distributed-Bragg-reflector integrated-twin-guide laser emitting at 1.5-1.6 μm" , Electron. Lett., Vol. 17, No. 25/26, pp. 967-968, Dec. 1981.
- [1981 TANb] T. Tanifugi and M. Tokuda, "Amplitude fluctuation in laser single transmitted through a long multimode fiber" , IEEE J. Quantum Electron., Vol.QE-17, No. 11, pp. 2228-2233, Nov. 1981.
- [1981 TOD] Y. Toda, O. Watanabe, M. Ogai and S. Seikai, "Low-loss fusion splice of single mode fiber" , Int. Conf. on Comm., Denver, Colorado, Con. Rec. 1 of 4, pp. 27.7.1-27.7.6, June 14-18, 1981.
- [1981 UES] N. Uesugi and M. Ikeda, "Maximum single frequency input power in a long optical fibre

- determined by stimulated Brillouin scattering” , Electron. Lett., Vol. 17, No. 11, pp. 379-380, May 1981.
- [1981UTAa] K. Utaka, K. Kobayashi and Y. Suematsu, “Lasing characteristics of $1.5 \sim 1.6 \mu\text{m}$ GaInAsP/InP integrated twin-guide lasers with first-order distributed Bragg reflectors”, IEEE J. Quantum Electron., Vol.QE-17, No.5, pp.651-658, May 1981.
- [1981UTAb] K. Utaka, K. Kobayahsi, F. Koyama, Y. Abe and Y. Suematsu, “Single wavelength Operation of $1.53 \mu\text{m}$ GaInAsP/InP BH integrated twin guide lasers with distributed Bragg reflector under direct modulation up to 1GHz” , Electron. Lett., Vol. 17, No. 11, pp. 368-369, May 1981.
- [1981UTAc] K. Utaka, S. Akiba, K. Sakai and Y. Matsushima, “Room-temperature CW operation of distributed feedback buried-heterostructure InGaAsP/InP lasers emitting at $1.57 \mu\text{m}$ ” , Electron. Lett., Vol. 17, No. 25/26, pp. 961-963, Dec. 1981.
- [1981UTAd] 宇高勝之, 東京工業大学博士論文, Mar. 1981.
- [1981WAT] R. Watanabe, Y. Fujii, K. Nosu and J. I. Minowa, “Optical multi/demultiplexers for single-mode fiber transmission” , IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 974-982, June 1981.
- [1981YAM] Y. Yamamoto and T. Kimura, “Coherent optical fiber transmission” , IEEE J. Quantum Electron., Vol.QE-17, No. 6, pp. 919-935, Jun. 1981.
- [1982ABEA] Y. Abe, K. Kishino, Y. Suematsu and S. Arai, “ $1.55 \mu\text{m}$ GaInAsP/InP distributed Bragg reflector laser directly coupled to external waveguide” , Top. Meet. on Integrated and Guided-wave Opt., WB 2, 1982.
- [1982ABEb] Y. Abe, K. Kishino, T. Tanbun-ek, S. Arai, F. Koyama, K. Matsumoto, T. Watanabe and Y. Suematsu, “Room-temperature CW operation of $1.60 \mu\text{m}$ GaInAsP/InP buried-heterostructure integrated laser with butt-jointed built-in distributed-Bragg-reflection waveguide” , Electron. Lett., Vol. 18, No. 10, pp. 410-411, May 1982.
- [1982AKI] S. Akiba, K. Utaka, S. Sakai and Y. Matsushima, “Low-threshold current distributed-feedback InGaAsP/InP CW lasers” , Electron. Lett., Vol. 18, pp. 77-78, Jan. 1982.
- [1982ARA] Y. Arakawa and H. Sakaki, “Multidimensional quantum well laser and temperature dependence of its threshold current” , Appl. Phys. Lett., Vol. 40, pp. 939-941, 1982.
- [1982CHA] M. B. Chang, “Total internal reflection deflector” , Appl. Opt., Vol. 21, No. 21, p. 3879, Nov. 1982.
- [1982HENa] C. Henry, “Theory of the linewidth of semiconductor lasers” , IEEE J. Quantum Electron., Vol.QE-18, No. 2, pp. 259-264, Feb. 1982.
- [1982HENb] P. D. Henshaw, “Laser beamsteering using the photorefractive effect” , Appl. Opt., Vol. 21, No. 13, p. 2323, July 1982.
- [1982IGA] K. Iga, M. Oikawa, S. Misawa, J. Banno and Y. Kokubun, “Stacked planar optics ; an application of the planar microlens” , Appl. Opt., Vol. 21, pp. 3456-3460, 1982
- [1982IKE] T. Ikegami, K. Kuroiwa, Y. Itaya, S. Shinohara, K. Hagimoto and N. Ikegami, “ $1.5 \mu\text{m}$ transmission experiment with distributed feedback laser” , in Proc. 8th Euro. Conf. Opt. Fiber Commun. (ECOC '82), Cannes, France, Sept. 1982.
- [1982IWA] K. Iwashita, K. Nakagawa, T. Matsuoka and M. Nakahara, “400 Mb/s transmission test using a $1.53 \mu\text{m}$ DFB laser diode and 104km single mode fiber” , Electron. Lett., Vol. 18, No. 22, pp. 937-938, Oct. 1982.
- [1982KIS] K. Kishino, S. Aoki and Y. Suematsu, “Wavelength variation of $1.6 \mu\text{m}$ wavelength buried

- heterostructure GaInAsP/InP lasers due to direct modulation” , IEEE J. Quantum Electron., Vol.QE-18, No.3, pp. 343-351, Mar. 1982.
- [1982KOB] S. Kobayashi, Y. Yamamoto, M. Ito and T. Kimura, “Direct frequency modulation in Al-GaAs semiconductor lasers” , IEEE J. Quantum Electron., Vol.QE-18, No.4, pp.582-595, Apr. 1982.
- [1982KOK] Y. Kokubun and K. Iga, “Index profiling of distributed-index lenses by a shearing interference method” , Appl. Opt., Vol.21, No.6, pp. 1030-1034, Mar. 1982.
- [1982MAT] T. Matsuoka, H. Nagai, Y. Itaya, Y. Noguchi, U. Suzuki and T. Ikegami, “CW operation of DFB-BH GaInAsP/InP lasers in 1.5 μm wavelength region” , Electron. Lett., Vol. 18, No. 1, pp.27-28, Jan. 1982.
- [1982MOT] Y. Motegi, H. Soda and K. Iga, “Surface emitting GaInAsP/InP injection laser with short cavity length” , Electron. Lett., Vol. 18, No. 11, pp. 461-463, May 1982.
- [1982OGA] K. Ogawa, “Analysis of mode partition noise in laser transmission systems” , IEEE J. Quantum Electron., Vol.QE-18, No.5, pp.849-855, May 1982.
- [1982OIKa] M. Oikawa and K. Iga, “Distributed-Index planar microlens” , Appl. Opt., Vol. 21, No. 6, pp. 1052-1055, Mar. 1982.
- [1982OIKb] M. Oikawa, K. Iga and S. Misawa, “Optical tap array using distributed-index planar microlens” , Electron. Lett., Vol. 18, No. 8, pp. 316-317, Apr. 1982.
- [1982OKO] T. Okoshi, “Optical Fibers” , Academic Press, New York, 1982.
- [1982RUN] P. K. Runge, C. A. Brackett, R. F. Gleason, D. Kalish, P. D. Lazay, T. R. Meeker, D. G. Ross, C. B. Swan, A. R. Wahl, R. E. Wagner and J. C. Williams, “101km lightwave undersea system experiment at 274 Mb/s” , Topical Meeting on Optical Fiber Communication, PD 7, Apr. 1982.
- [1982SUE] Y. Suematsu, ed., “Optical devices and fibers” , JARECT, Ohmsha Ltd., 1982.
- [1982YAM] S. Yamamoto, K. Utaka, S. Akiba, K. Sakai, Y. Matsushima, S. Sakaguchi and N. Seki, “280 Mbit/s single-mode fiber transmission with DFB laser diode emitting at 1.53 μm” , Electron. Lett., Vol. 18, No. 5, pp.239-240, Mar. 1982.
- [1983ALF] R. C. Alferness, C. H. Joyner, L. L. Buhl and S. K. Korotky, “High-speed traveling-wave directional coupler switch/modulator for $\lambda = 1.3 \mu\text{m}$ ” , IEEE J. Quantum Electron., Vol.QE-19, No. 9, pp.1339-1341, Sept. 1983.
- [1983ANT] A. Antreasyan and S. Wang, “Semiconductor integrated etalon interference laser with a curved resonator” , Appl. Phys. Lett., Vol. 42, pp. 562-564, 1983.
- [1983FOR] S. Forouhar, R. X. Lu, W. S. C. Chang, R. L. Davis, and S. K. Yao, “Chirped grating lenses on Nb₂O₅ transition waveguides” , Appl. Opt., Vol. 22, pp.3128-3132, 1983.
- [1983FUR] K. Furuya, K. Yoshida, K. Honjo and Y. Suematsu, “Precise control of grating pitch by electron-beam exposure system for integrated optics” , Trans. IECE of Japan. Vol.E 66, No. 9, pp.561-562, Sept. 1983.
- [1983GEEa] C. M. Gee, G. D. Thurmond and H. W. Yen, “Traveling-wave electrooptic modulator” , Appl. Opt., Vol. 22, pp. 2034-2037, 1983.
- [1983GEEb] C. M. Gee, G. D. Thurmond and H. W. Yen, “17-GHz bandwidth electro-optic modulator” , Appl. Phys. Lett., Vol. 43, pp. 998-1000, 1983.
- [1983HAR] C. Harder, K. Vahala and A. Yariv, “Measurement of the linewidth enhancement factor α of semiconductor lasers” , Appl. Phys. Lett., Vol. 42, No. 4, pp. 328-330, Feb. 1983.
- [1983HEN] C. H. Henry, “Theory of the phase noise and power spectrum of a single mode injection la-

- ser” , IEEE J. Quantum Electron., Vol.QE-19, p.1391, Sept. 1983.
- [1983KAM] T. Kambayashi and J. Sarma, “Spontaneous emission noise distribution from a gain-guided multimode waveguide” , IEEE J. Quantum Electron., Vol.QE-19, pp. 1084-1091, 1983.
- [1983KOL] R. M. Kolbas, J. Abrokwa, J. K. Carney, D. H. Bradshaw, B. R. Elmer and J. R. Biard, “Planar monolithic integration of a photodiode and a GaAs preamplifier” , Appl. Phys. Lett., Vol. 43, pp.821-823, 1983.
- [1983KOY] F. Koyama, Y. Suematsu, S. Arai and T. Tawee, “1.5 - 1.6 μm GaInAsP/InP dynamic-single-mode (DSM) lasers with distributed Bragg reflector” , IEEE J. Quantum Electron., Vol.QE-19, No. 6, pp. 1042-1051, Jun. 1983.
- [1983MIT] I. Mito, M. Kitamura, Ke. Kobayashi, S. Murata, M. Seki, Y. Odagiri, H. Nishimoto, M. Yamaguchi and K. Kobayashi, “InGaAsP double-channel-planar-buried-heterostructure laser diode (DC-PBHLD) with effective current confinement” , IEEE J. Lightwave Technol., Vol.LT-1, pp.195-202, 1983.
- [1983OIK] M. Oikawa, K. Iga, S. Misawa and Y. Kokubun, “Improved distributed-index planar micro-lens and its application to 2-D lightwave components” , Appl. Opt., Vol.22, pp.441-442, 1983.
- [1983SHO] K. A. Shore, “Optically-steered twin-strip laser beam scanner” , Opt. & Quantum Electron., Vol. 15, p. 451, 1983.
- [1983SUEa] Y. Suematsu, “Long wavelength optical fiber communication” , Proc. IEEE, Vol. 71, No. 6, pp.692-721, Jun. 1983.
- [1983SUEb] Y. Suematsu, S. Arai and K. Kishino, “Dynamic single mode semiconductor laser with a distributed reflector” , IEEE J. Lightwave Technol., Vol.LT-1, pp. 161-176, Mar. 1983.
- [1983TAK] K. Takizawa, “Electrooptic Fresnel lens-scanner with an array of channel waveguides” , Appl. Opt., Vol. 22, No. 16, p. 2468, 1983
- [1983TOH] Y. Tohmori, Y. Suematsu, H. Tsushima and S. Arai, “Wavelength tuning of GaInAsP/InP integrated laser with butt-jointed built-in distributed Bragg reflector” , Electron. Lett., Vol. 19, No. 17, pp. 656-657, Aug. 1983.
- [1983YAM] M. Yamanishi and I. Suemune, “Quantum mechanical size modulation light source - A new field effect semiconductor laser or light emitting device” , Jpn. J. Appl. Phys., Vol. 22, No. 1, pp.L22-L24, Jan. 1983.
- [1984BAR] N. Bar-Chaim, K. Y. Lau, I. Ury and A. Yariv, “Monolithic optoelectronic integration of a GaAlAs laser, a field-effect transistor, and a photodiode” , Appl. Phys. Lett., Vol. 44, pp.941-943, 1984.
- [1984BENa] C. H. Bennett and G. Brassard, “Quantum cryptography : Public key distribution and coin tossing” , Proc. IEEE Intern. Conf. Computers, Systems, and Signal Processing, Bangalore, India IEEE, New York, pp.175-179, 1984.
- [1984BENb] C. H. Bennett, G. Brassard, S. Breidbart, S. Wiesner and S. Source, “Eavesdrop-detecting quantum communications channel” , IBM Technical Disclosure Bulletin, Vol. 26, No. 8, pp.4363-4366, Jan. 1984.
- [1984CRE] R. Crencits, P. J. Lemaire, W. A. Reed, D. S. Shenk and K. L. Walker, “Fabrication of low loss single mode fibers” , Technical Digest of OFC' 84, New Orleans, TU13, Feb. 1984.
- [1984HAU] H. A. Haus, L. Molter-Orr and F. J. Leonberger, “Multiple waveguide lens” , Appl. Phys. Lett., Vol. 45, pp.19-21, 1984.
- [1984IGA] K. Iga, K. Kokubun and M. Oikawa, “Fundamentals of Microoptics” , Academic Press,

- New York, 1984.
- [1984JOH] L. M. Johnson, Z. L. Liau and S. H. Groves, "Low-loss GaInAsP buried-heterostructure optical waveguide branches and bends" , Appl. Phys. Lett., Vol. 44, pp. 278-280, 1984.
- [1984KAE] K. Kaede and R. Ishikawa, "Ten-port graded-index waveguide star coupler fabricated by dry ion diffusion process" , Electron. Lett., Vol. 20, No. 16, pp. 647-649, Aug. 1984.
- [1984KAP] E. Kapon, C. Lindsey, J. Katz, S. Margalit and A. Yariv, "Coupling mechanism of gain-guided integrated semiconductor laser arrays" , Appl. Phys. Lett., Vol. 44, No. 4, pp. 389-391, 1984.
- [1984KAS] B. L. Kasper, R. A. Linke, K. L. Walker, L. G. Cohen, T. L. Koch, T. J. Bridges, E. G. Burkhardt, R. A. Logan, R. W. Dawson and J. C. Campbell, "A 130 km transmission experiment at 2 Gb/s using silica-core fiber and a vapor phase transported DFB laser" , in Proc. 10th Euro. Conf. Opt. Fiber Commun. (ECOC '84) , Stuttgart, W. Germany, Post-deadline Paper, PD-6, Sept. 1984.
- [1984KOC] T. L. Koch and J. E. Bowers, "Nature of wavelength chirping in directly modulated semiconductor lasers" , Electron. Lett., Vol. 20, No. 25/26, pp. 1038-1039, Dec. 1984.
- [1984KOYa] F. Koyama, K. Komori, S. Takahashi and Y. Suematsu, "Dynamic single mode condition for semiconductor lasers" , ECOC '84, Stuttgart, 1984.
- [1984KOYb] F. Koyama, Y. Suematsu, K. Kojima and K. Furuya, "1.5 μm phase adjusted activate distributed reflector laser for dynamic single-mode operation" , Electron. Lett., Vol. 20, No. 10, pp. 391-393, May 1984.
- [1984LINa] R. A. Linke, B. L. Kasper, J. C. Campbell, A. G. Dentai and I. P. Kaminow, "120 km light-wave transmission experiment at 1 Gbit/s using a new long-wavelength avalanche photodetector" , Electron. Lett., Vol. 20, No. 12, pp. 498-499, June 1984.
- [1984LINb] R. A. Linke, "Transient chirping in single-frequency lasers : lightwave systems consequences" , Electron. Lett., Vol. 20, No. 11, pp. 473-474, May 1984.
- [1984RUS] J. D. Rush, K. J. Beales, D. M. Cooper and W. J. Duncan, "Influence of hydrogen on optical fibres-implications and potential solutions" , ECOC '84, pp. 108-109, Sept. 1984.
- [1984SEK] K. Sekartedjo, N. Eda, K. Furuya, Y. Suematsu, F. Koyama and T. Tanbun-Ek, "1.5 μm phase-shifted DFB lasers for single-mode operation" , Electron. Lett., Vol. 20, No. 2, pp. 80-81, Jan. 1984.
- [1984SHA] A. Shamir, "Identity-based cryptosystems and signature schemes" , CRYPTO 1984, pp. 47-53, 1984.
- [1984TOH] 東盛裕一, 蒋霄, 末松安晴, "半導体レーザの波長制御", 信学研資, (Y. Tohmori, X. Jiang, and Y. Suematsu, "Wavelength tuning of semiconductor lasers," Tech. Group Report, OQE84-81, IECE of Japan, pp. 15-22, Oct. 1984.)
- [1984TRA] D. C. Tran, G. H. Siegel and B. Bendow, "Heavy metal fluoride glasses and fibers : Review" , IEEE/OSA J. Lightwave Technol., Vol. LT-2, No. 5, pp. 566-586, Oct. 1984.
- [1984UTA] K. Utaka, S. Akiba, K. Sakai, and Y. Matsushima, "λ/4-shifted InGaAsP/InP DFB lasers by simultaneous holographic exposure of positive and negative photoresists" , Electron. Lett., Vol. 20, No. 24, pp. 1008-1010, Nov. 1984.
- [1984WAL] S. D. Walker, L. C. Blank and L. Bickers, "1.8 Gbit/s 65 km optical transmission experiment using a 1.478 μm DFB laser and Ge APD receiver" , Electron. Lett., Vol. 20, No. 18, pp. 717-719, Aug. 1984.
- [1984WOO] T. H. Wood, C. A. Burrus, D. A. B. Miller, D. S. Chemla, T. C. Damen, A. C. Gossard and W.

- Wiegmann, "High-speed optical modulator with GaAs/GaAlAs quantum wells in a p-i-n diode structure" , Appl. Phys. Lett., Vol. 44, No. 1, pp. 16-18, Jan. 1984.
- [1984 YAM] M. Yamaga and Y. Miyazaki, "RF sputtering crystal growth and spectroscopy of Nd doped $\text{Y}_3\text{Ga}_5\text{O}_{12}$ thin film waveguide on $\text{Y}_3\text{Al}_5\text{O}_{12}$ substrate for optical amplifier" , Jpn. J. Appl. Phys., Vol. 23, pp. 312-316, 1984.
- [1984 YAP] D. Yap and L. M. Johnson, "Coupling between successive Ti:LiNbO_3 waveguide bends and branches" , Appl. Opt., Vol. 23, pp. 2991-2998, 1984.
- [1985 ARA] Y. Arakawa and A. Yariv, "Theory of gain, modulation response and spectral linewidth in AlGaAs quantum well lasers" , IEEE J. Quantum Electron., Vol.QE-21, No. 10, pp. 1666-1674, Oct. 1985.
- [1985 ASA] M. Asada, M. Yamada and Y. Suematsu, "Density matrix theory of semiconductor lasers with relaxation broadening" , JARECT, Vol. 17, Optical Devices & Fibers (1985/1986), Edited by Y. Suematsu, Ohmsha, Ltd. and North-Holland Pub. Co., 1985.
- [1985 DON] J. P. Donnelly, N. L. DeMeo, F. J. Leonberger, S. H. Groves, P. Vohl and F. J. O'Donnell, "Single-mode rib waveguides fabricated in InP material systems ; InP p+ -n- n+ guides for phase modulation of TE-polarized radiation" , IEEE J. Quantum Electron., Vol.QE-21, pp. 1147-1151, 1985.
- [1985 GNA] A. H. Gnauck, B. L. Kasper, R. A. Linke, R. W. Dawson, T. L. Koch, T. J. Bridges, E. G. Burkhardt, R. T. Yen, D. P. Wilt, J. C. Campbell, K. C. Nelson and L. G. Cohen, "4-Gb/s transmission over 117 km of optical fiber using a novel electronic multiplexer/demultiplexer" , IEEE J. Lightwave Technol., Vol.LT-3, No. 5, pp. 1032-1035, Oct. 1985.
- [1985 IGA] K. Iga, "Modulation limit of semiconductor lasers by some parametric modulation schemes" , Trans. IECE Japan, Vol.E68, No. 7, pp. 417-420, Jul. 1985.
- [1985 ITO] M. Ito, T. Kumai, H. Hamaguchi, M. Makiuchi, K. Nakai, O. Wada and T. Sakurai, "High-speed monolithically integrated GaAs photoreceiver using a metal-semiconductor-metal photodiode" , Appl. Phys. Lett., Vol. 47, pp. 1129-1131, 1985.
- [1985 IWA] Y. Iwamoto and H. Fukinuki, "Recent advances in submarine optical fiber cable transmission systems in Japan" , IEEE J. Lightwave Technol., Vol.LT-3, No. 5, pp. 1005-1016, Oct. 1985.
- [1985 KAW] M. Kawachi, Y. Yamada, M. Yasu and M. Kobayashi, "Guided-wave optical wavelength-division multi/demultiplexer using high-silica channel waveguides" , Electron. Lett., Vol. 21, No. 8, pp. 314-315, Apr. 1985.
- [1985 KIT] M. Kitamura, M. Yamaguchi, K. Emura, I. Mito and K. Kobayashi, "Lasing mode and linewidth control by phase tunable distributed feedback laser diodes with double channel planar buried heterostructure (DFB-DC-PBH LD's)" , IEEE J. Quantum Electron., Vol.QE-21, No. 5, pp. 415-417, May 1985.
- [1985 KOC] T. L. Koch and R. Alferness, "Dispersion compensation by active predistorted signal synthesis" , IEEE J. Lightwave Technol., Vol.LT-3, No. 4, pp. 800-805, Aug. 1985.
- [1985 KOKa] Y. Kokubun, S. Suzuki, Y. Iijima and K. Iga, "Mesh waveguide optical star coupler" , Electron. Lett., Vol. 21, No. 11, pp. 482-484, May 1985.
- [1985 KOKb] Y. Kokubun, T. Fuse and K. Iga, "Optimum length of multimode optical branching waveguide for reducing its mode dependence" , Appl. Opt., Vol. 24, No. 24, pp. 4408-4013, 1985.
- [1985 KOY] F. Koyama and Y. Suematsu, "Analysis of dynamic spectral linewidth of dynamic-single-mode (DSM) lasers and related transmission bandwidth of single-mode fibers" , IEEE

- J. Quantum Electron., Vol.QE-21, No. 4, pp. 292-297, Apr. 1985.
- [1985MOR] Y. Mori, J. Shibata, Y. Sasai, H. Serizawa and T. Kajiwara, "Operation principle of the In-GaAsP/InP laser transistor", Appl. Phys. Lett., Vol. 47, No. 7, pp. 649-651, Oct. 1985.
- [1985MUK] S. Mukai, M. Watanabe, M. Itoh, H. Yajima, Y. Horikoshi and S. Uekusa, "Beam scanning and switching characteristics of twin striped lasers with a reduced stripe spacing", Opt. & Quantum Electron., Vol. 17, p. 431, 1985.
- [1985NAK] M. Nakazawa, T. Nakashima and S. Seikai, "Raman amplification in 1.4-1.5 mm spectral region in polarization-preserving optical fibers", J. Opt. Soc. Amer., Vol. B-2, pp. 515-521, 1985.
- [1985OLS] R. Olshansky, D. M. Fye, J. Manning and C. B. Su, "Effect of nonlinear gain on the bandwidth of semiconductor lasers", Electron. Lett., Vol. 21, No. 17, pp. 721-722, Aug. 1985.
- [1985SEA] C. T. Seaton, J. D. Valera, R. L. Shoemaker, G. I. Stegeman, J. T. Chilwell and S. D. Smith, "Nonlinear TE waves guided by thin dielectric films bounded by nonlinear media", IEEE J. Quantum Electron., Vol.QE-21, pp. 774-783, 1985.
- [1985SEI] M. Seino, M. Shibayama, I. Sawaki and H. Nakajima, "Si_{1-x}Ti_xO₂ guided-wave connecting circuits grown by magnetron sputtering", OFC' 85, San Diego, WK5, Feb. 1985.
- [1985TOHa] Y. Tohmori, K. Komori, S. Arai, Y. Suematsu and H. Oohashi, "Wavelength tunable 1.5 μm GaInAsP/InP bundle-integrated-guide distributed Bragg reflector (BIG-DBR) lasers", Trans. IECE Japan, Vol.E68, No. 12, pp. 788-789, Dec. 1985.
- [1985TOHb] Y. Tohmori, X. Jiang, S. Arai, F. Koyama and Y. Suematsu, "Novel structure GaInAsP/InP 1.5 - 1.6 μm bundle integrated-guide (BIG) distributed Bragg reflector laser", Jpn. J. Appl. Phys., Vol. 24, No. 6, pp.L399-L401, June 1985.
- [1985TSA] C. S. Tsai, D. Young, W. Chen, L. Adkins, C. C. Lee and H. Glass, "Noncolinear coplanar magneto-optic interaction of guided optical wave and magnetostatic surface waves in yttrium iron garnet-gadolinium gallium garnet waveguides", Appl. Phys. Lett., Vol. 47, pp. 651-654, 1985.
- [1985TUC] R. S. Tucker, "High-speed modulation of semiconductor lasers", IEEE J. Lightwave Technol., Vol. LT-3, No. 6, pp. 1180-1192, Dec. 1985.
- [1985URA] 裏升吾, 栖原敏明, 西原浩, 小山次郎, "光集積ディスクピックアップ用集積グレーティング", 信学論, Vol. J68-C, pp. 803-811, 1985.
- [1985YAM] M. Yamaguchi, M. Kitamura, S. Murata, I. Mito and K. Kobayashi, "Wide range wavelength tuning in 1.3 μm DBR-DC-PBH-LDs by current injection into the DBR region", Electron. Lett., Vol. 21, No. 2, pp. 63-65, Jan. 1985.
- [1986ADA] A. R. Adams, "Band Structure Engineering for Low-threshold High-Efficiency Semiconductor Lasers", Electron. Lett., Vol. 24, pp. 249-250, 1986.
- [1986AMA] H. Amano, N. Sawaki, I. Akasaki and Y. Toyoda, "Metalorganic vapor phase epitaxial growth of a high quality GaN film using an AlN buffer layer", Appl. Phys. Lett., Vol. 48, p. 353, 1986.
- [1986ARI] J. Ariyasu, C. T. Seaton, G. I. Stegeman and J. V. Moloney, "Stability of TE₁-like waves in planar optical waveguides with nonlinear substrate and cladding bounding media", IEEE J. Quantum Electron., Vol.QE-22, pp. 984-987, 1986.
- [1986ASA] M. Asada, Y. Miyamoto and Y. Suematsu, "Gain and the threshold of three-dimensional quantum-box lasers", IEEE J. Quantum Electron., Vol.QE-22, pp. 1915-1921, 1986.
- [1986BOW] J. Bowers, B. R. Hemenway, A. H. Gnauck and D. P. Wilt, "High-speed InGaAsP constrict-

- ed-mesa lasers” , IEEE J. Quantum Electron., Vol.QE-22, No.6, pp.833-844, June 1986.
- [1986DUG] M. A. Duguay, Y. Kokubun, T. L. Koch and L. Pfeiffer, “Antiresonant reflecting optical waveguides in SiO₂-Si multilayer” , Appl. Phys. Lett., Vol.49, pp.13-15, 1986.
- [1986GLI] M. Glick, F. K. Reinhart, G. Weimann and W. Schlapp, “Quadratic electro-optic light modulation in a GaAs/AlGaAs multiquantum well heterostructure near the excitonic gap” , Appl. Phys. Lett., Vol.48, pp.989-991, 1986.
- [1986GOR] J. P. Gordon and H. Haus, “Random walk of coherently amplified solitons in optical fiber transmission” , Opt. Lett., Vol.11, No.10, pp.665-667, Oct. 1986.
- [1986HAT] 波多腰玄一, “光導波路”, 光工学ハンドブック (小瀬輝次, 斎藤弘義, 田中俊一, 辻内順平, 波岡武編), 朝倉書店, 東京, 1986.
- [1986HEU] K. Heuberger and W. Lukosz, “Embossing technique for fabricating surface relief grating on hard oxide waveguides” , Appl. Opt., Vol.25, pp.1499-1504, 1986.
- [1986HIM] M. D. Himel and U. J. Gibson, “Measurement of planar waveguide losses using a coherent fiber bundle” , Appl. Opt., Vol.25, pp.4413-4416, 1986.
- [1986IGA] 伊賀健一, 國分泰雄, “光ファイバ”, 新OHM文庫, オーム社, 東京, 1986. 復刻版: 静岡学術出版, 2016.
- [1986INO] H. Inoue, K. Hiruma, K. Ishida, H. Sato and H. Matsumura, “Switching characteristics of GaAs directional coupler optical switches” , Appl. Opt., Vol.25, pp.1484-1490, 1986.
- [1986ISH] M. Ishikawa, Y. Ohba, Y. Watanabe, H. Sugawara, M. Yamamoto and G. Hatakoshi, “Room temperature CW operation of transverse mode stabilized InGaAlP visible light laser diodes” , Trans. IECE Japan, Vol.E69, No.4, pp.382-384, 1986.
- [1986KAT] T. Katsuyama, H. Nakamura, S. Sakano, H. Inoue, K. Morosawa and H. Matsumura, “In-GaAsP/InP monolithic integrated circuits for laser switching and optical amplification” , Topical Meeting on Integrated and Guided-wave Optics (IGWO'86), Atlanta (U. S. A.) , PDP-11, Feb. 1986.
- [1986KOD] K. Kodate, T. Kamiya, Y. Okada and H. Takenaka, “Focusing characteristics of high-efficiency Fresnel zone plate fabricated by deep ultraviolet lithography” , Jpn. J. Appl. Phys., Vol.25, pp.223-227, 1986.
- [1986KOKa] Y. Kokubun, S. Suzuki and K. Iga, “Evaluation of distributed-index branching waveguide by phase space,” Appl. Opt., 25, pp.3401-3404, 1986.
- [1986KOKb] Y. Kokubun, S. Suzuki and K. Iga, “Phase space evaluation of distributed-index branching waveguides” , IEEE J. Lightwave Technol., Vol.LT-4, No.10, pp.1534-1541, Oct. 1986.
- [1986KOR] S. K. Korotky, E. A. J. Marcatili, G. Eisenstein, J. J. Veselka, F. Heismann and R. C. Alferness, “Integrated optic, narrow-linewidth laser” , Appl. Phys. Lett., Vol. 49, pp. 10 - 12, 1986.
- [1986NAKa] H. Nakano, S. Yamashita, T. P. Tanaka, M. Hirao and M. Maeda, “Monolithic integration of laser diodes, photomonitor, and laser driving and monitoring circuits on a semi-insulating GaAs” , IEEE J. Lightwave Technol., Vol.LT-4, No.6, pp.574-582, June 1986.
- [1986NAKb] Y. Nakata, M. Asada and Y. Suematsu, “Analysis of Novel Resonant Electron Transfer Triode Device Using Metal-Insulator Superlattice for High Speed Response” , IEEE J. Quantum Electron., Vol.QE-22, No.9, pp.1880-1886, Sept. 1986.
- [1986NOD] Y. Noda, M. Suzuki, Y. Kushiro and S. Akiba, “High-speed electroabsorption modulator with strip-loaded GaInAsP planar waveguide” , IEEE J. Lightwave Technol., Vol.LT-4, No.10, pp.1445-1453, Oct. 1986.

- [1986ONO] H. Onodera and M. Nakajima, "High-efficiency light modulator using guided-to-radiation mode coupling in a graded-index waveguide" , Appl. Opt., Vol. 25, pp. 2175-2183, 1986.
- [1986SON] G. E. Sonek, J. M. Ballantyne, Y. J. Chen, G. M. Carter, S. W. Brown, E. S. Koteles and J. P. Salerno, "GaAs/AlGaAs multiple quantum well waveguides ; study using grating coupler technique" , IEEE J. Quantum Electron., Vol.QE-22, pp. 1015-1018, 1986.
- [1986SPE] IEEE/OSA J. Lightwave Technol., Special Issue on Fiber, Cable, and Splicing Technology, Vol.LT-4, No. 8, Aug. 1986.
- [1986SUH] T. Suhara, S. Fujiwara and H. Nishihara, "Proton-exchanged Fresnel lenses in Ti:LiNbO₃ waveguides" , Appl. Opt., Vol. 25, pp. 3379-3383, 1986.
- [1986TEM] H. Temkin, R. A. Logan, N. A. Olsson, C. H. Henry, G. J. Dolan, R. F. Kazarinov and L. F. Johnson, "InGaAsP ridge waveguide distributed feedback lasers operating near 1.55 μm" , IEEE J. Lightwave Technol., Vol.LT-4, No. 5, pp. 520-529, May 1986.
- [1986TOH] Y. Tohmori, H. Oohashi, T. Kato, S. Arai, K. Komori and Y. Suematsu, "Wavelength stabilization of 1.5 μm GaInAsP/InP bundle-integrated-guide distributed Bragg reflector (BIG-DBR) lasers integrated with wavelength tuning region" , Electron. Lett., Vol. 22, No. 3, pp. 138-140, Jan. 1986.
- [1986UOM] K. Uomi, T. Ohtoshi and N. Chinone, "Ultra high relaxation oscillation frequency (~ 50 GHz) in modulation doped multiquantum well (MD-MQW) lasers : theoretical analysis" , 10th IEEE International Semiconductor Laser Conf., Kanazawa, M-6, pp. 184-185, Oct. 1986.
- [1986URA] S. Ura, T. Suhara, H. Nishihara and J. Koyama, "An integrated-optic disk pickup device" , IEEE J. Lightwave Technol., Vol.LT-4, No. 7, pp. 913-918, July 1986.
- [1986VES] J. J. Veselka and S. K. Korotky, "Diffusion conditions yielding Ti:LiNbO₃ low insertion-loss guides for TM polarized light at 1.56 μm and low voltage directional coupler switches" , IEEE J. Quantum Electron., Vol.QE-22, pp. 933-938, 1986.
- [1986WAB] S. Wabnitz, E. M. Wright, C. T. Seaton and G. I. Stegeman, "Instabilities and all-optical phase-controlled switching in a nonlinear directional coherent coupler" , Appl. Phys. Lett., Vol. 49, pp. 838-840, 1986.
- [1986WEB] J. P. Weber and S. Wang, "Analysis of the far-field output angle scanning by injection locking of a diode laser array" , Appl. Phys. Lett., Vol. 48, No. 25, p. 1719, Jun. 1986.
- [1986YAMA] M. Yamada, "Theory of mode competition noise in semiconductor injection lasers" , IEEE J. Quantum Electron., Vol.QE-22, No. 7, pp. 1052-1059, July 1986.
- [1986YAMB] S. Yamazaki, K. Emura, M. Shikada, M. Yamaguchi, I. Mito and K. Minemura, "Long-span optical FSK heterodyne single-filter detection transmission experiment using a phase-tunable DFB laser diode" , Electron. Lett., Vol. 22, No. 1, pp. 5-7, Jan. 1986.
- [1986YOK] H. Yokota, H. Kanamori, Y. Ishiguro, G. Tanaka, S. Tanaka, H. Tanaka, M. Watanabe, S. Suzuki, K. Yano, M. Hoshikawa and H. Shimba, "Ultra-low-loss pure silica core single-mode fiber and transmission experiment" , OFC' 86 (Atlanta) , PD-3, Feb. 1986.
- [1987AIK] M. Aiki, T. Tsuchiya and T. Kamoto, "High-speed integrated optical repeater design method" , Trans. IECE Japan, Vol.E69, pp. 113-123, 1987.
- [1987BOW] J. E. Bowers, "High speed semiconductor laser design and performance" , Solid State Electron., Vol. 30, pp. 1-11, 1987.
- [1987DEF] A. P. DeFonzo, M. Jarwala and C. Lutz, "Transient response of planar integrated optoelectronic antennas" , Appl. Phys. Lett., Vol. 50, pp. 1155-1157, 1987.

- [1987DON] J. P. Donnelly, H. A. Haus and N. Whitaker, "Symmetric three-guide optical coupler with nonidentical center and outside guides" , IEEE J. Quantum Electron., Vol.QE-23, pp.401-406, 1987.
- [1987GOT] N. Goto and Y. Miyazaki, "SAW propagation characteristics in thin-film surface acoustic waveguides for acousto-optic devices" , Trans. IECE Japan, Vol.E69, pp.47-55, 1987.
- [1987HIO] HiOVIS プロジェクト総合報告書, 財団法人映像情報システム開発協会, 1987.
- [1987IGA] K. Iga, S. Kinoshita and F. Koyama, "Microcavity GaAlAs/GaAs surface-emitting laser with $I_{th} = 6 \text{ mA}$ " , Electron. Lett., Vol.23, No.3, pp.134-136, Jan. 1987.
- [1987IMO] K. Imoto, H. Sano, M. Miyazaki and Y. Takasaki, "Guided wave multi/demultiplexers with high stopband rejection" , Electron. Lett., Vol.23, No.9, pp.472-473, Apr. 1987.
- [1987ISHa] H. Ishikawa, H. Soda, K. Wakao, K. Kihara, K. Kamite, Y. Kotaki, M. Matsuda, H. Sudo, S. Yamakoshi, S. Isozumi and H. Imai, "Distributed feedback laser emitting at $1.3 \mu\text{m}$ for gigabit communication systems" , IEEE J. Lightwave Technol., Vol.LT-6, No.6, pp.848-855, June 1987.
- [1987ISHb] K. Ishida, H. Nakamura, H. Matsumura, T. Kadoi and H. Inoue, "InGaAsP/InP optical switches using carrier induced refractive index change" , Appl. Phys. Lett., Vol.50, pp.141-142, 1987.
- [1987JOH] S. John, "Strong localization of photons in certain disordered dielectric superlattices" , Phys. Rev. Lett., Vol.58, pp.2486-2489, 1987.
- [1987KAP] E. Kapon and R. Bhat, "Low-loss single-mode GaAs/AlGaAs optical waveguides grown by organometallic vapor phase epitaxy" , Appl. Phys. Lett., Vol.50, pp.1628-1630, 1987.
- [1987KAW] Y. Kawamura, K. Wakita, Y. Yoshikuni, Y. Itaya and H. Asahi, "Monolithic integration of a DFB laser and an MQW optical modulator in the $1.5 \mu\text{m}$ wavelength range" , IEEE J. Quantum Electron., Vol.QE-23, No.6, pp.915-918, Jun. 1987.
- [1987KOM] K. Komatsu, S. Yamazaki, M. Kondo, and Y. Ohta, "Low-loss broad-band LiNbO₃ guided wave phase modulators using Titanium Magnesium double diffusion method" , J. Lightwave Tech., Vol.LT-5, pp.1239-1245, Sept. 1987.
- [1987KOR] S. K. Korotky, G. Eisenstein, R. S. Tucker, J. J. Veselka and G. Raybon, "Optical intensity modulation to 40GHz using a waveguide electrooptic switch" , Appl. Phys. Lett., Vol.50, pp.1631-1633, 1987.
- [1987KOT] Y. Kotaki, M. Matsuda, M. Yano, H. Ishikawa and H. Imai, "1.55 μm wavelength tunable FBH-DBR laser" , Electron. Lett., Vol.23, No.7, pp.325-326, Mar. 1987.
- [1987LAN] R. J. Lang, A. Yariv and J. Salzman, "Laterally coupled-cavity semiconductor lasers" , IEEE J. Quantum Electron., Vol.QE-23, pp.395-400, 1987.
- [1987LIU] J. M. Liu and C. Yeh, "Optical switching by saturation-induced phase changes in an active directional coupler" , Appl. Phys. Lett., Vol.50, pp.1625-1627, 1987.
- [1987MEA] R. J. Mears, L. Reekie, I. M. Jauncey and D. N. Payne, "Low-noise Erbium-doped fiber amplifier operating at 1.54 μm " , Electron. Lett., Vol.23, No.19, pp.1026-1028, Sept. 1987.
- [1987MIZ] T. Mizumoto, Y. Kawaoka and Y. Naito, "Waveguide-type optical isolator using the Faraday and Cotton-Mouton effects" , Trans. IECE Japan (Section E), E69, pp.968-972, 1987.
- [1987MURa] S. Murata, I. Mito and K. Kobayashi, "Over 5.8 nm continuous wavelength tuning of 1.5 μm wavelength tunable laser" , OFC/IOOC '87, WC3, 1987.
- [1987MURb] S. Murata, I. Mito and K. Kobayashi, "Over 720 GHz (5.8 nm) frequency tuning by a 1.5 μm DBR laser with phase and Bragg wavelength control regions" , Electron. Lett., Vol.23,

- No.8, pp.403-405, Apr. 1987.
- [1987MURc] 村田浩, “光ファイバケーブル”, オーム社, 東京, 1987.
- [1987NAK] M. Nakazawa, “Diode Laser - Pumped Operation of an Er³⁺-doped Single-Mode Fiber Laser”, Electron. Lett., Vol.23, No.20, p.1076, Sept. 24, 1987.
- [1987NEU] J. von Neumann, “Notes on the photon-disequilibrium-amplification scheme (JvN) , September 16, 1953”, IEEE J. Quantum Electron., Vol.QE-23, No.6, pp.659-673, June 1987. (復刻版)
- [1987OGI] S. Ogita, M. Yano, H. Ishikawa and H. Imai, “Linewidth reduction in DFB laser by detuning effect”, Electron. Lett., Vol.23, No.8, pp.393-394, Apr. 1987.
- [1987OKO] T. Okoshi, “Recent advances in coherent optical fiber communication systems”, IEEE J. Lightwave Tech., Vol.LT-5, No. 1, pp. 44-52, Jan. 1987.
- [1987OKU] H. Okuda, Y. Hirayama, H. Furuyama, J. Kinoshita and M. Nakamura, “Five-wavelength integrated DFB laser arrays with quarter-wave-shifted structures”, IEEE J. Quantum Electron., Vol.QE-23, No. 6, pp.843-848, Jun. 1987
- [1987OSB] G. C. Osbourn, P. L. Gourley, J. J. Fritz, Q. M. Biefeld, L. R. Dawson and T. E. Zipperian, “Semiconductor and Semimetals”, R. K. Willardson and A. C. Beer, eds., Academic Press, New York, Vol. 24, p.459, 1987.
- [1987OSI] M. Osinski and J. Buus, “Linewidth broadening factor in semiconductor lasers-An overview”, IEEE J. Quantum Electron., Vol.QE-23, No.1, pp.9-29, Jan. 1987.
- [1987SAI] T. Saitoh and T. Mukai, “1.5 μm traveling-wave semiconductor laser amplifier”, IEEE J. Quantum Electron., Vol.QE-23, No.6, pp.1010-1020, Jun. 1987.
- [1987SAS] Y. Sasaki, “Long-length low-loss polarization-maintaining fibers”, IEEE J. Lightwave Technol., Vol.LT-5, No. 9, pp.1139-1146, Sept. 1987.
- [1987SEK] M. Seki, R. Sugawara, Y. Hanada, E. Okuda, H. Wada and T. Yamasaki, “High performance guided-wave multi/demultiplexer based on novel design using embedded gradient-index waveguides in glass”, Electron. Lett., Vol.23, No.18, pp.948-950, Aug. 27, 1987.
- [1987SUZ] M. Suzuki, Y. Noda, H. Tanaka, S. Akiba, Y. Kushiro and H. Isshiki, “Monolithic integration of InGaAsP/InP distributed feedback laser and electroabsorption modulator by vapor phase epitaxy”, IEEE J. Lightwave Technol., Vol.LT-5, No.9, pp.1277-1285, Sept. 1987.
- [1987TOB] H. Toba, K. Oda, N. Takato and K. Nosu, “5 GHz-spaced, eight-channel, guided-wave tunable multi/demultiplexer for optical FDM transmission systems”, Electron. Lett., Vol.23, No.15, pp.788-789, July 1987.
- [1987TOH] Y. Tohmori, K. Komori, S. Arai and Y. Suematsu, “1.5-1.6 μm GaInAsP/InP bundle-integrated-guide (BIG) distributed-Bragg-reflector (DBR) lasers”, Trans. IEICE Japan, Vol. E 70, No. 5, pp.494-503, May 1987.
- [1987VOG] E. Voges and A. Neyer, “Integrated-optic devices on LiNbO₃ for optical communication”, IEEE/OSA J. Lightwave Technol., Vol.LT-5, No.9, pp.1229-1238, Sept. 1987.
- [1987UEN] H. Uenohara, F. Koyama, T. Sakaguchi, and K. Iga, “Multiquantum structure for surface emitting lasers”, National Convention Record of IEICE, No.279, Nov. 1987.
- [1987YAB] E. Yablonovitch, “Inhibited spontaneous emission in solid-state physics and electronics”, Phys. Rev. Lett., Vol.58, pp.2059-2062, 1987.
- [1987YAM] M. Yamada, M. Ohki and H. Yamamoto, “Proposal and analysis of an integrated laser with external injection of spontaneous emission”, Trans. IEICE Japan, Vol.E 69, pp.973-979, 1987.

- [1987ZHU] X. Zhu and K. Iga, "Index profiling of distributed-index lenses by a total reflection method" , Electron. Lett., Vol. 23, No. 12, pp. 626-627, Jun. 1987.
- [1988BAB] T. Baba, Y. Kokubun, T. Sakaki and K. Iga, "Loss reduction of ARROW waveguide in shorter wavelength and its stack configuration" , IEEE J. Lightwave Technol., Vol.LT-6, No. 9, pp. 1440-1445, Sept. 1988.
- [1988BRO] B. Broberg and S. Nilsson, "Widely tunable integrated Bragg lasers" , Conf. Lasers and Electro-optics (CLEO '88) , Anaheim (U. S. A.) , MB2, Apr. 1988.
- [1988FUJ] S. Fujita, N. Henmi, I. Takano, M. Yamaguchi, T. Torikai, T. Suzuki, S. Takano, H. Ishihara and M. Shikada, "A 10Gb/s-80km optical transmission experiment using a directly modulated DFB-LD and a high speed InGaAs-APD" , OFC '88 (New Orleans), Post-Deadline Paper, PD16, Jan. 1988.
- [1988FUR] 古屋一仁, "光導波路における光結合", 応用物理学会光学懇話会編, 光集積回路, 第2章, 朝倉書店, 東京, 1988.
- [1988IGA] K. Iga, F. Koyama and S. Kinoshita, "Surface emitting semiconductor laser" , IEEE J. Quantum Electron., Vol.QE-24, No. 9, pp. 1845-1855, Sept. 1988.
- [1988KOC] T. L. Koch, U. Koren, R. P. Gnall, C. A. Burrus and B. I. Miller, "Continuously tunable 1.5 μm multiple-quantum-well GaInAs/GaInAsP distributed-Bragg-reflector lasers" , Electron. Lett., Vol. 24, No. 23, pp. 1431-1433, Nov. 1988.
- [1988KOM] K. Komori, S. Arai, Y. Suematsu, M. Aoki and I. Arima, "Proposal of distributed reflector (DR) structure for high efficiency dynamic single mode (DSM) lasers" , Trans. IEICE of Japan, Vol.E71, No. 4, pp. 318-320, Apr. 1988.
- [1988KOT] Y. Kotaki, M. Matsuda, H. Ishikawa and H. Imai, "Tunable DBR laser with wide tuning range" , Electron. Lett., Vol. 24, No. 8, pp. 503-505, Apr. 1988.
- [1988KOYa] F. Koyama and K. Iga, "Frequency chirping of external modulators" , IEEE J. Lightwave Technol., Vol.LT-6, No. 1, pp. 87-93, Jan. 1988.
- [1988KOYb] F. Koyama, S. Kinoshita and K. Iga, "Room-temperature cw operation of GaAs vertical cavity surface emitting laser" , Trans. IEICE Japan, Vol.E71, No. 11, pp. 1089-1090, Dec. 1988.
- [1988MUR] S. Murata, I. Mito and K. Kobayashi, "Tuning ranges for 1.5 μm wavelength tunable DBR lasers" , Electron. Lett., Vol. 24, No. 10, pp. 577-578, May 1988.
- [1988NIS] H. Nishimoto, T. Okiyama, N. Kuwata, Y. Arai, A. Miyaichi and T. Touge, "New method of analyzing eye patterns and its application to high-speed optical transmission systems" , IEEE J. Lightwave Technol., Vol.LT-6, No. 5, pp. 678-685, May 1988.
- [1988SAK] T. Sakaguchi, F. Koyama and K. Iga, "Vertical cavity surface emitting laser with Al-GaAs/AlAs Bragg reflector" , Electron. Lett., Vol. 24, pp. 928-929, Jul. 1988.
- [1988SMI] M. K. Smit, "New focusing and dispersive planar component based on an optical phased array" , Electron. Lett., Vol. 24, No. 7, pp. 385-386, 1988.
- [1988SNI] E. Snitzer, H. Po, F. Hakimi, R. Tumminelli and B. C. McCollum, "Optical communication conference" , Tech. Digest Series, Vol. 1.1 (Optical Society of America, Washington, DC), PD2, 1988.
- [1988SUZa] N. Suzuki, H. Furuyama, Y. Hirayama, M. Morinaga, E. Eguchi, M. Kushibe, M. Funamizu and M. Nakamura, "High-speed operation of 1.5 μm GaInAsP/InP optoelectronic integrated laser drivers" , Electron. Lett., Vol. 24, No. 8, pp. 467-468, Apr. 14, 1988.
- [1988SUZb] M. Suzuki, H. Tanaka and S. Akiba, "High-speed characteristics at high input optical pow-

- er of GaInAsP electroabsorption modulators” , Electron. Lett., Vol. 24, No. 20, pp. 1272-1273, Sept. 1988.
- [1988TAK] S. Takano, T. Sasaki, H. Yamada, M. Kitamura and I. Mito, “Spectral linewidth reduction by MOVPE grown 1.5 μm SCH quantum well DFB LDs” , The 11th IEEE Int. Semicon. Laser Conf., Boston (U. S. A.), Q-1, pp. 192-193, Aug. 1988.
- [1988TAM] T. Tamir, ed., “Guided-wave optoelectronics” , Springer-Verlag, Berlin, 1988.
- [1988YAM] S. Yamamoto, H. Sakaguchi, M. Nunokawa and Y. Iwamoto, “1.55 μm fiber-optic transmission experiment for long-span submarine cable system design” , IEEE J. Lightwave Technol., Vol. LT-6, No. 3, pp. 380-391, Mar. 1988.
- [1989AKA] I. Akasaki, H. Amano, Y. Koide, K. Hiramatsu and N. Sawaki, “Effects of AlN buffer layer on crystallographic structure and on electrical and optical properties of GaN and $\text{Ga}_{1-x}\text{Al}_x\text{N}$ ($0 < x \leq 0.4$) films grown on Sapphire substrate by MOVPE” , J. Cryst. Growth, Vol. 98, No. 1-2, pp. 209-219, Nov. 1989.
- [1989AMA] H. Amano, M. Kito, K. Hiramatsu and I. Akasaki, “P-type conduction in Mg-doped GaN treated with low-energy electron beam irradiation (LEEBI)” , Jpn. J. Appl. Phys., Vol. 28, p. L2112-L2114, 1989.
- [1989EDA] N. Edagawa, Y. Yoshida, H. Taga, S. Yamamoto, K. Mochizuki and H. Wakabayashi, “904km, 1.2 Gbit/s non-regenerative optical transmission experiment using 12 Er-doped fibre amplifiers” , ECOC '89, Post-Deadline Paper, PDA-9, Sept. 1989.
- [1989EIS] G. Eisenstein, U. Koren, T. L. Koch, G. Raybon, R. S. Tucker and B. I. Miller, “A multiple quantum well optical amplifier/modulator integrated with a tunable DBR laser” , The 7th Int. Conf. Integrated Optics and Optical Fiber Commun. (IOOC'89) , Kobe (Japan) , 19C2-3, July 1989.
- [1989GIL] C.R. Gile, E. Desyrvre, J.R. Talman, J.R. Simpson and P.C. Becker, “2 Gbit/s signal amplification at 1.53 μm in an erbium-doped single-mode fiber amplifier” , IEEE J. Lightwave Technol., Vol. LT-7, pp. 651-656, 1989.
- [1989GNA] A. H. Gnauk, R. M. Jopson, J. D. Evankow, C. A. Burrus, A. J. Wang, N. K. Dutta and H. M. Presby, “16 Gbit/s, 64 km optical fiber transmission experiment using an optical preamplifier receiver” , ECOC'89, Post-Deadline Paper, PDA-6, Sept. 1989.
- [1989IZU] M. Izutsu and T. Sueta, “Ten GHz LiNbO₃ waveguide modulators” , IOOC '89, Kobe (Japan) , 2, 19D4-1, pp. 170-171, July 1989.
- [1989JEW] J. L. Jewell, A. Scherer, S. L. McCall, Y. H. Lee, S. J. Walker, J. P. Harbison and L. T. Florez, “Low threshold electrically-pumped vertical-cavity surface-emitting micro-lasers” , Electron. Lett., Vol. 25, pp. 1123-1124, 1989.
- [1989KAS] A. Kasukawa, I. J. Murgatroyd, Y. Imajo, H. Okamoto and S. Kashiwa, “Effect of well number in 1.3 μm GaInAsP graded index separate confinement heterostructure multiple quantum well (GRIN-SCH MQW) lasers” , 7 th Int. Conf. Integrated Optics and Optical Fiber Commun. (IOOC '89), 20B1-4, Kobe (Japan), Jul. 1989.
- [1989KOM] K. Komori, S. Arai, Y. Suematsu, I. Arima and M. Aoki, “Single-mode properties of distributed-reflector lasers” , IEEE J. Quantum Electron., Vol. QE-25, No. 6, pp. 1235-1244, Jun. 1989.
- [1989KOT] I. Kotaka, K. Wakita, O. Mitomi, H. Asai and Y. Kawamura, “High-speed InGaAlAs/InAlAs multiple quantum well optical modulators with bandwidths in excess of 20 GHz at 1.55 μm” , IEEE Photonics Technol. Lett., Vol. 1, No. 5, pp. 100-101, May 1989.

- [1989KOY] F. Koyama, S. Kinoshita and K. Iga, "Room-temperature continuous wave lasing characteristics of GaAs vertical cavity surface-emitting laser" , Appl. Phys. Lett., Vol. 55, No. 3, pp. 221-222, Jul. 1989.
- [1989LEE] Y. H. Lee, J. L. Jewell, A. Scherer, S. L. McCall, J. P. Harbison and L. T. Florez, "Room-temperature continuous-wave vertical-cavity single-quantum-well microlaser diodes" , Electron. Lett., Vol. 25, No. 20, pp. 1377-1378, 1989.
- [1989NAK] M. Nakazawa, Y. Kimura and K. Suzuki, "Efficient Er³⁺-doped optical fiber amplifier pumped by a 1.48 μm InGaAsP laser diode" , Appl. Phys. Lett., Vol. 54, No. 4, pp. 295-297, Jan. 1989.
- [1989RIG] A. Righetti, F. Fontana, G. Delrosso, G. Grasso, M. Z. Iqbal, J. L. Gimlett, R. D. Standley, J. Young and N. K. Cheung, "An 11 Gbit/s, 260 km transmission experiment using a directly-modulated 1536 nm DFB laser with two Er-doped fiber amplifiers and clock recovery" , ECOC' 89, Post-Deadline Paper, PDA-10, Sept. 1989.
- [1989SOD] H. Soda, M. Furutsu, K. Sato, N. Okazaki, S. Yamazaki, I. Yokota, T. Okiyama, H. Nishimoto and H. Ishikawa, "High-power semi-insulating BH monolithic electro-absorption modulator/DFB laser light source operation 10 Gb/s" , IOOC' 89 (Kobe), 5, 20 PDB-5, pp. 46-47, Jul. 1989.
- [1989SUE] Y. Suematsu, "Long wavelength optical fiber communication" , Proc. IEEE, Vol. 71, No. 6, pp. 692-721, June 1989.
- [1989SUZ] M. Suzuki, H. Tanaka, M. Usami, H. Taga and Y. Matsushima, "S.I.-InP integrated light source and 2.4 Gb/s-118 km penalty-free conventional fiber transmission" , The 7 th Int. Conf. Integrated Optics and Optical Fiber Commun. (IOOC ' 89) , Kobe (Japan) , 20 PDB-3, July 1989.
- [1989UEN] H. Uenohara, F. Koyama and K. Iga, "Application of the multiquantum well (MQW) to a surface emitting laser" , Jpn. J. Appl. Phys., Vol. 28, No. 4, pp. 740-741, Apr. 1989.
- [1989UOM] K. Uomi, H. Nakano and N. Chinone, "Ultra-high speed (17 GHz) 1.55 μm λ/4-shifted DFB lasers and proposal on reducing damping phenomenon for higher speed modulation" , 7th Int. Conf. Integrated Opticsand Optical Fiber Commun. (IOOC ' 89), 19C2-4, pp. 120-121, Kobe (Japan), Jul. 1989.
- [1989WAD] O. Wada, "Progress of OEIC" , IOOC ' 89, 20 C3-3, pp. 162-163, Kobe, Japan, Jul. 1989.
- [1990GEE] R. Geels and L. A. Coldren, "Narrow-linewidth, low threshold vertical-cavity surface-emitting lasers" , 12th IEEE Int. Semiconductor Laser Conf., No.B-1, pp. 16-17, 1990.
- [1990HO] K. M. Ho, C. T. Chan and C. M. Soukoulis, "Existence of a photonic gap in periodic dielectric structures" , Phys. Rev. Lett., Vol. 65, pp. 3152-3155, 1990.
- [1990KAW] M. Kawachi, "Silica waveguides on silicone and their application to integrated-optic components" , Opt. & Quantum Electron., Vol. 22, pp. 391-416, 1990.
- [1990LEU] K. M. Leung and Y. F. Liu, "Full vector wave calculation of photonic band structures in face-centered-cubic dielectric media" , Phys. Rev. Lett., Vol. 65, pp. 2646-2649, 1990.
- [1990NAK] M. Nakazawa, K. Suzuki, H. Kubota, E. Yamada and Y. Kimura, "Dynamic optical soliton communication" , IEEE J. Quantum Electron., Vol. 26, No. 12, pp. 2095-2102, 1990.
- [1990NAM] T. Namiki, N. Mekada, H. Hamano, T. Yamane, M. Seino and H. Nakajima, "Low-drive-voltage Ti:LiNbO₃ Mach-Zehnder modulator using a coupled line" , OFC ' 90, p.34, San Francisco, CA, USA, 1990.
- [1990TAK] H. Takahashi, S. Suzuki, K. Katoh and I. Nishi, "Arrayed waveguide grating for wave-

- length division multi/demultiplexer with nanometer resolution” , Electron. Lett., Vol. 26, No. 2, pp. 87-88, 1990.
- [1990THI] P. J. A. Thijss, E. A. Montie, T. van Dongen and C. W. T. Bulle-Lieuwma, “Improved 1.5 μm wavelength lasers using high quality LP-OMVPE grown strained-layer InGaAs quantum wells” , J. Cryst. Growth, Vol. 105, pp. 339-347, 1990.
- [1990WIN] J. H. Winters and R. D. Gitlin, “Electric signal processing techniques in long-haul fiber-optic systems” , IEEE Trans. Commun., Vol. 38, No. 9, pp. 1439-1453, Sept. 1990.
- [1990YAM] N. Yamagata and Y. Kokubun, “Low-loss spotsize transformer by dual tapered waveguides (DTW-SST)” , IEEE J. Lightwave Technol., Vol. LT-8, No. 4, pp. 587-593, Apr. 1990.
- [1990ZUC] J. E. Zucker, K. L. Jones, B. L. Miller and U. Koren, “Miniature Mach-Zehnder InGaAsP quantum well waveguide interferometers for 1.3 μm” , IEEE Photonics Technol. Lett., Vol. 2, No. 1, pp. 32-34, Jan. 1990.
- [1991AOK] M. Aoki, H. Sano, M. Suzuki, M. Takahashi, K. Uomi and A. Takai, “Novel structure MQW electroabsorption modulator/DFB-laser integrated device fabricated by selective area MOCVD growth” , Electron. Lett., Vol. 27, No. 23, pp. 2138-2140, Nov. 1991.
- [1991BRO] E. R. Brown, J. R. Soderstrom, C. D. Parker, L. J. Mahoney, K. M. Molvar and T. T. McGill, “Oscillations up to 712 GHz in InAs/AISb resonant-tunneling diodes” , Appl. Phys. Lett., Vol. 58, pp. 2291-2293, 1991.
- [1991CHA] C. J. Chang-Hasnain, J. P. Harbison, C. E. Zah, L. T. Florez and N. C. Andreadakis, “Continuous wavelength tuning of two-electrode vertical cavity surface emitting lasers” , Electron. Lett., Vol. 27, p. 1002, 1991.
- [1991DRA] C. Dragone, “An $N \times N$ optical multiplexer using a planar arrangement of two star couplers” , IEEE Photonics Technol. Lett., Vol. 3, No. 9, pp. 812-815, 1991.
- [1991GEE] R. S. Geels and L. A. Coldren, “Sub-milliamp threshold vertical-cavity laser diodes” , Appl. Phys. Lett., Vol. 57, pp. 1605-1607, 1991.
- [1991LEE] Y. H. Lee, B. Tell, K. F. Brown-Goebeler, R. E. Leibenguth and V. D. Mattera, “Deep-red continuous wave top-surface-emitting vertical-cavity AlGaAs superlattice lasers” , IEEE Photon. Technol. Lett., Vol. 3, No. 2, pp. 108-109, Feb. 1991.
- [1991ODA] K. Oda, N. Takato and H. Toba, “A wide-FSR waveguide double-ring resonator for optical FDM transmission systems” , J. Lightwave Technol., Vol. 9, pp. 728-736, Jun. 1991.
- [1991YAB] E. Yablonovitch, T. J. Gmitter, R. D. Meade, A. M. Rappe, K. D. Brommer and J. D. Joannopoulos, “Donor and acceptor modes in photonic band structure” , Phys. Rev. Lett., Vol. 67, pp. 3380-3383, 1991.
- [1992BER] T. Berners-Lee et al., “World-Wide Web:Information Universe” , Electronic Publishing:Research, Applications and Policy, Apr. 1992.
- [1992EBE] K. J. Ebeling, “Integrierte Optoelektronik” , Springer-Verlag, Heidelberg, 1992.
- [1992GOP] G. K. Gopalakrishnan, C. H. Bulmer, W. K. Burns, R. W. McElhanon and A. S. Greenblatt, “40 GHz, low half-wave voltage Ti:LiNbO₃ intensity modulator” , Electron. Lett., Vol. 28, No. 9, pp. 826-827, 1992.
- [1992KUB] H. Kubota and M. Nakazawa, “Partial soliton communication system” , Optics, Comm. Vol. 87, pp. 15-18, 1992.
- [1992MIY] T. Miyamoto, T. Uchida, N. Yokouchi, Y. Inaba, F. Koyama and K. Iga, “A study on gain resonance matching of CBE grown $\lambda = 1.5 \mu\text{m}$ surface emitting lasers” , IEEE/LEOS Annual, No. DLTA 13.2, Nov. 1992.

- [1992NAG] R. Nagarajan, M. Ishikawa and J. E. Bowers, "Effects of carrier transport on relative intensity noise and critique of K factor predictions of modulation response", Electron. Lett., Vol. 28, No. 9, pp. 846-848, Apr. 1992.
- [1992NAK] 中川清司, 中沢正隆, 相田一夫, 萩本和男, “光増幅器とその応用”, オーム社, 東京, 1992.
- [1992SAK] S. Sakano, T. Tsuchiya, M. Suzuki, S. Kitajima and N. Chinone, "Tunable DFB laser with a striped Thin-Film heater", IEEE Photon. Technol. Lett., Vol. 4, pp. 321-323, Apr. 1992.
- [1992SUZ] S. Suzuki, K. Shuto and Y. Hibino, "Integrated optic ring resonators with two stacked layers of silica waveguides on Si", IEEE Photon. Technol. Lett., Vol. 4, No. 11, pp. 1256-1258, Nov. 1992.
- [1992TAK] H. Takahashi, I. Nishi and Y. Hibino, "10 GHz spacing optical frequency division multiplexer based on arrayed-waveguide grating", Electron. Lett., Vol. 28, pp. 380-382, 1992.
- [1992WIP] T. Wipiejewski, K. Panzla, E. Zeeb and K.J. Ebeling, "Submilliamp vertical cavity laser diode structure with 2.2-nm continuous tuning", in 18th European Conf. Opt. Comm. '92 PDII-4, Sept., 1992.
- [1992YAM] 山下一郎, 川瀬正明, 太田紀久, “光アクセス方式”, マルチメディアネットワークシリーズ, オーム社, 東京, 1992.
- [1992YOKa] N. Yokouchi, T. Miyamoto, T. Uchida, Y. Inaba, F. Koyama and K. Iga, "40 Å continuous tuning of a GaInAsP/InP vertical-cavity surface-emitting laser using an external mirror", IEEE Photon. Technol. Lett., Vol. 4, No. 7, pp. 701-703, Jul. 1992.
- [1992YOKb] N. Yokouchi, T. Miyamoto, T. Uchida, Y. Inaba, F. Koyama and K. Iga, "GaInAsP/InP surface emitting laser grown by CBE and wavelength tuning employing external reflector", 24th Int. Conf. Solid State Devices and Materials(SSDM'92), Tsukuba, Japan, paper B-6-4, Aug. 26-28, 1992.
- [1993BAB] T. Baba, Y. Yogo, K. Suzuki, F. Koyama and K. Iga, "Near room temperature continuous wave lasing characteristics of GaInAsP/InP surface emitting laser", Electron. Lett., Vol. 29, No. 10, pp. 913-914, May 1993.
- [1993IGA] 伊賀健一, “レーザ光学の基礎”, オーム社, 東京, 第1版第3刷, 1993.
- [1993JAY] V. Jayaraman, Z.-M. Chuang and L. A. Coldren, "Theory, design, and performance of extended tuning range semiconductor lasers with sampled gratings," IEEE J. Quantum Electron., Vol. 29, No. 6, pp. 1824-1834, Jun. 1993.
- [1993NUM] T. Numai, T. Kawakami, T. Yoshikawa, M. Sugimoto, Y. Sugimoto, H. Yokoyama, K. Kasahara and K. Asakawa, "Record low threshold current in microcavity surface-emitting laser", Jpn. J. Appl. Phys., Vol. 32, No. 10B, pp. L1533-L1534, Oct. 1993.
- [1993TOH] Y. Tohmori, Y. Yoshikuni, H. Ishii, F. Kano, T. Tamamura, Y. Kondo and M. Yamamoto, "Broad-range wavelength-tunable superstructure grating (SSG) DBR lasers", IEEE J. Quant. Electron., Vol. 29, No. 6, pp. 1817-1823, Jun. 1993.
- [1994FAI] J. Faist, F. Capasso, D. L. Sivco, C. Sirtori, A. L. Hutchinson and A. Y. Cho, "Quantum cascade lasers", Science, Vol. 264, pp. 553-556, 1994.
- [1994HIR] H. Hirayama, K. Matsunaga, M. Asada and Y. Suematsu, "Lasing action of $\text{Ga}_{0.67}\text{In}_{0.33}\text{As}/\text{GaInAsP/InP}$ tensile-strained quantum-box laser," Electron. Lett., Vol. 30, No. 2, pp. 142-143, Jan. 1994.
- [1994HUF] D. L. Huffaker, J. Shin and D. G. Deppe, "Low threshold half-wave vertical-cavity lasers", Electron. Lett., Vol. 30, pp. 1946-1947, Nov. 1994.
- [1994IGAa] 伊賀健一編著, “半導体レーザ”, 応用物理学シリーズ, オーム社, 東京, 1994.

- [1994IGAb] K. Iga, "Fundamentals of Laser Optics", Plenum, New York, 1994.
- [1994KOY] 小山二三夫, "半導体レーザ", 応用物理学シリーズ, 伊賀健一編著, 第7章, オーム社, 東京, 1994.
- [1994MOI] J. M. Moisin, F. Houzy, F. Barthe, L. Leprince, E. Andre and O. Vatel, "Self-organized growth of regular nanometer-scale InAs dots on GaAs", Appl. Phys. Lett., Vol. 64, pp. 196-201, Jan. 1994.
- [1994NAK] S. Nakamura, K. Tajima and Y. Sugimoto, "Experimental investigation on high-speed switching characteristics of a novel symmetric Mach-Zehnder all-optical switch", Appl. Phys. Lett., Vol. 65, No. 3, pp. 283-285, 1994.
- [1994ONI] M. Onishi, Y. Koyano, M. Shigematsu, H. Kanamori and M. Nishimura, "Dispersion compensating fiber with a high figure of merit of 250 ps/nm/dB", Electron. Lett., Vol. 30, No. 2, pp. 161-163, 1994.
- [1994SHO] P. Shor, "Algorithms for quantum computation: Distance logarithms and factoring", Proc. 35th Annual Symp. Theory of Computer Science, p. 124, 1994.
- [1994SUE] Coedited by Y. Suematsu and A. Adams, "Semiconductor Lasers and Photonic Integrated Circuits", Ohmsha Ltd. and Chapman & Hall Co. (1994)
- [1995AGR] G. P. Agrawal, "Nonlinear fiber optics", Academic Press, New York, 1995.
- [1995BIR] T. A. Birks, P. J. Roberts, P. St. J. Russel, D. M. Atkin and T. J. Sheperd, "Full 2-D band-gaps in silica/air structures", Electron. Lett., Vol. 31, No. 22, pp. 1941-1943, 1995.
- [1995CHO] K. D. Choquette, R. P. Schneider, M. H. Crawford, K. M. Geib and J. J. Figiel, "Continuous-wave operation of 640 - 660 nm selectively oxidised AlGaInP vertical-cavity lasers", Electron. Lett., Vol. 31, No. 14, pp. 1145-1146, Jul. 6 1995.
- [1995JOA] J. D. Joannopoulos, R. D. Meade and J. N. Winn, "Photonic Crystals - Molding the Flow of Light, Princeton", Princeton Univ. Press, 1995.
- [1995HAT] 波多腰玄一, "半導体レーザー", 微小光学ハンドブック, 応用物理学会日本光学会編, 朝倉書店, 東京, 1995.
- [1995HAY] Y. Hayashi, T. Mukaihara, N. Hatori, N. Ohnoki, A. Matsutani, F. Koyama and K. Iga, "Record low-threshold index-guided InGaAs/GaAlAs vertical-cavity surface-emitting laser with a native oxide confinement structure", Electron. Lett., Vol. 31, No. 7, pp. 560-561, Mar. 1995.
- [1995KOK] 國分泰雄, "導波光学", 微小光学ハンドブック, 応用物理学会日本光学会編, 朝倉書店, 東京, 1995.
- [1995KUG] Y. Kuga, T. Shirai, M. Haruyama, H. Kawanishi and Y. Suematsu, "Violet and near-UV light emission from GaN/Al_{0.08}Ga_{0.92}N injection diode grown on (0001) 6 H-SiC substrate by low-pressure metal-organic vapor phase epitaxy", Jpn. J. Appl. Phys., Vol. 34-1, No. 84, pp. 4085-4088, Aug. 1995.
- [1995NAK] M. Nakazawa and H. Kubota, "Optical soliton communication in a positively and negatively dispersion-allocated optical fibre transmission line", Electron. Lett., Vol. 31, No. 3, pp. 216-217, 1995.
- [1995OKA] K. Okamoto, K. Takiguchi, Y. Ohmori, "16-channel optical add/drop multiplexer using silica-based arrayed-waveguide-gratings", Electron. Lett., Vol. 31, No. 9, pp. 723-724, Apr. 1995.
- [1995SHI] 島田禎晉監修, 河西宏之, 槙一光, 辻久雄, "SDH 伝送方式", マルチメディアネットワークシリーズ, オーム社, 東京, 1995.

- [1995SUZ] M. Suzuki, I. Morita, N. Edagawa, S. Yamamoto, H. Taga and S. Akiba, "Reduction of Gordon-Haus timing jitter by periodic dispersion compensation in soliton transmission" , Electron. Lett., Vol. 31, pp. 2027-2029, Nov. 1995.
- [1995WU] M. S. Wu, E. C. Vail, G. S. Li, W. Yuen, and C. J. Chang-Hasnain, "Tunable micro-machined vertical cavity surface emitting laser" , Electron. Lett., Vol 31, pp. 1671-1672, Sept. 1995.
- [1995YAN] G. M. Yang, M. MacDougal and P. D. Dupkus, "Ultralow threshold current vertical cavity surface emitting lasers obtained with selective oxidation" , Electron. Lett., Vol. 31, pp. 886-888, May 1995.
- [1995YOU] M. G. Young, U. Koren, B. I. Miller, M. Chien, T. L. Koch, D. M. Tennant, K. Feder, K. Dreyer and G. Raybon, "Six wavelength laser array with integrated amplifier and modulator," Electron. Lett., Vol. 31, No. 21, pp. 1835-1836, Oct. 1995.
- [1996BAB] D. I. Babic, K. Streubel, R. P. Mirin, J. Pirek, N. M. Margalit, J. E. Bowers, E. L. Hu, D. E. Mars, L. Yang and K. Carey, "Room temperature performance of double-fused 1.54 μm vertical-cavity lasers" , IPRM '96, No.ThA1-2, Apr. 1996.
- [1996CHA] A. R. Charaplyvy, A. H. Gnauck, R. W. Tkach, J. L. Zyskind, J. W. Sulhoff, A. J. Lucero, Y. Sun, R. M. Jopson, F. Forghieri, R. M. Derosier, C. Wolf and A. R. McCormick, "1Tb/s transmission experiment" , IEEE Photon. Technol. Lett., Vol. 8, No. 9, pp. 1264-1266, 1996.
- [1996HUF] D. L. Huffaker, D. G. Deppe, C. Lei and L. A. Hodge, "Sealing AlAs against oxidative decomposition and its use in device fabrication" , CLEO '96, Anaheim, No.JTuH5, 1996.
- [1996IGAa] K. Iga and S. Kinoshita, "Process Technology for Semiconductor Lasers" , Springer, Heidelberg, 1996.
- [1996IGAb] K. Iga, "Vertical cavity surface emitting lasers based on InP and related compounds-Bottleneck and corkscrew" , Conf. Indium Phosphide and Related Materials, Schwabisch Gmund, Germany, Invited Talk, Apr. 1996.
- [1996KNI] J. C. Knight, T. A. Birks, P. St. J. Russel and D. M. Atkin, "All-silica single-mode optical fiber with photonic crystal cladding" , Opt. Lett., Vol. 21, No. 19, pp. 1547-1943, 1996.
- [1996KON] M. Kondow, K. Uomi, A. Niwa, T. Kitatani, S. Watahiki and Y. Yazawa, "GaInNAs : A novel material for Long-Wavelength-Range Laser Diodes with Excellent High-Temperature Performance" , Jpn. J. Appl. Phys., Vol. 35-2B, pp. 1273-1275, Feb. 1996.
- [1996KRA] T. F. Krauss, R. M. De La Rue and S. Brand, "Two-dimensional photonic-bandgap structures operating at near-infrared wavelengths" , Nature, Vol. 283, pp. 699-702, 1996.
- [1996MEK] A. Mekis, J. C. Chen, I. Kurand, S. Fan, P. R. Villeneuve and J. D. Joannopoulos, "High transmission through sharp bends in photonic crystal waveguides" , Phys. Rev. Lett., Vol. 77, pp. 3787-3790, 1996.
- [1996HIR] H. Hirayama, T. Hamano and Y. Aoyama, "Novel surface emitting laser using photonic band-gap crystal laser" , Appl. Phys. Lett., Vol. 69, No. 6, p. 791, 1996.
- [1996MAR] N. M. Margalit, D. I. Babic, K. Streubel, R. P. Mirin, R. L. Naone, J. E. Bowers and E. L. Hu, "Submilliamp long wavelength vertical cavity lasers" , Electron. Lett., Vol. 32, p. 1675, Aug. 1996.
- [1996NAK] S. Nakamura, M. Senoh, S. Nagahama, N. Iwasa, T. Yamada, T. Matsushita, H. Kiyoku and Y. Sugimoto, "InGaN-based multi-quantum-well-structure laser diodes" , J. Appl. Phys., Vol. 35, pp. L74-76, 1996.
- [1996UCH] S. Uchiyama, N. Yokouchi and T. Ninomiya, "Room-temperature CW operation of 1.3-μm GaInAsP SL-MQW surface emitting laser" , in 43rd Spring Meeting Jpn. Soc. Appl. Phys.,

- 1996, 26 p-C-7.
- [1997BAB] T. Baba, "Photonic crystals and microdisk cavities based on GaInAsP/InP system", IEEE J. Selctd Topics in Quantum Electron., Vol. 3, pp. 808-830, 1997.
- [1997HAG] S. C. Hagness, D. Rafizadeh, S. T. Ho and A. Taflove, "FDTD microcavity simulations:design and experimental realization of waveguide-coupled single-mode ring and whispering-gallery-mode disk resonators", IEEE/OSA J. Lightwave Technol., Vol. 15, No. 11, pp. 2154-2165, Nov. 1997.
- [1997HON] T. Honda, F. Koyama and K. Iga, "Design consideration of GaN-based surface emitting lasers", Mat. Res. Soc. Symp. Proc., Vol. 449, pp. 1151-1159, Dec. 1997.
- [1997ITA] Y. Itaya, Y. Tohmori, M. Wada and H. Fukao, "Spot-size converters integrated laser diodes", OECC' 97, 1997.
- [1997KOI] 小池康博, "プラスチック光ファイバ", 共立出版, 東京, 1997.
- [1997LIT] B. E. Little, S. T. Chu, H. A. Haus, J. Foresi and J.-P. Laine, "Microring resonator channel dropping filters", IEEE/OSA J. Lightwave Technol., Vol. 15, No. 6, pp. 998 - 1005, June 1997.
- [1997MIY] T. Miyamoto, K. Takeuchi, F. Koyama and K. Iga, "A novel GaInNAs-GaAs quantum well structure for long-wavelength semiconductor lasers", IEEE Photon. Tech. Lett., Vol. 9, No 11, Nov. 1997.
- [1997RAF] D. Rafizadeh, J. P. Zhang, S. C. Hagness, A. Taflove, K. A. Stair, S. T. Ho and R. C. Tiverio, "Waveguide-coupled AlGaAs/GaAs microcavity ring and disk resonators with high finesse and 21.6 nm free spectral range", Opt. Lett., Vol. 22, No. 16, pp. 1244-1246, Aug. 1997.
- [1997SAT] 佐藤健一, 鳥羽弘, "光波ネットワークの技術動向", 信学誌, Vol. 80, No. 9, pp. 947-959, 1997.
- [1997TAG] H. Taga, K. Imai, N. Takeda, S. Yamamoto and S. Akiba, "Two 21×5 Gbit/s, 9500km transmission experiment using densely-spaced WDM channel and 980 nm pumped EDFA", Electron. Lett., Vol. 33, No. 8, Apr. 1997.
- [1998BLA] K. A. Black, N. M. Margalit, E. R. Hegblom, P. Abraham, Y.-J. Chiu, J. Piprek, J. E. Bowers and E. L. Hu, "Double-fused $1.5\text{ }\mu\text{m}$ vertical cavity lasers operating continuous wave up to 71°C ", 16th Int. Semi-Conductor Laser Conf., ThA8, pp. 247-248, 1998.
- [1998KOS] H. Kosaka, T. Kawashima, A. Tomita, M. Notomi, T. Tamamura, T. Sato and S. Kawakami, "Superprism phenomena in photonic crystals", Phys. Rev. B, Vol. 58, pp. 10096 - 10099, 1998.
- [1998LAR] M. C. Larson, M. Kondow, T. Kitatani, K. Nakahara, K. Tamura, H. Inoue and K. Uomi, "GaInNAs-GaAs long-wavelength vertical-cavity surface-emitting laser diodes", IEEE Photon. Technol. Lett., Vol. 10, No. 2, pp. 188-190, 1998.
- [1998LIN] S. Y. Lin, J. G. Fleming, D. L. Hetherington, B. K. Smith, R. Biswas, K. M. Ho, M. M. Sigalas, W. Zubrzycki, S. R. Kurtz and J. Bur, "A three-dimensional photonic crystal operating at infrared wavelengths", Nature, Vol. 394, pp. 251-253, 1998.
- [1998LIT] B. E. Little, J. S. Foresi, G. Steinmeyer, E. R. Thoen, S. T. Chu, H. A. Haus, E. P. Ippen, L. C. Kimerling and W. Greene, "Ultra-compact Si/SiO₂ microring resonator optical channel dropping filters", IEEE Photonics Technol. Lett., Vol. 10, No. 4, pp. 549-551, Apr. 1998.
- [1998MOR] I. Morita, M. Suzuki, N. Edagawa, K. Tanaka and S. Yamamoto, "40 Gbits/s single-channel soliton transmission using periodic dispersion compensation", IEICE Trans. Electron., Vol. E81-C, pp. 1309-1315, Aug. 1998.

- [1998NAK] M. Nakazawa, E. Yoshida, T. Yamamoto, E. Yamada and A. Sahara, "TDM single channel 640 Gbit/s transmission experiment over 60 km using 400 fs pulse train and walk-off free, dispersion flattened nonlinear optical loop mirror" , Electron. Lett., Vol. 34, No. 9, pp. 907-908, 1998.
- [1998SHI] N. Shimizu et al., "Unitraveling-Carrier High Speed Photodiodes" , IEEE Photonics Technol. Lett., Vol. 10, pp. 412-414, Mar. 1998.
- [1998SUZ] M. Suzuki, H. Kidorf, N. Edagawa, H. Taga, N. Takeda, K. Imai, I. Morita, S. Yamamoto, E. Shibano, T. Miyakawa, E. Nazuka, M. Ma, F. Kerfoot, R. Maybach, H. Adelmann, V. Arya, C. Chen, S. Evangelides, D. Gray, B. Petersen and A. Puc, "170 Gb/s Transmission Over 10,850 km Using Large Core Transmission Fiber" , Optical Fiber Conference (OFC '98), PD 17-1, 1998.
- [1998WIJ] J. E. G. J. Wijnhoven and W. L. Vos, "Preparation of photonic crystals made of air spheres in titania" , Science, Vol. 281, pp. 802-804, 1998.
- [1999BAB] T. Baba, N. Fukaya and J. Yonekura, "Observation of light propagation in photonic crystal optical waveguides with bends" , Electron. Lett., Vol. 35, pp. 654-655, 1999.
- [1999CHU] S. T. Chu, B. E. Little, W. Pan, T. Kaneko, S. Sato and Y. Kokubun, "An eight-channel add-drop filter using vertically coupled microring resonators over a cross grid" , IEEE Photonics Technol. Lett., Vol. 11, No. 6, pp. 691-693, Jun. 1999.
- [1999KIT] K. Kitayama and N. Wada, "Photonic IP routing" , IEEE Photonics Technol. Lett., Vol. 11, No. 12, pp. 1689-1691, 1999.
- [1999LIT] B. E. Little, S. T. Chu, W. Pan, D. Ripin, T. Kaneko, Y. Kokubun and E. Ippen, "Vertically coupled glass microring resonator channel dropping filters" , IEEE Photonics Technol. Lett., Vol. 11, No. 2, pp. 215-217, Feb. 1999.
- [1999PAI] O. Painter, R. K. Lee, A. Scherer, A. Yariv, J. D. O'Brien, P. D. Dapkus and I. Kim, "Two-dimensional photonic band-gap defect mode laser" , Science, Vol. 284, pp. 1819-1821, 1999.
- [1999SUG] N. Sugimoto, T. Shintaka, T. Tata, H. Terai, M. Shimokozono, E. Kuroda, M. Ishii and Y. Inoue, "Waveguide polarization-independent optical circulator" , IEEE Photonics Technol. Lett., Vol. 11, pp. 355-357, 1999.
- [1999VES] L. Vestergaard Hau, S. E. Harris, Z. Dutton and C. H. Behroozi, "Light speed reduction to 17 metres per second in an ultracold atomic gas" , Nature, Vol. 397, pp. 594-598, Feb. 1999.
- [1999YON] J. Yonekura, M. Ikeda and T. Baba, "Analysis of finite 2-D photonic crystals of columns and lightwave devices using the scattering matrix method" , IEEE J. Lightwave Technol., Vol. 17, pp. 1500-1508, 1999.
- [2000AOK] 青木利晴, "デジタル通信", 信学誌, Vol. 83, No. 1, pp. 26-28, Jan. 2000.
- [2000BOU] M. Bouda, M. Matsuda, K. Morito, S. Hara, T. Watanabe and Y. Kotaki, Technical Digest of Conference on Optical Fiber Communication (OFC '00), pp. 178-183, 2000.
- [2000CAP] F. Cappaso, C. Gmachl, R. Paiella, A. Tredicucci, A. L. Hutchinson, D. L. Sivco, J. N. Biallargeon and A. Cho, "New frontiers in quantum cascade lasers and applications" , IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 931-947, Nov./Dec. 2000.
- [2000CHA] C. L. Chang-Hasnain, "Tunable VCSEL" , IEEE J. Sel. Top. Quantum Electron., Vol. 6, No. 6, pp. 978-987, Dec. 2000.
- [2000COL] L. A. Coldren, "Monolithic tunable diode lasers" , IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 988-999, 2000.

- [2000 DAI] P. Dainesi, A. Kung, M. Chabloz, A. Lagos, P. Fluckiger, A. Ionescu, P. Fazan, M. Declerq, P. Renaud and P. Robert, "CMOS compatible fully integrated Mach-Zehnder interferometer in SOI technology", IEEE Photonics Technol. Lett., Vol. 12, No. 6, pp. 660-662, June 2000.
- [2000 EGG] R. J. Eggleton et al., IEEE J. Lightwave Technol., Vol. 18, pp. 1418-1432, 2000.
- [2000 HAS] A. Hasegawa, "Soliton-based optical communications : An overview", IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1161-1172, 2000.
- [2000 HAU] H. A. Haus, "Mode-locking of lasers", IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1173-1185, 2000.
- [2000 IGA] K. Iga, "Surface-emitting laser-its birth and generation of new optoelectronics field", IEEE J. Sel. Top. Quantum Electron., Vol. 6, No. 6, pp. 1201-1215, Nov./Dec. 2000.
- [2000 KOK] 國分泰雄, "光波工学", 共立出版, 東京, 2000.
- [2000 LED] N. Ledentsov, M. Grundmann, F. Heinrichsdorff, D. Bimberg, V. Ustinov, A. Zhukov, M. Maximov, Zh. Alferov and J. Lott, "Quantum-dot heterostructure lasers", IEEE J. Selected Topics in Quantum Electron., Vol. 6, pp. 439-451, 2000.
- [2000 MOR] G. Morthier, R. Schatz and O. Kjebon, "Extended modulation bandwidth of DBR and external cavity lasers by utilizing a cavity resonance for equalization", IEEE J. Quantum Electron., Vol. 36, No. 12, pp. 1468-1475, Dec. 2000.
- [2000 NAK] M. Nakazawa, "Soliton for breaking barriers to terabit/second WDM and OTDM transmission in the next millennium", IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1332-1343, 2000.
- [2000 NODa] S. Noda, K. Tomoda, N. Yamamoto and A. Chutinan, "Full three-dimensional photonic bandgap crystals at near-infrared wavelengths", Science, Vol. 289, pp. 604-606, 2000.
- [2000 NODb] S. Noda, A. Chutinan and M. Imada, "Trapping and emission of photons by a single defect in a photonic bandgap structure", Nature, Vol. 407, pp. 608-610, 2000.
- [2000 NOT] M. Notomi, "Theory of light propagation in strongly-modulated photonic crystals : refraction-like behavior in the vicinity of the photonic band gap", Phys. Rev. B, Vol. 62, p. 10696, 2000.
- [2000 NUN] N. Nunoya, H. Yasumoto, H. Midorikawa, S. Tamura and S. Arai, "low threshold current density operation of GaInAsP/InP lasers with strain-compensated multiple-layered wire-like active regions", Jpn. J. Appl. Phys., Vol. 39, pp. L1042-L1045, 2000.
- [2000 PEN] J. B. Pendry, "Negative refraction makes a perfect lens", Phys. Rev. Lett., Vol. 85, pp. 3966-3969, 2000.
- [2000 SAR] M. Saruwatari, "All-optical signal processing for terabit/second optical transmission", IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1363-1374, 2000.
- [2000 SPE] Special Issue on Semiconductor Laser, IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1201-1215, Nov./Dec., 2000.
- [2000 SUE] Y. Suematsu and S. Arai, "Single-mode semiconductor lasers for long-wavelength fiber communications and dynamics of semiconductor lasers", IEEE J. Selected Topics in Quantum Electron., Vol. 6, No. 6, pp. 1436-1449, 2000.
- [2000 SUZ] M. Suzuki and K. Sakai, "Recent progress of wavelength division multiplexing technology in tera-bit/s transoceanic undersea cable systems", Optical Review, Vol. 7, pp. 1-8, Jan. 2000.
- [2000 YAM] M. Yamada, T. Anan, K. Kurihara, K. Nishi, K. Tokutome, A. Kamei, and S. Sugou, "Room

- temperature low threshold CW operation of 1.23 m GaAsSb VCSELs of GaAs substrates” , Electron. Lett., Vol. 36, No. 7, pp. 637-638, Mar. 2000.
- [2000YOK] H. Yokoi, T. Mizumoto, N. Shinjo, N. Futakuchi and Y. Nakano, “Demonstration of an optical isolator with a semiconductor guiding layer that was obtained by use of a nonreciprocal phase shift” , Appl. Opt., Vol. 39, No. 33, pp. 6158-6164, 2000.
- [2001ERD] M. Erdtmann and M. Razeghi, “Monolithic integration of GaInAs/InP quantum well infrared photodetectors on Si substrate” , SPIE Conference, San Jose, CA, Jan. 22, 2001.
- [2001FUK] K. Fukuchi, T. Kasamatsu, M. Morie, R. Ohhira, T. Ito, K. Sekiya, D. Ogasawara and T. Ono, “10.92 Tb/s (273 × 40Gb/s) triple-band/ultra-dense WDM optical-repeatered transmission experiment” , OFC 2001, PD24-1-PD24-3, 2001.
- [2001KAG] T. Kageyama, T. Miyamoto, S. Makino, Y. Ikenaga, N. Nishiyama, A. Matsutani, F. Koyama and K. Iga, “Room temperature continuous-wave operation of GaInNAs/GaAs VCSELs grown by chemical beam epitaxy with output power exceeding 1 mW” , Electron. Lett., Vol. 37, No. 4, pp. 225-226, Feb. 2001.
- [2001KIN] G. S. Kinsey et al., “Waveguide avalanche photodiode operating at 1.55 μm with a gain-bandwidth product of 320 GHz” , IEEE Photonics Technol. Lett., Vol. 13, pp. 842-844, Aug. 2001.
- [2001NOT] M. Notomi, K. Yamada, A. Shinya, J. Takahashi, C. Takahashi and I. Yokohama, “Extremely large group velocity dispersion of line-defect waveguides in photonic crystal slabs” , Phys. Rev. Lett., Vol. 87, No. 253902, Aug. 7, 2001.
- [2001OOH] H. Oohashi, Y. Shibata, H. Ishii, Y. Kawaguchi, Y. Kondo, Y. Yoshikuni and Y. Tohmori, “46.9-nm wavelength-selectable arrayed DFB lasers with integrated MMI coupler and SOA” , Proc. Tech. Dig., IPRM '2001, Nara, Japan, FBI-2, pp. 575-578, 2001.
- [2001SAI] H. Saito, K. Nishi, A. Kamei and S. Sugou, Appl. Phys. Lett., Vol. 78, p. 267, 2001.
- [2001VLA] Y. A. Vlasov, X-Z. Bo, J. C. Sturm and D. J. Norris, “On-chip natural assembly of silicon photonic bandgap crystals” , Nature, Vol. 414, pp. 289-293, 2001.
- [2002BAC] H. G. Bach et al., “Design and fabrication of 60 Gb/s InP-based monolithic photoreceiver OEICS and modules” , IEEE J. Selected Topics in Quantum Electron., Vol. 8, pp. 1445-1450, Nov./Dec. 2002.
- [2002HAM] K. Hamamoto, K. Naniwae and M. Ohya, “High power with low electric power consumption active multi-mode interferometer laser diode for fiber-amplifier,” Electron. Lett., Vol. 38, pp. 517-518, May 2002.
- [2002SAN] C. Santori, D. Fattal, J. Vuckovic, G. S. Solomon and Y. Yamamoto, “Indistinguishable photons from a single-photon device” , Nature, Vol. 419, pp. 594-597, Oct. 2002.
- [2002TUR] A. V. Turukhin, V. S. Sudarshanam, M. S. Shahriar, J. A. Musser, B. S. Ham and P. R. Hemmer, “Observation of ultraslow and stored light pulses in a solid” , Phys. Rev. Lett., Vol. 88, pp. 023602-1-4, Jan. 2002.
- [2003CHA] C. J. Chang-Hasnain, P. Ku, J. Kim, and S. L. Chuang, “Variable optical buffer using slow light in semiconductor nanostructure” , Proc. IEEE, Vol. 91, No. 11, pp. 1884-1897, Nov. 2003.
- [2003HAT] G. Hatakoshi, “Analysis of beam quality factor for semiconductor lasers” , Opt. Review, Vol. 10, No. 4, pp. 307-314, 2003.
- [2003HIK] 光情報通信技術ハンドブック編集委員会編, “光情報通信技術ハンドブック”, コロナ社, 東京, 2003.

- [2003NAG] 長澤正雄, “シュレーディンガーのジレンマと夢”, 森北出版, 東京, 2003.
- [2003RUS] P. Russell, “Photonic crystal fibers”, Science, Vol. 299, pp. 358-362, 2003.
- [2003WAD] N. Wada, H. Harai and F. Kubota, “40 Gbit/s Interface, optical code based photonic packet switch prototype”, OFC 2003, Vol. 2, FS7, pp. 801-802, 2003.
- [2003YAM] Y. Yamamoto, “Photonic qubit and nuclear qubit for quantum information systems”, ERATO Conf. Quantum Information Science 2003 (EQIS '03), Kyoto, Japan, Sept. 4-6, 2003.
- [2004FAT] D. Fattal, E. Diamanti, K. Inoue and Y. Yamamoto, “Quantum teleportation with a quantum dot single photon source”, Phys. Rev. Lett., Vol. 92, pp. 037904-1 - 037904-4, Jan. 2004.
- [2004GNA] A. H. Gnauck and P. J. Winzer, “Phase-shift-keyed transmission”, OFC 2004, TuF 5, 2004.
- [2004IBL] S. Iblisdir, G. Van Asshe and Z. J. Cerf, “Security of quantum key distribution with coherent states and homodyne detection”, Phys. Rev. Lett., Vol. 93, p. 170502, 2004.
- [2004KIT] 喜連川優, “情報爆発”, 文部科学省資料, 2004.
- [2004KU] P. C. Ku, F. Sedwick, C. J. Chang-Hasnain, P. Palinginia, T. Li, H. L. Wang, S. W. Chang and S. L. Chuang, “Slow light in semiconductor quantum wells”, Opt. Lett., Vol. 29, pp. 2291-2293, Oct. 2004.
- [2004MIY] K. Miyake et al., ECOC 2004, Mo3.3.4, 2004.
- [2004ORI] N. Orihashi, S. Hattori and M. Asada, “Millimeter and submillimeter oscillators using resonant tunneling diodes with stacked-layer slot antennas”, Jpn. J. Appl. Phys. vol. 43, L1309-L1311, 2004.
- [2004OTS] K. Otsubo, N. Hatorim, M. Ishida, S. Okumura, T. Akiyama, Y. Nakata, H. Ebe, M. Sugawara and Y. Arakawa, “Temperature-insensitive eye-opening under 10-Gb/s modulation of 1.3- μ m P-doped quantum-dot lasers without current adjustments”, Jpn. J. Appl. Phys., Vol. 43, No. 8B, pp. L1124-1126, July 2004.
- [2004SEK] K. Sekine, N. Kikuchi, S. Sasaki, S. Hayase, C. Hasegawa and T. Sugawara, “Proposal and demonstration of 10-Gsymbol/sec 16-ary (40 Gbit/s) optical modulation/demodulation scheme”, ECOC 2004, Vol. 3, We3.4.5, pp. 424-425, 2004.
- [2004TAK] T. Takano, Y. Narita, A. Horiuchi and H. Kawanishi, “Room-temperature deep-ultraviolet lasing at 241.5 nm of AlGaN multiple-quantum-well laser”, Appl. Phys. Lett., Vol. 89, No. 18, pp. 3567-3569, 2004.
- [2004WES] J. Wesstroem, G. Sarlet, S. Hammerfeldt, L. Lundqvist, P. Asabo and P. Rigole, “State-of-the-art performance of widely tunable modulated grating Y-branch laser”, OFC 2004, Los Angeles, Paper TuE 2, Feb., 2004.
- [2005CHR] L. Chrostowski, X. Zhao, C. J. Chang-Hasnain, R. Shau, M. Ortsiefer and M. Amann, “50 GHz directly-modulated injection-locked 1.55 μ m VCSELs”, OFC/NFOEC, 4, pp. 338-340, Mar. 2005.
- [2005COR] E. Corndrof, P. Kumar and H.P. Yuen, “Quantum noise randomized data encryption for WDM fiber optic networks”, Phys. Rev. A, Vol. 71, 062326, Jun. 2005.
- [2005DUA] N. Duan, et al., “High-speed and low-noise SACM avalanche photodiodes with an impact-ionization-engineered multiplication region”, IEEE Photonics Technol. Lett., Vol. 17, pp. 1719-1721, Aug. 2005.
- [2005HIR] O. Hirota, M. Sohma, M. Fuse and K. Kato, “Quantum stream cipher by the Yuen 2000

- protocol” , Phys. Rev. A, Vol. 72, 022335, Aug. 2005.
- [2005INO] 井上友二, “レゾナントコミュニケーション環境の創造に向けた研究開発”, NTT技術ジャーナル, Vol. 17, No. 4, pp. 16-25, 2005.
- [2005KOK] 國分康雄, “光波工学”, 共立出版, 東京, 2005.
- [2005KON] A. Kondo, T. Ishigure and Y. Koike, “Fabrication process and optical properties of perdeuterated graded-index polymer optical fiber” , IEEE J. Lightwave Technol., Vol. 23, No. 8, pp. 2443-2448, 2005.
- [2005MCG] D. McGhan, C. Laperle, A. Savchenko, L. Chuandong, M. Gary and M. O' Sullivan, “5120km RZ-DPSK transmission over G 652 fiber at 10 Gb/s with no optical dispersion compensation” , Optical Fiber Communication Conference, Technical Digest, Vol. 6, pp. 79-81, Mar. 2005.
- [2005MIY] T. Miyazawa, K. Takemoto, Y. Sakuma, S. Hirose, T. Usuki, N. Yokozawa, M. Takatsu and Y. Arakawa, “Single-photon generation in the 1.55 μm optical-fiber band from an InAs/InP quantum dot” , Jpn. J. Appl. Phys., Vol. 44, No. 20, pp. L620-622, 2005.
- [2005NAG] T. Naganawa, S. Ueno and Y. Kokubun, “Spectrum response improvement of higher-order series coupled microring resonator filter by UV trimming” , IEEE Photonics Technol. Lett., Vol. 17, No. 10, pp. 2104-2106, Oct. 2005.
- [2005SHI] 清水大雅, 中野義昭, “Fabrication of a TE mode Semiconductor Waveguide type Optical Isorator Based on the Nonlinear Loss shift” , 2004 Fall Meeting of Material Research Society, Jan. 2005.
- [2005TSU] S. Tsukamoto, D. -S. Ly-Gagnon, K. Katoh and K. Kikuchi, “Coherent demonstration of 40-Gbit/s polarization-multiplexed QPSK signal with 16-GHz Spacing after 200-km Transmission” , Optical Fiber Communication Conference (OFC 2005), PDP29, Anaheim, CA, U.S.A., Mar. 2005.
- [2005WAD] 和田紀夫, “新たなブロードバンド社会の実現に向けた取り組み”, NTT技術ジャーナル, Vol. 17, No. 4, pp. 6-15, 2005.
- [2005WAK] 若林信一, “FBGを用いた広帯域可変分散補償デバイス”, オプトエレクトロニクス, No. 282, pp. 167-173, 2005.
- [2006BAB] T. Baba, “Photonic crystals” , in Encyclopedic Handbook on Integrated Optics, Eds. by K. Iga and Y. Kokubun, p. 289, Taylor and Francis (CRC Press), 2006.
- [2006HIB] Y. Hibino, “Thermo-optic Devices” , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, pp. 385-403, Taylor and Francis (CRC Press), 2006.
- [2006IGA] K. Iga and Y. Kokubun, “Encyclopedic handbook on integrated optics” , Taylor and Francis (CRC Press), 2005.
- [2006JAN] W. Janto, K. Hasrbe, N. Nishiyama, C. Caneau, T. Sakaguchi, A. Matautani, F. Koyama and C. E. Zah, “Temperature-insensitive wavelength VCSEL” , ISLC, Hawaii, PD1, Sept. 2006.
- [2006MAR] T. Maruno, “Planar lightwave circuit (PLC)” , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC Press), pp. 295 - 305 , 2006.
- [2006KOK] Y. Kokubun, “Micro-ring resonator circuit” , in Encyclopedic handbook of integrated optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC Press), 2006.
- [2006SAW] R. Sawada, “Optical switch” , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC Press), pp. 246-259, 2006.

- [2006TAK] H. Takahashi, "Arrayed waveguide grating" , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC press), pp. 15-23, 2006.
- [2006UTA] K. Utaka, "Multi-mode interference devices" , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC press), pp. 151-163, 2006.
- [2006WAD] O. Wada, "Optoelectronic integrated circuit" , in Encyclopedic Handbook of Integrated Optics, Eds. by K. Iga and Y. Kokubun, Taylor and Francis (CRC press), 2006.
- [2006YAR] A. Yariv and P. Yeh, "Photonics : Optical Electronics in Modern Communications" , 6 th Ed., Oxford University Press, 2006. (多田邦雄, 神谷武志監訳, “ヤリーヴーイエー 光エレクトロニクス展開編”, 丸善出版, 東京, 2014.)
- [2006YAS] K. Yashiki, T. Kato, H. Chida, K. Tsuruoka, R. Kobayashi, S. Sudo, K. Sato and K. Kudo, "Modulator Integrated DFB Lasers: 10 Gb/s" , IEEE Photonics Technol. Lett., Vol. 18, No. 1, pp. 109-111, Jan. 2006.
- [2007SUE] 末松安晴, 小林功郎, “フォトニクス”, p.494, オーム社, 東京, 2007.
- [2007TAK] 高橋浩, 山田貴, 小熊学, “PLC 技術を用いた DQPSK 用変調器と復調器”, NTT 技術ジャーナル, pp.52-57, Nov. 2007.
- [2008IGA] K. Iga, "Vertical cavity surface emitting laser (VCSEL)" , Proc. IEEE, Vol. 47, No. 1, pp. 1-10, Jan. 2008.
- [2008JAN] S. L. Jansen, I. Morita and H. Tanaka, "10 × 121.9-Gb/s PDM-OFDM transmission with 2-b/s/Hz spectral efficiency over 1,000km of SSMF" , OFC/NFOEC 2008, PDP2.
- [2008SHO] Y. Shoji, T. Mizumoto, H. Yokoi, I.-W. Hsieh and R. M. Osgood, Jr., "Magneto-optical isolator with waveguides fabricated by direct bonding," Appl. Phys. Lett., Vol. 92, 071117, 2008.
- [2008TAK] K. Takaki, N. Iwal, K. Hiratwa, S. Imai, H. Shimizu, T. Kageyama, Y. Kawakita, N. Tsukui and A. Kasukawa, "A recorded 62 % PCE and low series and thermal resistance VCSEL with double intra-cavity structure" , ISLC 2008, PD Paper, The 21st IEEE Semiconductor Laser Conference, Sept. 14-18, Italy, Sorrento, 2008.
- [2009CRU] P. Crump, J. Wang, S. Das, M. Grimshaw, J. Farmer, M. DeVito, W. Dong, T. Crum, D. Wise and Y. Feng. "360 W and > 70 % Efficient GaAs-Based Diode Lasers" , nLight Corporation, 5408 NE 88th Street, Building E, Vancouver, WA 98665, Aug. 2009.
- [2009NIC] S. C. Nicholes, M. L. Mašanovich, B. Jevremovich, E. Lively, L. A. Coldren and D. J. Blumenthal, "640 Gbps 8 × 8 InP Monolithic Tunable Optical Router" , Communication, Aug. 2009.
- [2009UET] A. Uetake, K. Otsubo, M. Matsuda, S. Okumura, M. Ekawa and T. Yamamoto, "40-Gbps direct modulation of 1.55-μm AlGaInAs semi-insulating buried-heterostructure distributed reflector lasers up to 85°C" , IEEE Photonics Society Annual Meeting 2009, ThBB3.
- [2010KAN] T. Kaneko, Y. Yamauchi, H. Tanaka, T. Machda, T. Ishikawa, T. Fujii and H. Shoji, "High-power and low phase noise full-band tunable LD for coherent applications" , OFC/NFOEC, Mar. 2010.
- [2010KOB] 小林哲郎：“不思議な密閉光箱”，第57回応用物理学関係連合講演会, 18a-K-1, 2010.
- [2010NAK] M. Nakazawa, K. Kikuchi and T. Miyazaki, "High Spectral Density Optical Communication Technologies" , Springer, 2010.
- [2012MAT] S. Matsuo, K. Takeda, T. Sato, M. Notomi, A. Shinya, K. Nozaki, H. Taniyama, K. Hasebe and T. Kakitsuka, "Room-temperature continuous-wave operation of lateral current in-

- jection wavelength-scale embedded active-region photonic-crystal laser” , Opt. Express, Vol. 20, No. 4, pp.3773-3780, Feb. 2012.
- [2012MIZ] T. Mizumoto, R. Takei and Y. Shoji, “Waveguide optical isolator for integrated optics” , IEEE J. Quantm Electron. Vol. 48, No. 2, pp. 252-260, Feb. 2012.
- [2012KIT] 北山研一, “光通信工学”, オーム社, 東京, 2012.
- [2013DAR] H. Dalir and F. Koyama, “29 GHz directly modulated 980 nm vertical-cavity surface emitting lasers with bow-tie shape transverse coupled cavity” , Appl. Phys. Lett., Vol. 103, 091109-1-4, Aug. 2013.
- [2013HIR] M. Hirano, T. Haruna, Y. Tamura, T. Kawano, S. Ohnuki, Y. Yamamoto, Y. Koyano and T. Sasaki, “Record low loss, record high FOM optical fiber with manufacturable process” , OFC/NFOEC 2013, PDP.A5.7., Anaheim, CA, 2013.
- [2013IGAa] K. Iga, “Vertical cavity surface emitting laser (VCSEL)” , Proc. IEEE, invited paper, Vol. 11, No. 10, pp. 2229-2232, (2013)
- [2013IGAb] 伊賀健一, 波多腰玄一, “光エレクトロニクスの玉手箱”, 第6章, O plus E, Vol. 35, No. 8, pp. 920-935, Aug. 2013.
- [2013SUE] 末松安晴, “新版光デバイス”, コロナ社, 東京, 2013.
- [2014IEI] 小特集“光通信インフラの飛躍的な高度化に向けた技術動向”, 信学誌, Vol. 97, No 2, pp.97-131, 2014.
- [2014IGAa] 伊賀健一, 波多腰玄一, “光エレクトロニクスの玉手箱：光ファイバー”, 第30章, O plus E, Vol. 37, No. 8, pp. 648-662, Aug. 2014.
- [2014IGAb] 伊賀健一, 波多腰玄一：“光エレクトロニクスの玉手箱：面発光レーザーの登場”, O plus E, Vol. 36, No. 8-11, pp. 944-1304, Aug.-Nov. 2014.
- [2014SHO] Y. Shoji and T. Mizumoto, Science and Technology of Advanced Materials, Vol. 15, 014602, 2014.
- [2014SUE] Y. Suematsu, “Dynamic Single Mode Lasers” , J. Lightwave Tech., Vol. 32, No. 6, pp. 1144-1158, March 2014.
- [2014SUZ] 鈴木恵治郎, 谷澤健, 松川貴, G. Cong, S.-Hun Kim, 須田悟史, 大野守史, 千葉正, 田所宏文, 柳原昌志, 五十嵐泰史, 昌原明植, 並木周, 河島整, “超小型シリコン細線 8×8 PILOSS スイッチ”, 2014 信学総大, エレクトロニクス講演論文集 1, C-3-75, 新潟, 2014.
- [2015KOI] Y. Koike: “Fundamentals of Plastic Optical Fibers” , Wiley-VCF, Weinheim, 2015.
- [2015KOK] 國分泰雄, “光波工学”, 共立出版, 第7刷, 2015.
- [2015KOY] F. Koyama and M. Nakahama, “Micromachined vertical cavity surface emitting lasers -athermalization, tuning and multi-wavelength integration-” , IEEE J. Sel. Top. in Quantum Electronics, Vol. 21, No. 4, 1700310, Jan. 2015.
- [2015SUE] 末松安晴, “わが国の光ファイバ通信研究（前編・後編）”, 科研費 NEWS, 2015 年度.
- [2015TOK] 徳成正雄, “コンピュータシステム用光インターフェクト技術”, 信学誌, Vo. 98, No. 9, pp. 829-830, Sept. 2015.
- [2016ARA] Y. Arakawa, “Progress in quantum well and dot lasers” , 25 th Int. Semicond. Laser Conf, Anniversary Workshop, WS 1-3, Sept. 2016.
- [2016IEIa] 小特集“進化する光アクセス技術と将来展望”, 信学誌, Vol. 99, No. 7, pp. 637-690, 2016.
- [2016IEIb] 特集“変革を迎える光通信デバイス”, 信学誌, Vol. 99, No. 11, pp. 637-690, 2016.
- [2016IGAa] 伊賀健一, “面発光レーザーが拓く光インターフェクトの世界”, O plus E, Vol. 38, No. 1, pp. 32-37, Jan. 2016.
- [2016IGAb] 伊賀健一, 波多腰玄一, “光エレクトロニクスの玉手箱：微小工学”, 第36章, No. 2, pp. 167-

- 181, Feb. 2016.
- [2016IGAc] K. Iga, "VCSEL Odyssey++ — The conception and research of vertical cavity surface emitting laser —" , 25 th Int. Semicond. Laser Conf., Kobe, No.WA2, Sept. 2016.
- [2016KIK] K. Kikuchi, "Fundamentals of coherent optical fiber communications," J. Lightwave Tech., Vol. 34, No. 1, pp. 157-179, 2016.
- [2016KOK] Y. Kokubun, T. Watanabe, S. Miura and R. Kawata: "What is a mode in few mode fibers? : Proposal of MIMO-free mode division multiplexing using true eigenmodes" , ELEX Electronics, Express, Vol. 13, No. 18, pp. 1-12, 2016.
- [2016MAE] T. Maekawa, H. Kanaya, S. Suzuki and M. Asada, "Oscillation up to 1.92THz in resonant tunneling diode by reduced conduction loss" , Appl. Phys. Express, Vol. 9, 024101, 2016.
- [2016NAK] M. Nakahama, T. Sakaguchi, A. Matsutani and F. Koyama, "Athermal and widely tunable VCSEL with bimorph micromachined mirror" , Optics Express, Vol. 22, No. 18, pp. 21471-21479, Aug. 2014.
- [2016NOD] S. Noda, "Progress and future prospects of photonic crystal lasers" , 25 th Int. Semicond. Laser Conf., Anniversary Workshop, WS1-4, Sept. 2016.
- [2017OPT] THz Wireless Communication, OPTICS & Photonics, OSA, pp. 24-31, Mar. 2017.
- [2017SUE] 末松安晴, "動的単一モードレーザの開拓——大容量長距離光ファイバ通信用の半導体レーザー——", 信学論, Vol. 100-C, No. 10, Oct. 2017.
- [2017TAM] Y. Tamura, H. Sakuma, K. Morita, M. Suzuki, Y. Yamamoto, K. Shimada, Y. Honma, K. Sohma, T. Fujii and T. Hasegawa: "Lowest-ever 0.1419-dB/km loss optical fiber" , OFC 2017, Post Deadline Paper, No.Th5D-1, Mar. 2017.

—以 上—